

panels


**THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:**

- Compile Panels are:
  - Available in four (4) heights: 30", 42", 54" and 66"; and seven (7) widths: 24", 30", 36", 42", 48", 54" and 60".
  - 2 3/8" thick.
  - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non - Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with three knockouts.
- Panels 36" - 60" wide include raceway covers with three knockouts.
- Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field to change a panel from non-powered to powered (or vice versa).
- Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.




MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25


Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package



Non-Powered Compile Monolithic Laminate Panel Package



Non-Powered Compile Monolithic Laminate Panel Package




Model Definitions:

- N0 = No punch outs on raceways.
- N1 = Raceway punch out on one side.
- N2 = Raceway punch out on both sides.
- P1 = Power harness and raceway punch out on one side.
- P2 = Power harness and raceway punch outs on two sides.


RACEWAY COVER OPTIONS (Suffix)

- (N0) No Knockouts Side 1 and Side 2
- (N1) Knockouts Side 1 – No Knockout Side 2
- (N2) Knockouts Side 1 and Side
- (P1) Knockouts Side 1 – No Knockout Side 2
- (P2) Knockouts Side 1 and Side 2




SEGMENTED - PANEL PACKAGES - PAGES 18 & 19, 26-35


Non-Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package



Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 20 & 21


Non-Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 34-35


Non-Powered Compile Single Segmented Open Bottom Panel Package




Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



DOOR PANELS - PAGE 42

Sliding Privacy Door




CMPDSL6636/42



GLAZED PANEL PACKAGES - PAGES 36-37

Non-Powered Compile Glazed Panel Package




CMFG4224N0

CMFG5424N0

CMFG6624N0

Powered Compile Glazed Panel Package




CMFG4224P1

CMFG5424P1

CMFG6624P1

Non-Powered Compile Glazed Panel Package




CMFG4224N1

CMFG5424N1

CMFG6624N1

Powered Compile Glazed Panel Package




CMFG4224P2

CMFG5424P2

CMFG6624P2

Non-Powered Compile Glazed Panel Package




CMFG4224N2

CMFG5424N2

CMFG6624N2


PARTLY GLAZED PANEL PACKAGES - PAGES 38-41

Non-Powered Compile Partly Glazed Panel Package




CMPG5424N0 CMPG6624N0

Powered Compile Partly Glazed Panel Package




CMPG5424P1 CMPG6624P1

Non-Powered Compile Partly Glazed Panel Package




CMPG5424N1 CMPG6624N1

Powered Compile Partly Glazed Panel Package



CMPG5424P2 CMPG6624P2


Non-Powered Compile Partly Glazed Panel Package



CMPG5424N2 CMPG6624N2

Compile Privacy Glass


Available in widths from 24" to 60".



CMPS30

MINI PANEL KIT - PAGE 43

Mini Panel Kit



CMFMA2418KIT1






This page provides an exploded view of a sample Panel Package highlighting each **Panel** component included within the package.

### Package Components


#### Package 1 CMFM6636N0

- A. (1) 66" h x 36" w Monolithic Fabric Panel
- B. (2) 36" w Raceway Covers Without Knockouts




#### Package 2 CMFF6636P2

- C. (1) 66" h x 36" w Single Segmented Fabric Panel
- D. (2) 36" w Raceway Covers With Knockouts
- E. (1) 36" w Power Distribution Housing








#### Package 3 CHP66-2

- F. (1) 66" h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post



**CMFMXXYYN - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE**

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024N_	312	340	30	24	2 3/8
		CMFM3030N_	352	379	30	30	2 3/8
		CMFM3036N_	383	438	30	36	2 3/8
		CMFM3042N_	423	477	30	42	2 3/8
		CMFM3048N_	450	503	30	48	2 3/8
		CMFM3054N_	498	551	30	54	2 3/8
		CMFM3060N_	525	577	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224N_	312	340	42	24	2 3/8
		CMFM4230N_	352	379	42	30	2 3/8
		CMFM4236N_	383	438	42	36	2 3/8
		CMFM4242N_	423	477	42	42	2 3/8
		CMFM4248N_	450	503	42	48	2 3/8
		CMFM4254N_	498	551	42	54	2 3/8
		CMFM4260N_	525	577	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 48"	CMFM4824N_	325	357	48	24	2 3/8
		CMFM4830N_	368	400	48	30	2 3/8
		CMFM4836N_	410	472	48	36	2 3/8
		CMFM4842N_	456	520	48	42	2 3/8
		CMFM4848N_	480	545	48	48	2 3/8
		CMFM4854N_	519	583	48	54	2 3/8
		CMFM4860N_	567	629	48	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424N_	326	359	54	24	2 3/8
		CMFM5430N_	368	401	54	30	2 3/8
		CMFM5436N_	411	474	54	36	2 3/8
		CMFM5442N_	456	521	54	42	2 3/8
		CMFM5448N_	481	546	54	48	2 3/8
		CMFM5454N_	520	585	54	54	2 3/8
		CMFM5460N_	567	630	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624N_	365	406	66	24	2 3/8
		CMFM6630N_	418	460	66	30	2 3/8
		CMFM6636N_	478	557	66	36	2 3/8
		CMFM6642N_	537	616	66	42	2 3/8
		CMFM6648N_	581	661	66	48	2 3/8
		CMFM6654N_	647	726	66	54	2 3/8
		CMFM6660N_	710	790	66	60	2 3/8






**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMFMXXYP - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE**

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.





	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024P_	444	471	30	24	2 3/8
		CMFM3030P_	530	557	30	30	2 3/8
		CMFM3036P_	569	622	30	36	2 3/8
		CMFM3042P_	613	666	30	42	2 3/8
		CMFM3048P_	654	708	30	48	2 3/8
		CMFM3054P_	702	757	30	54	2 3/8
		CMFM3060P_	732	784	30	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224P_	444	471	42	24	2 3/8
		CMFM4230P_	530	557	42	30	2 3/8
		CMFM4236P_	569	622	42	36	2 3/8
		CMFM4242P_	613	666	42	42	2 3/8
		CMFM4248P_	654	708	42	48	2 3/8
		CMFM4254P_	702	757	42	54	2 3/8
		CMFM4260P_	732	784	42	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 48"	CMFM4824P_	456	489	48	24	2 3/8
		CMFM4830P_	544	576	48	30	2 3/8
		CMFM4836P_	594	658	48	36	2 3/8
		CMFM4842P_	645	709	48	42	2 3/8
		CMFM4848P_	686	750	48	48	2 3/8
		CMFM4854P_	723	788	48	54	2 3/8
		CMFM4860P_	773	836	48	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424P_	456	491	54	24	2 3/8
		CMFM5430P_	544	577	54	30	2 3/8
		CMFM5436P_	596	660	54	36	2 3/8
		CMFM5442P_	646	711	54	42	2 3/8
		CMFM5448P_	686	751	54	48	2 3/8
		CMFM5454P_	724	790	54	54	2 3/8
		CMFM5460P_	773	838	54	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624P_	495	537	66	24	2 3/8
		CMFM6630P_	596	638	66	30	2 3/8
		CMFM6636P_	664	743	66	36	2 3/8
		CMFM6642P_	726	805	66	42	2 3/8
		CMFM6648P_	786	865	66	48	2 3/8
		CMFM6654P_	852	932	66	54	2 3/8
		CMFM6660P_	916	996	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMFFXXYYN - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE**

- Non powered.
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Power Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N_	327	354	42	24	2 3/8
		CMFF4230N_	368	396	42	30	2 3/8
		CMFF4236N_	390	443	42	36	2 3/8
		CMFF4242N_	445	498	42	42	2 3/8
		CMFF4248N_	475	528	42	48	2 3/8
		CMFF4254N_	528	581	42	54	2 3/8
		CMFF4260N_	565	618	42	60	2 3/8
		CMFF4266N_	666	772	42	66	2 3/8
		CMFF4272N_	701	808	42	72	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 48"	CMFF4824N_	356	388	48	24	2 3/8
		CMFF4830N_	395	427	48	30	2 3/8
		CMFF4836N_	446	510	48	36	2 3/8
		CMFF4842N_	505	569	48	42	2 3/8
		CMFF4848N_	546	610	48	48	2 3/8
		CMFF4854N_	581	644	48	54	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N_	357	389	54	24	2 3/8
		CMFF5430N_	396	428	54	30	2 3/8
		CMFF5436N_	447	511	54	36	2 3/8
		CMFF5442N_	505	570	54	42	2 3/8
		CMFF5448N_	547	612	54	48	2 3/8
		CMFF5454N_	581	646	54	54	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N_	417	458	66	24	2 3/8
		CMFF6630N_	477	519	66	30	2 3/8
		CMFF6636N_	530	610	66	36	2 3/8
		CMFF6642N_	604	684	66	42	2 3/8
		CMFF6648N_	641	720	66	48	2 3/8
		CMFF6654N_	695	774	66	54	2 3/8
CMFF6660N_	737	816	66	60	2 3/8		

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMFFXXYP\_ - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE**

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42" h, 48" h and 54" h panels.
- 4 Panel connector brackets per side come standard with 66" h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".





	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224P_	457	486	42	24	2 3/8
		CMFF4230P_	544	572	42	30	2 3/8
		CMFF4236P_	576	628	42	36	2 3/8
		CMFF4242P_	635	688	42	42	2 3/8
		CMFF4248P_	678	732	42	48	2 3/8
		CMFF4254P_	734	788	42	54	2 3/8
		CMFF4260P_	770	823	42	60	2 3/8
		CMFF4266P_	889	995	42	66	2 3/8
		CMFF4272P_	937	1043	42	72	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 48"	CMFF4824P_	488	519	48	24	2 3/8
		CMFF4830P_	572	604	48	30	2 3/8
		CMFF4836P_	633	695	48	36	2 3/8
		CMFF4842P_	695	758	48	42	2 3/8
		CMFF4848P_	751	814	48	48	2 3/8
		CMFF4854P_	787	850	48	54	2 3/8
		CMFF4860P_	832	894	48	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424P_	489	521	54	24	2 3/8
		CMFF5430P_	572	605	54	30	2 3/8
		CMFF5436P_	634	697	54	36	2 3/8
		CMFF5442P_	696	761	54	42	2 3/8
		CMFF5448P_	752	816	54	48	2 3/8
		CMFF5454P_	788	851	54	54	2 3/8
		CMFF5460P_	833	896	54	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624P_	548	590	66	24	2 3/8
		CMFF6630P_	653	695	66	30	2 3/8
		CMFF6636P_	715	794	66	36	2 3/8
		CMFF6642P_	794	873	66	42	2 3/8
		CMFF6648P_	844	923	66	48	2 3/8
		CMFF6654P_	899	978	66	54	2 3/8
		CMFF6660P_	943	1022	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMFMAXYYN\_ - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE**

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N_	371	398	42	24	2 3/8
		CMFMA4230N_	417	444	42	30	2 3/8
		CMFMA4236N_	454	507	42	36	2 3/8
		CMFMA4242N_	500	554	42	42	2 3/8
		CMFMA4248N_	531	585	42	48	2 3/8
		CMFMA4254N_	587	641	42	54	2 3/8
		CMFMA4260N_	618	671	42	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 48"	CMFMA4824N_	387	419	48	24	2 3/8
		CMFMA4830N_	450	468	48	30	2 3/8
		CMFMA4836N_	482	547	48	36	2 3/8
		CMFMA4842N_	539	604	48	42	2 3/8
		CMFMA4848N_	569	634	48	48	2 3/8
		CMFMA4854N_	611	677	48	54	2 3/8
		CMFMA4860N_	667	733	48	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N_	387	420	54	24	2 3/8
		CMFMA5430N_	450	469	54	30	2 3/8
		CMFMA5436N_	482	547	54	36	2 3/8
		CMFMA5442N_	539	604	54	42	2 3/8
		CMFMA5448N_	569	634	54	48	2 3/8
		CMFMA5454N_	612	677	54	54	2 3/8
		CMFMA5460N_	667	733	54	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624N_	433	476	66	24	2 3/8
		CMFMA6630N_	497	539	66	30	2 3/8
		CMFMA6636N_	567	646	66	36	2 3/8
		CMFMA6642N_	638	717	66	42	2 3/8
		CMFMA6648N_	689	768	66	48	2 3/8
		CMFMA6654N_	765	845	66	54	2 3/8
		CMFMA6660N_	840	919	66	60	2 3/8





**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMFMAXYYYP - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE**

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42" h, 48" h and 54" h panels.
- 4 Panel connector brackets per side come standard with 66" h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".






	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224P_	502	529	42	24	2 3/8
		CMFMA4230P_	594	620	42	30	2 3/8
		CMFMA4236P_	641	694	42	36	2 3/8
		CMFMA4242P_	690	743	42	42	2 3/8
		CMFMA4248P_	735	789	42	48	2 3/8
		CMFMA4254P_	792	845	42	54	2 3/8
		CMFMA4260P_	823	876	42	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 48"	CMFMA4824P_	517	549	48	24	2 3/8
		CMFMA4830P_	612	644	48	30	2 3/8
		CMFMA4836P_	668	733	48	36	2 3/8
		CMFMA4842P_	728	793	48	42	2 3/8
		CMFMA4848P_	773	837	48	48	2 3/8
		CMFMA4854P_	817	882	48	54	2 3/8
		CMFMA4860P_	873	938	48	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424P_	519	551	54	24	2 3/8
		CMFMA5430P_	613	646	54	30	2 3/8
		CMFMA5436P_	668	734	54	36	2 3/8
		CMFMA5442P_	729	795	54	42	2 3/8
		CMFMA5448P_	773	838	54	48	2 3/8
		CMFMA5454P_	817	883	54	54	2 3/8
		CMFMA5460P_	874	939	54	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624P_	565	606	66	24	2 3/8
		CMFMA6630P_	674	716	66	30	2 3/8
		CMFMA6636P_	753	833	66	36	2 3/8
		CMFMA6642P_	825	906	66	42	2 3/8
		CMFMA6648P_	893	972	66	48	2 3/8
		CMFMA6654P_	970	1050	66	54	2 3/8
		CMFMA6660P_	1045	1124	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMLFMXXYYN - MONOLITHIC LAMINATE SINGLE SIDED PANEL – NON-POWERED**

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- Panels are not tackable.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Single Sided Panel Package - 30”	CMLFM3024N_	379	392	30	24	2 3/8
		CMLFM3030N_	440	449	30	30	2 3/8
		CMLFM3036N_	501	513	30	36	2 3/8
		CMLFM3042N_	569	579	30	42	2 3/8
		CMLFM3048N_	620	632	30	48	2 3/8
		CMLFM3054N_	684	698	30	54	2 3/8
		CMLFM3060N_	751	765	30	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 42”	CMLFM4224N_	448	460	42	24	2 3/8
		CMLFM4230N_	525	538	42	30	2 3/8
		CMLFM4236N_	600	618	42	36	2 3/8
		CMLFM4242N_	680	698	42	42	2 3/8
		CMLFM4248N_	741	762	42	48	2 3/8
		CMLFM4254N_	820	844	42	54	2 3/8
		CMLFM4260N_	900	926	42	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 48”	CMLFM4824N_	530	552	48	24	2 3/8
		CMLFM4830N_	622	638	48	30	2 3/8
		CMLFM4836N_	714	734	48	36	2 3/8
		CMLFM4842N_	809	833	48	42	2 3/8
		CMLFM4848N_	883	909	48	48	2 3/8
		CMLFM4854N_	982	1011	48	54	2 3/8
		CMLFM4860N_	1078	1110	48	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 54”	CMLFM5424N_	531	547	54	24	2 3/8
		CMLFM5430N_	622	642	54	30	2 3/8
		CMLFM5436N_	714	733	54	36	2 3/8
		CMLFM5442N_	810	834	54	42	2 3/8
		CMLFM5448N_	883	910	54	48	2 3/8
		CMLFM5454N_	982	1010	54	54	2 3/8
		CMLFM5460N_	1078	1110	54	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 66”	CMLFM6624N_	655	676	66	24	2 3/8
		CMLFM6630N_	767	791	66	30	2 3/8
		CMLFM6636N_	885	911	66	36	2 3/8
		CMLFM6642N_	1007	1036	66	42	2 3/8
		CMLFM6648N_	1095	1128	66	48	2 3/8
		CMLFM6654N_	1218	1254	66	54	2 3/8
		CMLFM6660N_	1341	1382	66	60	2 3/8






**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMLFMXXYP - MONOLITHIC LAMINATE SINGLE SIDED PANEL – POWERED**

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- Panels are not tackable.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.






	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Single Sided Panel Package - 30”	CMLFM3024P_	510	524	30	24	2 3/8
		CMLFM3030P_	616	676	30	30	2 3/8
		CMLFM3036P_	687	755	30	36	2 3/8
		CMLFM3042P_	759	834	30	42	2 3/8
		CMLFM3048P_	823	906	30	48	2 3/8
		CMLFM3054P_	889	982	30	54	2 3/8
		CMLFM3060P_	957	1056	30	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 42”	CMLFM4224P_	579	642	42	24	2 3/8
		CMLFM4230P_	701	775	42	30	2 3/8
		CMLFM4236P_	786	872	42	36	2 3/8
		CMLFM4242P_	871	965	42	42	2 3/8
		CMLFM4248P_	946	1049	42	48	2 3/8
		CMLFM4254P_	1026	1143	42	54	2 3/8
		CMLFM4260P_	1108	1236	42	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 48”	CMLFM4824P_	662	675	48	24	2 3/8
		CMLFM4830P_	799	817	48	30	2 3/8
		CMLFM4836P_	899	921	48	36	2 3/8
		CMLFM4842P_	998	1115	48	42	2 3/8
		CMLFM4848P_	1086	1114	48	48	2 3/8
		CMLFM4854P_	1186	1217	48	54	2 3/8
		CMLFM4860P_	1284	1440	48	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 54”	CMLFM5424P_	663	739	54	24	2 3/8
		CMLFM5430P_	799	889	54	30	2 3/8
		CMLFM5436P_	899	999	54	36	2 3/8
		CMLFM5442P_	998	1115	54	42	2 3/8
		CMLFM5448P_	1086	1214	54	48	2 3/8
		CMLFM5454P_	1187	1327	54	54	2 3/8
		CMLFM5460P_	1284	1440	54	60	2 3/8
	Non-Powered Compile Monolithic Single Sided Panel Package - 66”	CMLFM6624P_	788	883	66	24	2 3/8
		CMLFM6630P_	943	1055	66	30	2 3/8
		CMLFM6636P_	1071	1197	66	36	2 3/8
		CMLFM6642P_	1195	1339	66	42	2 3/8
		CMLFM6648P_	1300	1457	66	48	2 3/8
		CMLFM6654P_	1425	1600	66	54	2 3/8
		CMLFM6660P_	1549	1741	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMLLMXXYYN - MONOLITHIC LAMINATE DOUBLE SIDED PANEL - NON-POWERED**

- Individual laminate modules incorporated into an aluminum frame.
- Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
				H	W	D
	Non-Powered Compile Monolithic	CMLLM3024N_	417	30	24	2 3/8
	Double Sided Laminate Panel Package - 30”	CMLLM3030N_	494	30	30	2 3/8
		CMLLM3036N_	564	30	36	2 3/8
		CMLLM3042N_	643	30	42	2 3/8
		CMLLM3048N_	719	30	48	2 3/8
		CMLLM3054N_	795	30	54	2 3/8
		CMLLM3060N_	858	30	60	2 3/8
	Non-Powered Compile Monolithic	CMLLM4224N_	494	42	24	2 3/8
	Double Sided Laminate Panel Package - 42”	CMLLM4230N_	581	42	30	2 3/8
		CMLLM4236N_	677	42	36	2 3/8
		CMLLM4242N_	770	42	42	2 3/8
		CMLLM4248N_	864	42	48	2 3/8
		CMLLM4254N_	951	42	54	2 3/8
		CMLLM4260N_	1033	42	60	2 3/8
	Non-Powered Compile Monolithic	CMLLM4824N_	601	48	24	2 3/8
	Double Sided Laminate Panel Package - 48”	CMLLM4830N_	713	48	30	2 3/8
		CMLLM4836N_	827	48	36	2 3/8
		CMLLM4842N_	945	48	42	2 3/8
		CMLLM4848N_	1063	48	48	2 3/8
		CMLLM4854N_	1170	48	54	2 3/8
		CMLLM4860N_	1237	48	60	2 3/8
	Non-Powered Compile Monolithic	CMLLM5424N_	601	54	24	2 3/8
	Double Sided Laminate Panel Package - 54”	CMLLM5430N_	713	54	30	2 3/8
		CMLLM5436N_	828	54	36	2 3/8
		CMLLM5442N_	946	54	42	2 3/8
		CMLLM5448N_	1064	54	48	2 3/8
		CMLLM5454N_	1170	54	54	2 3/8
		CMLLM5460N_	1237	54	60	2 3/8
	Non-Powered Compile Monolithic	CMLLM6624N_	739	66	24	2 3/8
	Double Sided Laminate Panel Package - 66”	CMLLM6630N_	874	66	30	2 3/8
		CMLLM6636N_	1014	66	36	2 3/8
		CMLLM6642N_	1161	66	42	2 3/8
		CMLLM6648N_	1302	66	48	2 3/8
		CMLLM6654N_	1437	66	54	2 3/8
		CMLLM6660N_	1569	66	60	2 3/8






**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMLLMXXYP\_ - MONOLITHIC LAMINATE DOUBLE SIDED PANEL – POWERED**

- Individual laminate modules incorporated into an aluminum frame.
- Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
				H	W	D
	Powered Compile Monolithic	CMLLM3024P_	546	30	24	2 3/8
	Double Sided Laminate Panel Package - 30”	CMLLM3030P_	666	30	30	2 3/8
		CMLLM3036P_	744	30	36	2 3/8
		CMLLM3042P_	825	30	42	2 3/8
		CMLLM3048P_	916	30	48	2 3/8
		CMLLM3054P_	994	30	54	2 3/8
		CMLLM3060P_	1059	30	60	2 3/8
	Powered Compile Monolithic	CMLLM4224P_	621	42	24	2 3/8
	Double Sided Laminate Panel Package - 42”	CMLLM4230P_	753	42	30	2 3/8
		CMLLM4236P_	857	42	36	2 3/8
		CMLLM4242P_	955	42	42	2 3/8
		CMLLM4248P_	1062	42	48	2 3/8
		CMLLM4254P_	1150	42	54	2 3/8
		CMLLM4260P_	1234	42	60	2 3/8
	Powered Compile Monolithic	CMLLM4824P_	733	48	24	2 3/8
	Double Sided Laminate Panel Package - 48”	CMLLM4830P_	889	48	30	2 3/8
		CMLLM4836P_	1014	48	36	2 3/8
		CMLLM4842P_	1135	48	42	2 3/8
		CMLLM4848P_	1267	48	48	2 3/8
		CMLLM4854P_	1377	48	54	2 3/8
		CMLLM4860P_	1438	48	60	2 3/8
	Powered Compile Monolithic	CMLLM5424P_	733	54	24	2 3/8
	Double Sided Laminate Panel Package - 54”	CMLLM5430P_	890	54	30	2 3/8
		CMLLM5436P_	1014	54	36	2 3/8
		CMLLM5442P_	1135	54	42	2 3/8
		CMLLM5448P_	1268	54	48	2 3/8
		CMLLM5454P_	1378	54	54	2 3/8
		CMLLM5460P_	1438	54	60	2 3/8
	Powered Compile Monolithic	CMLLM6624P_	866	66	24	2 3/8
	Double Sided Laminate Panel Package - 66”	CMLLM6630P_	1047	66	30	2 3/8
		CMLLM6636P_	1194	66	36	2 3/8
		CMLLM6642P_	1345	66	42	2 3/8
		CMLLM6648P_	1500	66	48	2 3/8
		CMLLM6654P_	1636	66	54	2 3/8
		CMLLM6660P_	1770	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMFLXXYYN - SEGMENTED LAMINATE SINGLE SIDED PANEL – NON-POWERED**

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Laminate Panel Package - 42"	CMFL4224N_	448	460	42	24	2.38
		CMFL4230N_	525	538	42	30	2.38
		CMFL4236N_	600	618	42	36	2.38
		CMFL4242N_	680	698	42	42	2.38
		CMFL4248N_	741	762	42	48	2.38
		CMFL4254N_	820	844	42	54	2.38
		CMFL4260N_	900	926	42	60	2.38
	Non-Powered Compile Single Segmented Laminate Panel Package - 48"	CMFL4824N_	530	546	48	24	2.38
		CMFL4830N_	622	638	48	30	2.38
		CMFL4836N_	714	734	48	36	2.38
		CMFL4842N_	809	834	48	42	2.38
		CMFL4848N_	883	910	48	48	2.38
		CMFL4854N_	982	1010	48	54	2.38
		CMFL4860N_	1078	1111	48	60	2.38
	Non-Powered Compile Single Segmented Laminate Panel Package - 54"	CMFL5424N_	531	547	54	24	2.38
		CMFL5430N_	622	642	54	30	2.38
		CMFL5436N_	714	733	54	36	2.38
		CMFL5442N_	810	834	54	42	2.38
		CMFL5448N_	883	910	54	48	2.38
		CMFL5454N_	982	1010	54	54	2.38
		CMFL5460N_	1078	1110	54	60	2.38
	Non-Powered Compile Single Segmented Lmainate Panel Package - 66"	CMFL6624N_	655	676	66	24	2.38
		CMFL6630N_	767	791	66	30	2.38
		CMFL6636N_	885	911	66	36	2.38
		CMFL6642N_	1007	1036	66	42	2.38
		CMFL6648N_	1095	1128	66	48	2.38
		CMFL6654N_	1218	1254	66	54	2.38
		CMFL6660N_	1341	1382	66	60	2.38

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMFLXXYP\_ - SEGMENTED LAMINATE SINGLE SIDED PANEL – POWERED**

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.





	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Laminate Panel Package - 42”	CMFL4224P_	579	642	42	24	2 3/8
		CMFL4230P_	701	775	42	30	2 3/8
		CMFL4236P_	786	872	42	36	2 3/8
		CMFL4242P_	871	965	42	42	2 3/8
		CMFL4248P_	946	1049	42	48	2 3/8
		CMFL4254P_	1026	1143	42	54	2 3/8
		CMFL4260P_	1108	1236	42	60	2 3/8
	Powered Compile Single Segmented Laminate Panel Package - 48”	CMFL4824P_	662	740	48	24	2 3/8
		CMFL4830P_	799	891	48	30	2 3/8
		CMFL4836P_	899	1001	48	36	2 3/8
		CMFL4842P_	998	1116	48	42	2 3/8
		CMFL4848P_	1086	1215	48	48	2 3/8
		CMFL4854P_	1186	1328	48	54	2 3/8
		CMFL4860P_	1284	1441	48	60	2 3/8
	Powered Compile Single Segmented Laminate Panel Package - 54”	CMFL5424P_	663	739	54	24	2 3/8
		CMFL5430P_	799	889	54	30	2 3/8
		CMFL5436P_	899	999	54	36	2 3/8
		CMFL5442P_	998	1115	54	42	2 3/8
		CMFL5448P_	1086	1214	54	48	2 3/8
		CMFL5454P_	1187	1327	54	54	2 3/8
		CMFL5460P_	1284	1440	54	60	2 3/8
	Powered Compile Single Segmented Laminate Panel Package - 66”	CMFL6624P_	788	883	66	24	2 3/8
		CMFL6630P_	788	883	66	30	2 3/8
		CMFL6636P_	1038	1197	66	36	2 3/8
		CMFL6642P_	1195	1339	66	42	2 3/8
		CMFL6648P_	1300	1457	66	48	2 3/8
		CMFL6654P_	1425	1600	66	54	2 3/8
		CMFL6660P_	1549	1741	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMLLXXYYN - SEGMENTED LAMINATE DOUBLE SIDED PANEL – NON-POWERED**

- Individual laminate covered modules incorporated into an aluminum frame. same height.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
				H	W	D
	Non-Powered Compile Single Segmented	CMLL4224N_	509	42	24	2 3/8
	Double Sided Laminate Panel Package - 42”	CMLL4230N_	599	42	30	2 3/8
		CMLL4236N_	698	42	36	2 3/8
		CMLL4242N_	795	42	42	2 3/8
		CMLL4248N_	890	42	48	2 3/8
		CMLL4254N_	979	42	54	2 3/8
		CMLL4260N_	1065	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMLL4824N_	601	48	24	2 3/8
	Double Sided Laminate Panel Package - 48”	CMLL4830N_	713	48	30	2 3/8
		CMLL4836N_	827	48	36	2 3/8
		CMLL4842N_	945	48	42	2 3/8
		CMLL4848N_	1063	48	48	2 3/8
		CMLL4854N_	1170	48	54	2 3/8
		CMLL4860N_	1273	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMLL5424N_	601	54	24	2 3/8
	Double Sided Laminate Panel Package - 54”	CMLL5430N_	713	54	30	2 3/8
		CMLL5436N_	828	54	36	2 3/8
		CMLL5442N_	946	54	42	2 3/8
		CMLL5448N_	1064	54	48	2 3/8
		CMLL5454N_	1170	54	54	2 3/8
		CMLL5460N_	1274	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMLL6624N_	762	66	24	2 3/8
	Double Sided Laminate Panel Package - 66”	CMLL6630N_	900	66	30	2 3/8
		CMLL6636N_	1044	66	36	2 3/8
		CMLL6642N_	1196	66	42	2 3/8
		CMLL6648N_	1341	66	48	2 3/8
		CMLL6654N_	1480	66	54	2 3/8
		CMLL6660N_	1617	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMLLXXYP\_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL – POWERED**

- Individual laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66” panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.




	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
				H	W	D
	Powered Compile Single Segmented	CMLL4224P_	641	42	24	2.38
	Double Sided Laminate Panel Package - 42”	CMLL4230P_	776	42	30	2.38
		CMLL4236P_	884	42	36	2.38
		CMLL4242P_	985	42	42	2.38
		CMLL4248P_	1094	42	48	2.38
		CMLL4254P_	1185	42	54	2.38
		CMLL4260P_	1271	42	60	2.38
	Powered Compile Single Segmented	CMLL4824P_	733	48	24	2.38
	Double Sided Laminate Panel Package - 48”	CMLL4830P_	889	48	30	2.38
		CMLL4836P_	1014	48	36	2.38
		CMLL4842P_	1135	48	42	2.38
		CMLL4848P_	1267	48	48	2.38
		CMLL4854P_	1377	48	54	2.38
		CMLL4860P_	1481	48	60	2.38
	Powered Compile Single Segmented	CMLL5424P_	733	54	24	2.38
	Double Sided Laminate Panel Package - 54”	CMLL5430P_	890	54	30	2.38
		CMLL5436P_	1014	54	36	2.38
		CMLL5442P_	1135	54	42	2.38
		CMLL5448P_	1268	54	48	2.38
		CMLL5454P_	1378	54	54	2.38
		CMLL5460P_	1481	54	60	2.38
	Powered Compile Single Segmented	CMLL6624P_	893	66	24	2.38
	Double Sided Laminate Panel Package - 66”	CMLL6630P_	1078	66	30	2.38
		CMLL6636P_	1230	66	36	2.38
		CMLL6642P_	1386	66	42	2.38
		CMLL6648P_	1545	66	48	2.38
		CMLL6654P_	1685	66	54	2.38
		CMLL6660P_	1824	66	60	2.38

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMFWXXYYN\_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL – NON-POWERED**

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Write Board Single Sided Panel Package - 48” No punchouts	CMFW4824N_	475	497	48	24	2 3/8
		CMFW4830N_	574	600	48	30	2 3/8
		CMFW4836N_	636	666	48	36	2 3/8
		CMFW4842N_	717	600	48	42	2 3/8
		CMFW4848N_	807	846	48	48	2 3/8
		CMFW4854N_	897	928	48	54	2 3/8
		CMFW4860N_	987	1039	48	60	2 3/8
	Non-Powered Compile Write Board Single Sided Panel Package - 54”	CMFW5424N_	476	494	54	24	2 3/8
		CMFW5430N_	575	595	54	30	2 3/8
		CMFW5436N_	637	656	54	36	2 3/8
		CMFW5442N_	718	743	54	42	2 3/8
		CMFW5448N_	808	836	54	48	2 3/8
		CMFW5454N_	897	928	54	54	2 3/8
		CMFW5460N_	988	1039	54	60	2 3/8
	Non-Powered Compile Write Board Single Sided Panel Package - 66”	CMFW6624N_	582	601	66	24	2 3/8
		CMFW6630N_	692	714	66	30	2 3/8
		CMFW6636N_	769	795	66	36	2 3/8
		CMFW6642N_	872	899	66	42	2 3/8
		CMFW6648N_	972	1005	66	48	2 3/8
		CMFW6654N_	1081	1115	66	54	2 3/8
		CMFW6660N_	1194	1232	66	60	2 3/8

**Raceway Cover Options (1) Shown**




- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2





**CMFWXXYYP\_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL – POWERED**

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.




	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Write Board Single Sided Panel Package - 48” Punchouts on one side	CMFW4824P_	605	627	48	24	2 3/8
		CMFW4830P_	751	777	48	30	2 3/8
		CMFW4836P_	821	851	48	36	2 3/8
		CMFW4842P_	906	943	48	42	2 3/8
		CMFW4848P_	1011	1049	48	48	2 3/8
		CMFW4854P_	1103	1132	48	54	2 3/8
		CMFW4860P_	1194	1245	48	60	2 3/8
	Powered Compile Write Board Single Sided Panel Package - 54”	CMFW5424P_	607	625	54	24	2 3/8
		CMFW5430P_	752	772	54	30	2 3/8
		CMFW5436P_	821	841	54	36	2 3/8
		CMFW5442P_	907	932	54	42	2 3/8
		CMFW5448P_	1011	1039	54	48	2 3/8
		CMFW5454P_	1104	1133	54	54	2 3/8
		CMFW5460P_	1194	1229	54	60	2 3/8
	Powered Compile Write Board Single Sided Panel Package - 66”	CMFW6624P_	710	729	66	24	2 3/8
		CMFW6630P_	864	886	66	30	2 3/8
		CMFW6636P_	951	976	66	36	2 3/8
		CMFW6642P_	1055	1083	66	42	2 3/8
		CMFW6648P_	1171	1202	66	48	2 3/8
		CMFW6654P_	1280	1315	66	54	2 3/8
		CMFW6660P_	1394	1434	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMWWXXYYN\_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL – NON-POWERED**

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Write Board Single Segmented Panel Package - 48” No Punchouts	CMWW4824N_	520	533	48	24	2.38
		CMWW4830N_	647	664	48	30	2.38
		CMWW4836N_	700	723	48	36	2.38
		CMWW4842N_	794	818	48	42	2.38
		CMWW4848N_	930	957	48	48	2.38
		CMWW4854N_	1032	1063	48	54	2.38
		CMWW4860N_	1137	1169	48	60	2.38
	Non-Powered Compile Write Board Single Segmented Panel Package - 54”	CMWW5424N_	521	547	54	24	2.38
		CMWW5430N_	647	675	54	30	2.38
		CMWW5436N_	700	754	54	36	2.38
		CMWW5442N_	795	847	54	42	2.38
		CMWW5448N_	930	983	54	48	2.38
		CMWW5454N_	1033	1085	54	54	2.38
		CMWW5460N_	1137	1191	54	60	2.38
	Non-Powered Compile Write Board Single Segmented Panel Package - 66”	CMWW6624N_	643	670	66	24	2.38
		CMWW6630N_	788	814	66	30	2.38
		CMWW6636N_	794	846	66	36	2.38
		CMWW6642N_	975	1029	66	42	2.38
		CMWW6648N_	1121	1173	66	48	2.38
		CMWW6654N_	1251	1305	66	54	2.38
		CMWW6660N_	1380	1433	66	60	2.38




**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMWWXYYP\_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL – POWERED**

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.





	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Write Board	CMWW4824P_	651	665	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMWW4830P_	823	840	48	30	2 3/8
	Punchouts on one side	CMWW4836P_	886	908	48	36	2 3/8
		CMWW4842P_	984	1007	48	42	2 3/8
		CMWW4848P_	1133	1161	48	48	2 3/8
		CMWW4854P_	1237	1268	48	54	2 3/8
		CMWW4860P_	1344	1374	48	60	2 3/8
	Powered Compile Write Board	CMWW5424P_	651	678	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMWW5430P_	823	851	54	30	2 3/8
		CMWW5436P_	886	939	54	36	2 3/8
		CMWW5442P_	985	1038	54	42	2 3/8
		CMWW5448P_	1133	1187	54	48	2 3/8
		CMWW5454P_	1238	1291	54	54	2 3/8
		CMWW5460P_	1344	1396	54	60	2 3/8
	Powered Compile Write Board	CMWW6624P_	773	800	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMWW6630P_	964	992	66	30	2 3/8
		CMWW6636P_	1045	1098	66	36	2 3/8
		CMWW6642P_	1164	1217	66	42	2 3/8
		CMWW6648P_	1326	1380	66	48	2 3/8
		CMWW6654P_	1457	1510	66	54	2 3/8
		CMWW6660P_	1586	1638	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMFOXXYYN\_ - COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE – NON-POWERED**

- Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 42"	CMFO4224N_	303	316	42	24	2 3/8
		CMFO4230N_	340	350	42	30	2 3/8
		CMFO4236N_	361	381	42	36	2 3/8
		CMFO4242N_	413	433	42	42	2 3/8
		CMFO4248N_	439	460	42	48	2 3/8
		CMFO4254N_	490	517	42	54	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 48"	CMFO4824N_	328	345	48	24	2 3/8
		CMFO4830N_	367	382	48	30	2 3/8
		CMFO4836N_	413	429	48	36	2 3/8
		CMFO4842N_	468	499	48	42	2 3/8
		CMFO4848N_	505	537	48	48	2 3/8
		CMFO4854N_	537	569	48	54	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 54"	CMFO5424N_	329	346	54	24	2 3/8
		CMFO5430N_	367	383	54	30	2 3/8
		CMFO5436N_	414	430	54	36	2 3/8
		CMFO5442N_	468	500	54	42	2 3/8
		CMFO5448N_	505	538	54	48	2 3/8
		CMFO5454N_	537	570	54	54	2 3/8
	Non-Powered Compile Single Segmented Open Bottom Panel Package - 66"	CMFO6624N_	385	412	66	24	2 3/8
		CMFO6630N_	442	468	66	30	2 3/8
		CMFO6636N_	491	538	66	36	2 3/8
		CMFO6642N_	559	606	66	42	2 3/8
		CMFO6648N_	592	640	66	48	2 3/8
		CMFO6654N_	643	690	66	54	2 3/8
CMFO6660N_	682	728	66	60	2 3/8		





**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



## CMFOXXYP - COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE – POWERED

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- 24” wide panels have one punchout, 30” wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Open Bottom Panel Package - 42”	CMFO4224P_	423	437	42	24	2 3/8
		CMFO4230P_	503	517	42	30	2 3/8
		CMFO4236P_	531	553	42	36	2 3/8
		CMFO4242P_	586	607	42	42	2 3/8
		CMFO4248P_	625	647	42	48	2 3/8
		CMFO4254P_	678	689	42	54	2 3/8
		CMFO4260P_	713	734	42	60	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 48”	CMFO4824P_	450	467	48	24	2 3/8
		CMFO4830P_	528	544	48	30	2 3/8
		CMFO4836P_	585	601	48	36	2 3/8
		CMFO4842P_	642	674	48	42	2 3/8
		CMFO4848P_	693	725	48	48	2 3/8
		CMFO4854P_	726	758	48	54	2 3/8
		CMFO4860P_	768	799	48	60	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 54”	CMFO5424P_	450	467	54	24	2 3/8
		CMFO5430P_	530	546	54	30	2 3/8
		CMFO5436P_	585	602	54	36	2 3/8
		CMFO5442P_	643	676	54	42	2 3/8
		CMFO5448P_	695	728	54	48	2 3/8
		CMFO5454P_	728	761	54	54	2 3/8
		CMFO5460P_	768	800	54	60	2 3/8
	Powered Compile Single Segmented Open Bottom Panel Package - 66”	CMFO6624P_	506	532	66	24	2 3/8
		CMFO6630P_	603	629	6	30	2 3/8
		CMFO6636P_	662	710	66	36	2 3/8
		CMFO6642P_	733	779	66	42	2 3/8
		CMFO6648P_	778	826	66	48	2 3/8
		CMFO6654P_	832	878	66	54	2 3/8
		CMFO6660P_	873	921	66	60	2 3/8

### Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMFGXXYYN - COMPILE GLAZED PANEL PACKAGE – NON-POWERED**

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance.
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N_	411	424	42	24	2.38
		CMFG4230N_	468	484	42	30	2.38
		CMFG4236N_	524	544	42	36	2.38
		CMFG4242N_	585	607	42	42	2.38
		CMFG4248N_	641	665	42	48	2.38
		CMFG4254N_	720	746	42	54	2.38
		CMFG4260N_	794	823	42	60	2.38
	Non-Powered Compile Glazed Panel Package - 48"	CMFG4824N_	442	457	48	24	2.38
		CMFG4830N_	517	534	48	30	2.38
		CMFG4836N_	588	609	48	36	2.38
		CMFG4842N_	660	682	48	42	2.38
		CMFG4848N_	719	744	48	48	2.38
		CMFG4854N_	838	866	48	54	2.38
		CMFG4860N_	948	981	48	60	2.38
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N_	443	458	54	24	2.38
		CMFG5430N_	519	536	54	30	2.38
		CMFG5436N_	588	609	54	36	2.38
		CMFG5442N_	662	684	54	42	2.38
		CMFG5448N_	720	745	54	48	2.38
		CMFG5454N_	839	866	54	54	2.38
		CMFG5460N_	949	982	54	60	2.38
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N_	555	576	66	24	2.38
		CMFG6630N_	645	671	66	30	2.38
		CMFG6636N_	735	763	66	36	2.38
		CMFG6642N_	828	864	66	42	2.38
		CMFG6648N_	898	937	66	48	2.38
		CMFG6654N_	1039	1081	66	54	2.38
		CMFG6660N_	1173	1217	66	60	2.38





**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMFGXXYP - COMPILE GLAZED PANEL PACKAGE – POWERED**

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.




	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Glazed Panel Package - 42"	CMFG4224P_	541	555	42	24	2 3/8
		CMFG4230P_	645	661	42	30	2 3/8
		CMFG4236P_	710	729	42	36	2 3/8
		CMFG4242P_	773	797	42	42	2 3/8
		CMFG4248P_	844	869	42	48	2 3/8
		CMFG4254P_	924	951	42	54	2 3/8
		CMFG4260P_	999	1031	42	60	2 3/8
	Powered Compile Glazed Panel Package - 48"	CMFG4824P_	572	588	48	24	2 3/8
		CMFG4830P_	693	710	48	30	2 3/8
		CMFG4836P_	773	794	48	36	2 3/8
		CMFG4842P_	850	871	48	42	2 3/8
		CMFG4848P_	922	948	48	48	2 3/8
		CMFG4854P_	1042	1070	48	54	2 3/8
		CMFG4860P_	1154	1186	48	60	2 3/8
	Powered Compile Glazed Panel Package - 54"	CMFG5424P_	572	588	54	24	2 3/8
		CMFG5430P_	695	713	54	30	2 3/8
		CMFG5436P_	773	795	54	36	2 3/8
		CMFG5442P_	850	872	54	42	2 3/8
		CMFG5448P_	923	949	54	48	2 3/8
		CMFG5454P_	1043	1071	54	54	2 3/8
		CMFG5460P_	1155	1188	54	60	2 3/8
	Powered Compile Glazed Panel Package - 66"	CMFG6624P_	686	707	66	24	2 3/8
		CMFG6630P_	821	847	66	30	2 3/8
		CMFG6636P_	921	949	66	36	2 3/8
		CMFG6642P_	1017	1053	66	42	2 3/8
		CMFG6648P_	1104	1141	66	48	2 3/8
		CMFG6654P_	1243	1285	66	54	2 3/8
		CMFG6660P_	1382	1426	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMPGXXYYN\_ - COMPILER PARTLY GLAZED PANEL PACKAGE – NON-POWERED**

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 48"	CMPG4824N_	471	506	48	24	2 3/8
		CMPG4830N_	543	589	48	30	2 3/8
		CMPG4836N_	605	652	48	36	2 3/8
		CMPG4842N_	674	733	48	42	2 3/8
		CMPG4848N_	744	814	48	48	2 3/8
		CMPG4854N_	821	893	48	54	2 3/8
		CMPG4860N_	893	973	48	60	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N_	471	507	54	24	2 3/8
		CMPG5430N_	543	589	54	30	2 3/8
		CMPG5436N_	607	654	54	36	2 3/8
		CMPG5442N_	675	733	54	42	2 3/8
		CMPG5448N_	744	814	54	48	2 3/8
		CMPG5454N_	821	894	54	54	2 3/8
		CMPG5460N_	894	974	54	60	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N_	517	555	66	24	2 3/8
		CMPG6630N_	593	640	66	30	2 3/8
		CMPG6636N_	665	786	66	36	2 3/8
		CMPG6642N_	740	798	66	42	2 3/8
		CMPG6648N_	818	887	66	48	2 3/8
		CMPG6654N_	901	972	66	54	2 3/8
		CMPG6660N_	982	1059	66	60	2 3/8

**Raceway Cover Options (1) Shown**




- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2





**CMPGXXYP - COMPILER PARTLY GLAZED PANEL PACKAGE – POWERED**

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Partly Glazed Panel Package - 48"	CMPG4824P_	603	638	48	24	2 3/8
		CMPG4830P_	720	766	48	2 3/8	
		CMPG4836P_	791	838	48	36	2 3/8
		CMPG4842P_	864	921	48	42	2 3/8
		CMPG4848P_	949	1018	48	48	2 3/8
		CMPG4854P_	1026	1099	48	54	2 3/8
	Powered Compile Partly Glazed Panel Package - 54"	CMPG5424P_	603	640	54	24	2 3/8
		CMPG5430P_	721	767	54	30	2 3/8
		CMPG5436P_	792	839	54	36	2 3/8
		CMPG5442P_	864	922	54	42	2 3/8
		CMPG5448P_	950	1019	54	48	2 3/8
		CMPG5454P_	1027	1099	54	54	2 3/8
	Powered Compile Partly Glazed Panel Package - 66"	CMPG6624P_	647	686	66	24	2 3/8
		CMPG6630P_	769	816	66	30	2 3/8
		CMPG6636P_	850	971	66	36	2 3/8
		CMPG6642P_	930	988	66	42	2 3/8
		CMPG6648P_	1021	1090	66	48	2 3/8
		CMPG6654P_	1108	1178	66	54	2 3/8
		CMPG6660P_	1188	1265	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2

**CMPLGXXYYN - SINGLE 12" GLAZED AT TOP PANEL - NON-POWERED**

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h

- panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- Standard clear (CLR) plexi.
- Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 42"	CMPLG4224N_	451	467	42	24	2 3/8
		CMPLG4230N_	528	543	42	30	2 3/8
		CMPLG4236N_	605	636	42	36	2 3/8
		CMPLG4242N_	674	703	42	42	2 3/8
		CMPLG4248N_	733	764	42	48	2 3/8
		CMPLG4254N_	818	849	42	54	2 3/8
		CMPLG4260N_	898	929	42	60	2 3/8
	Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 48"	CMPLG4824N_	462	476	48	24	2 3/8
		CMPLG4830N_	532	547	48	30	2 3/8
		CMPLG4836N_	594	624	48	36	2 3/8
		CMPLG4842N_	660	690	48	42	2 3/8
		CMPLG4848N_	722	752	48	48	2 3/8
		CMPLG4854N_	807	835	48	54	2 3/8
		CMPLG4860N_	876	906	48	60	2 3/8
	Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 54"	CMPLG5424N_	464	479	54	24	2 3/8
		CMPLG5430N_	532	547	54	30	2 3/8
		CMPLG5436N_	596	625	54	36	2 3/8
		CMPLG5442N_	662	692	54	42	2 3/8
		CMPLG5448N_	732	763	54	48	2 3/8
		CMPLG5454N_	808	839	54	54	2 3/8
		CMPLG5460N_	877	908	54	60	2 3/8
	Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 66"	CMPLG6624N_	505	536	66	24	2 3/8
		CMPLG6630N_	581	612	66	30	2 3/8
		CMPLG6636N_	652	714	66	36	2 3/8
		CMPLG6642N_	726	789	66	42	2 3/8
		CMPLG6648N_	803	865	66	48	2 3/8
		CMPLG6654N_	885	949	66	54	2 3/8
		CMPLG6660N_	963	1026	66	60	2 3/8





**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (0) No Knockouts Side 1 and Side 2
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2



**CMPLGXXYP\_ - SINGLE 12" GLAZED AT TOP PANEL – POWERED**

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Standard clear (CLR) plexi.
- Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Please specify duplex receptacles separately.
- Glazing is 12" nominal from the top of the panel.




	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile 12" Top Glazed Single Segmented Panel Package - 42"	CMPLG4224P_	583	599	42	24	2 3/8
		CMPLG4230P_	704	721	42	30	2 3/8
		CMPLG4236P_	791	821	42	36	2 3/8
		CMPLG4242P_	863	894	42	42	2 3/8
		CMPLG4248P_	937	967	42	48	2 3/8
		CMPLG4254P_	1023	1053	42	54	2 3/8
		CMPLG4260P_	1106	1136	42	60	2 3/8
	Powered Compile 12" Top Glazed Single Segmented Panel Package - 48"	CMPLG4824P_	593	610	48	24	2 3/8
		CMPLG4830P_	709	723	48	30	2 3/8
		CMPLG4836P_	781	810	48	36	2 3/8
		CMPLG4842P_	850	878	48	42	2 3/8
		CMPLG4848P_	919	948	48	48	2 3/8
		CMPLG4854P_	1012	1041	48	54	2 3/8
		CMPLG4860P_	1084	1113	48	60	2 3/8
	Powered Compile 12" Top Glazed Single Segmented Panel Package - 54"	CMPLG5424P_	594	610	54	24	2 3/8
		CMPLG5430P_	710	725	54	30	2 3/8
		CMPLG5436P_	781	812	54	36	2 3/8
		CMPLG5442P_	850	880	54	42	2 3/8
		CMPLG5448P_	935	966	54	48	2 3/8
		CMPLG5454P_	1012	1043	54	54	2 3/8
		CMPLG5460P_	1084	1115	54	60	2 3/8
	Powered Compile 12" Top Glazed Single Segmented Panel Package - 66"	CMPLG6624P_	638	668	66	24	2 3/8
		CMPLG6630P_	759	790	66	30	2 3/8
		CMPLG6636P_	839	900	66	36	2 3/8
		CMPLG6642P_	916	978	66	42	2 3/8
		CMPLG6648P_	1008	1071	66	48	2 3/8
		CMPLG6654P_	1091	1153	66	54	2 3/8
		CMPLG6660P_	1169	1232	66	60	2 3/8

**Raceway Cover Options (1) Shown**

- **RACEWAY COVER OPTIONS (Suffix)**
  - (1) Knockouts Side 1 – No Knockout Side 2
  - (2) Knockouts Side 1 and Side 2




**CMPSXX - COMPILE PRIVACY GLASS**

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.
- Please note Privacy Glass in 24" - 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
- Square profile on clamps and glass corners.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
 <p>12" H</p>	Compile Privacy Glass	CMPS24	252	305	12	24	6
		CMPS30	267	307	12	30	6
		CMPS36	283	311	12	36	6
		CMPS42	292	340	12	42	6
		CMPS48	300	365	12	48	6
		CMPS54	308	387	12	54	6
		CMPS60	321	417	12	60	6
 <p>9" H</p>	Compile Privacy Glass	CMPS0924	252	305	9	24	6
		CMPS0930	267	307	9	30	6
		CMPS0936	283	311	9	36	6
		CMPS0942	292	340	9	42	6
		CMPS0948	300	365	9	48	6
		CMPS0954	308	387	9	54	6
		CMPS0960	321	417	9	60	6
 <p>6" H</p>	Compile Privacy Glass	CMPS0624	252	305	6	24	6
		CMPS0630	267	307	6	30	6
		CMPS0636	283	311	6	36	6
		CMPS0642	292	340	6	42	6
		CMPS0648	300	365	6	48	6
		CMPS0654	308	387	6	54	6
		CMPS0660	321	417	6	60	6

**CMPSGXX - COMPILE PRIVACY GLASS PANEL WIDTH**




- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Compile Privacy Glass	CMPSEG0624	226	275	6	24	2.41
		CMPSEG0630	246	281	6	30	2.41
		CMPSEG0636	262	286	6	36	2.41
		CMPSEG0642	273	317	6	42	2.41
		CMPSEG0648	290	346	6	48	2.41
		CMPSEG0654	301	372	6	54	2.41
		CMPSEG0660	308	403	6	60	2.41
	Compile Privacy Glass	CMPSEG0924	226	275	9	24	2.41
		CMPSEG0930	246	281	9	30	2.41
		CMPSEG0936	262	275	9	36	2.41
		CMPSEG0942	273	317	9	42	2.41
		CMPSEG0948	290	346	9	48	2.41
		CMPSEG0954	301	372	9	54	2.41
		CMPSEG0960	308	403	9	60	2.41
	Compile Privacy Glass	CMPSEG1224	226	275	12	24	2.41
		CMPSEG1230	246	281	12	30	2.41
		CMPSEG1236	262	286	12	36	2.41
		CMPSEG1242	273	317	12	42	2.41
		CMPSEG1248	290	346	12	48	2.41
		CMPSEG1254	301	372	12	54	2.41
		CMPSEG1260	308	403	12	60	2.41




**CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL**

- Privacy felt panel intergrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship seperarettly
- 9mm Felt material is tackable and comes in 12 different colors. Please specify color.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 6" Integrated Felt Divider, Panel Width	CMPSEF0624	91	6	24	2.41
	CMPSEF0630	105	6	30	2.41
	CMPSEF0636	126	6	36	2.41
	CMPSEF0642	139	6	42	2.41
	CMPSEF0648	208	6	48	2.41
	CMPSEF0654	225	6	54	2.41
 9" Integrated Felt Divider, Panel Width	CMPSEF0924	91	9	24	2.41
	CMPSEF0930	105	9	30	2.41
	CMPSEF0936	126	9	36	2.41
	CMPSEF0942	139	9	42	2.41
	CMPSEF0948	208	9	48	2.41
	CMPSEF0954	225	9	54	2.41
 12" Integrated Felt Divider, Panel Width	CMPSEF0960	244	9	60	2.41
	CMPSEF1224	91	12	24	2.41
	CMPSEF1230	105	12	30	2.41
	CMPSEF1236	126	12	36	2.41
	CMPSEF1242	139	12	42	2.41
	CMPSEF1248	208	12	48	2.41
	CMPSEF1254	225	12	54	2.41
	CMPSEF1260	244	12	60	2.41


**CMOF - COMPILE FABRIC OVER PANEL**

- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Compile Fabric Over Panel	CMOF1224	175	196	12	24	2.3
	CMOF1230	205	226	12	30	2.3
	CMOF1236	228	250	12	36	2.3
	CMOF1242	258	280	12	42	2.3
	CMOF1248	299	321	12	48	2.3
	CMOF1254	310	332	12	54	2.3
	CMOF1260	367	388	12	60	2.3
	CMOF1624	204	229	16	24	2.3
	CMOF1630	237	263	16	30	2.3
	CMOF1636	251	276	16	36	2.3
	CMOF1642	300	326	16	42	2.3
	CMOF1648	343	369	16	48	2.3
	CMOF1654	359	384	16	54	2.3
	CMOF1660	420	446	16	60	2.3
	CMOF2424	264	300	24	24	2.3
	CMOF2430	304	340	24	30	2.3
	CMOF2436	340	376	24	36	2.3
	CMOF2442	382	418	24	42	2.3
	CMOF2448	412	448	24	48	2.3
	CMOF2454	457	493	24	54	2.3
CMOF2460	526	562	24	60	2.3	


**CMOLF - COMPILE LAMINATE ONE SIDE, FABRIC ONE SIDE OVER PANEL**

- One side in fabric and one side in laminate, incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 <p>Compile Laminate One Side, Fabric One Side Over Panel</p>	CMOLF1224	196	209	12	24	2.3
	CMOLF1230	231	244	12	30	2.3
	CMOLF1236	262	273	12	36	2.3
	CMOLF1242	297	308	12	42	2.3
	CMOLF1248	341	352	12	48	2.3
	CMOLF1254	360	371	12	54	2.3
	CMOLF1260	421	432	12	60	2.3
	CMOLF1624	234	249	16	24	2.3
	CMOLF1630	281	295	16	30	2.3
	CMOLF1636	310	325	16	36	2.3
	CMOLF1642	351	366	16	42	2.3
	CMOLF1648	401	415	16	48	2.3
	CMOLF1654	424	439	16	54	2.3
	CMOLF1660	493	507	16	60	2.3
	CMOLF2424	307	326	24	24	2.3
	CMOLF2430	367	385	24	30	2.3
	CMOLF2436	407	425	24	36	2.3
	CMOLF2442	458	477	24	42	2.3
CMOLF2448	499	518	24	48	2.3	
CMOLF2454	556	574	24	54	2.3	
CMOLF2460	635	653	24	60	2.3	

**CMOLL - COMPILE LAMINATE TWO SIDES OVER PANEL**


- Laminate modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 <p>Compile Laminate Two Sides Over Panel</p>	CMOLL1224	217		12	24	2.3
	CMOLL1230	247		12	30	2.3
	CMOLL1236	292		12	36	2.3
	CMOLL1242	332		12	42	2.3
	CMOLL1248	382		12	48	2.3
	CMOLL1254	405		12	54	2.3
	CMOLL1260	471		12	60	2.3
	CMOLL1624	261		16	24	2.3
	CMOLL1630	307		16	30	2.3
	CMOLL1636	350		16	36	2.3
	CMOLL1642	398		16	42	2.3
	CMOLL1648	455		16	48	2.3
	CMOLL1654	484		16	54	2.3
	CMOLL1660	559		16	60	2.3
	CMOLL2424	337		24	24	2.3
	CMOLL2430	410		24	30	2.3
	CMOLL2436	467		24	36	2.3
	CMOLL2442	530		24	42	2.3
CMOLL2448	579		24	48	2.3	
CMOLL2454	645		24	54	2.3	
CMOLL2460	734		24	60	2.3	




**CMOG - COMPILE GLAZED OVER PANEL**

- Glazed module incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Compile Glazed Over Panel</p>	CMOG1224	156	163	12	24	2.3
	CMOG1230	182	189	12	30	2.3
	CMOG1236	203	211	12	36	2.3
	CMOG1242	227	235	12	42	2.3
	CMOG1248	261	270	12	48	2.3
	CMOG1254	271	281	12	54	2.3
	CMOG1260	325	336	12	60	2.3
	CMOG1624	182	189	16	24	2.3
	CMOG1630	206	214	16	30	2.3
	CMOG1636	234	243	16	36	2.3
	CMOG1642	262	271	16	42	2.3
	CMOG1648	301	311	16	48	2.3
	CMOG1654	311	322	16	54	2.3
	CMOG1660	367	380	16	60	2.3
	CMOG2424	233	242	24	24	2.3
	CMOG2430	251	260	24	30	2.3
	CMOG2436	296	306	24	36	2.3
	CMOG2442	332	343	24	42	2.3
	CMOG2448	354	367	24	48	2.3
	CMOG2454	392	406	24	54	2.3
	CMOG2460	454	469	24	60	2.3


**CMOFW - COMPILE ONE SIDE WRITE BOARD OVER PANEL**

- Fabric or write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 <p>Compile Fabric or Write Board Over Panel</p>	CMOFW1224	220	231	12	24	2.3
	CMOFW1230	262	273	12	30	2.3
	CMOFW1236	297	308	12	36	2.3
	CMOFW1242	338	349	12	42	2.3
	CMOFW1248	374	385	12	48	2.3
	CMOFW1254	413	424	12	54	2.3
	CMOFW1260	481	492	12	60	2.3
	CMOFW1624	266	281	16	24	2.3
	CMOFW1630	313	328	16	30	2.3
	CMOFW1636	358	372	16	36	2.3
	CMOFW1642	407	421	16	42	2.3
	CMOFW1648	466	481	16	48	2.3
	CMOFW1654	497	511	16	54	2.3
	CMOFW1660	571	585	16	60	2.3
	CMOFW2424	343	362	24	24	2.3
	CMOFW2430	396	414	24	30	2.3
	CMOFW2436	484	502	24	36	2.3
	CMOFW2442	542	561	24	42	2.3
	CMOFW2448	570	588	24	48	2.3
	CMOFW2454	682	700	24	54	2.3
	CMOFW2460	757	775	24	60	2.3


**CMOWW - COMPILE WRITE BOARD TWO SIDES OVER PANEL**

- Write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Compile Write Board Over Panel	CMOWW1224	268	12	24	2.3
	CMOWW1230	311	12	30	2.3
	CMOWW1236	369	12	36	2.3
	CMOWW1242	413	12	42	2.3
	CMOWW1248	484	12	48	2.3
	CMOWW1254	510	12	54	2.3
	CMOWW1260	590	12	60	2.3
	CMOWW1624	329	16	24	2.3
	CMOWW1630	393	16	30	2.3
	CMOWW1636	453	16	36	2.3
CMOWW1642	519	16	42	2.3	
CMOWW1648	592	16	48	2.3	
CMOWW1654	640	16	54	2.3	
CMOWW1660	731	16	60	2.3	
CMOWW2424	450	24	24	2.3	
CMOWW2430	537	24	30	2.3	
CMOWW2436	621	24	36	2.3	
CMOWW2442	710	24	42	2.3	
CMOWW2448	785	24	48	2.3	
CMOWW2454	877	24	54	2.3	
CMOWW2460	993	24	60	2.3	

**CHSD - SLIDER KIT FOR OVER PANEL**

- One kit required for installation of each Over Panel
- Included with each NEW Over Panel Kit


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 One kit required for installation of each Over Panel	CHSDKIT	4	.09	2.28	.43






**CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- No connections at both ends, connection is at the center interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 End of Run Gallery Panel	CMLEP4251NC	676	42	50.30	1
	CMLEP4263NC	785	42	62.30	1
	CMLEP4851NC	743	48	50.30	1
	CMLEP4863NC	863	48	62.30	1
	CMLEP5451NC	810	54	50.30	1
	CMLEP5463NC	942	54	62.30	1


**CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION**

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Middle of Run Gallery Panel	CMLMP4251NC	786	42	50.30	1
	CMLMP4263NC	895	42	62.30	1
	CMLMP4851NC	853	48	50.30	1
	CMLMP4863NC	973	48	62.30	1
	CMLMP5451NC	920	54	50.30	1
	CMLMP5463NC	1052	54	62.30	1


**CMLSEPLXXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Single End of Run Gallery Panel	CMLSEPL4227NC	515	42	26.30	1
	CMLSEPR4227NC	515	42	26.30	1
	CMLSEPL4827NC	563	48	26.30	1
	CMLSEPR4827NC	563	48	26.30	1
	CMLSEPL5427NC	611	54	26.30	1
	CMLSEPR5427NC	611	54	26.30	1
	CMLSEPL4233NC	531	42	32.33	1
	CMLSEPR4233NC	531	42	32.33	1
	CMLSEPL4833NC	580	48	32.33	1
	CMLSEPR4833NC	580	48	32.33	1
	CMLSEPL5433NC	629	54	32.33	1
	CMLSEPR5433NC	629	54	32.33	1


**CMLSMPXXXNC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION**

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Single Middle of Run Gallery Panel	CMLSMP4227NC	625	42	26.30	1
		CMLSMP4827NC	673	48	26.30	1
		CMLSMP5427NC	721	54	26.30	1
		CMLSMP4233NC	644	42	32.30	1
		CMLSMP4833NC	692	48	32.30	1
		CMLSMP5433NC	742	54	32.30	1


**CMLEPXXXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End of Run Gallery Panel	CMLEP4251	703	42	50.30	1
		CMLEP4263	811	42	62.30	1
		CMLEP4851	769	48	50.30	1
		CMLEP4863	889	48	62.30	1
		CMLEP5451	836	54	50.30	1
		CMLEP5463	968	54	62.30	1

**CMLMPXXXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS**


- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Middle of Run Gallery Panel	CMLMP4251	791	42	50.30	1
		CMLMP4263	899	42	62.30	1
		CMLMP4851	858	48	50.30	1
		CMLMP4863	978	48	62.30	1
		CMLMP5451	924	54	50.30	1
		CMLMP5463	1058	54	62.30	1




**CMLSEPLXXXX - SINGLE END PANEL WITH END CONNECTIONS**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Single End of Run Gallery Panel</p>	CMLSEPL4227	527	42	26.30	1
	CMLSEPR4227	527	42	26.30	1
	CMLSEPL4827	576	48	26.30	1
	CMLSEPR4827	576	48	26.30	1
	CMLSEPL5427	623	54	26.30	1
	CMLSEPR5427	623	54	26.30	1
	CMLSEPL4233	544	42	32.33	1
	CMLSEPR4233	544	42	32.33	1
	CMLSEPL4833	592	48	32.33	1
	CMLSEPR4833	592	48	32.33	1
	CMLSEPL5433	642	54	32.33	1
	CMLSEPR5433	642	54	32.33	1


**CMLSMPXXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS**

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Single Middle of Run Gallery Panel</p>	CMLSMP4227	637	42	26.30	1
	CMLSMP4827	686	48	26.30	1
	CMLSMP5427	733	54	26.30	1
	CMLSMP4233	657	42	32.30	1
	CMLSMP4833	706	48	32.30	1
	CMLSMP5433	755	54	32.30	1


**CML2PLXXXX - LEFT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- Connections are at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Two Way Return End of Run Gallery Panel</p>	CML2PL4225	417	42	25	1
	CML2PL4231	429	42	31	1
	CML2PL4825	465	48	25	1
	CML2PL4831	478	48	31	1
	CML2PL5425	512	54	25	1
	CML2PL5431	527	54	31	1


**CML2PRXXXX - RIGHT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- Connections are at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two Way Return	CML2PR4225	417	42	25	1
	End of Run Gallery Panel	CML2PR4231	429	42	31	1
		CML2PR4825	465	48	25	1
		CML2PR4831	478	48	31	1
		CML2PR5425	512	54	25	1
		CML2PR5431	527	54	31	1


**CML3PLXXXX - LEFT THREE WAY RETURN END OF RUN GALLERY PANEL**

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPLxxxx or CMLSEPLxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three Way Return	CML3PL4249	579	42	49	1
	End of Run Gallery Panel	CML3PL4261	687	42	61	1
		CML3PL4849	646	48	49	1
		CML3PL4861	766	48	61	1
		CML3PL5449	711	54	49	1
		CML3PL5461	844	54	61	1

**CML3PRXXXX - RIGHT THREE WAY RETURN END OF RUN GALLERY PANEL**


- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPRxxxx or CMLSEPRxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three Way Return	CML3PR4249	579	42	49	1
	End of Run Gallery Pane	CML3PR4261	687	42	61	1
		CML3PR4849	646	48	49	1
		CML3PR4861	766	48	61	1
		CML3PR5449	711	54	49	1
		CML3PR5461	844	54	61	1




**CMLXPLXXXX - LEFT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION**

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Extension End of Run Return Gallery Panel	CMLXPL4224	677	42	24	1
	CMLXPL4230	406	42	30	1
	CMLXPL4236	468	42	35	1
	CMLXPL4242	588	42	42	1
	CMLXPL4248	604	42	48	1
	CMLXPL4824	358	48	24	1
	CMLXPL4830	420	48	30	1
	CMLXPL4836	481	48	36	1
	CMLXPL4842	604	48	42	1
	CMLXPL4848	623	48	48	1
	CMLXPL5424	382	54	24	1
	CMLXPL5430	448	54	30	1
	CMLXPL5436	515	54	36	1
	CMLXPL5442	581	54	42	1
	CMLXPL5448	714	54	48	1


**CMLXPRXXXX - RIGHT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION**

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Extension End of Run Return Gallery Panel	CMLXPR4224	677	42	24	1
	CMLXPR4230	406	42	30	1
	CMLXPR4236	468	42	35	1
	CMLXPR4242	588	42	42	1
	CMLXPR4248	604	42	48	1
	CMLXPR4824	358	48	24	1
	CMLXPR4830	420	48	30	1
	CMLXPR4836	481	48	36	1
	CMLXPR4842	604	48	42	1
	CMLXPR4848	623	48	48	1
	CMLXPR5424	382	54	24	1
	CMLXPR5430	448	54	30	1
	CMLXPR5436	515	54	36	1
	CMLXPR5442	581	54	42	1
	CMLXPR5448	714	54	48	1


**CMLXPLXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION**

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Extension End of Run Gallery Panel	CMLXPL4224NC	345	42	24	1
	CMLXPL4230NC	404	42	30	1
	CMLXPL4236NC	465	42	35	1
	CMLXPL4242NC	585	42	42	1
	CMLXPL4248NC	602	42	48	1
	CMLXPL4824NC	355	48	24	1
	CMLXPL4830NC	417	48	30	1
	CMLXPL4836NC	478	48	36	1
	CMLXPL4842NC	602	48	42	1
	CMLXPL4848NC	621	48	48	1
	CMLXPL5424NC	380	54	24	1
	CMLXPL5430NC	446	54	30	1
	CMLXPL5436NC	512	54	36	1
	CMLXPL5442NC	579	54	42	1
	CMLXPL5448NC	711	54	48	1

**CMLXPLXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION**

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Extension End of Run Gallery Panel	CMLXPR4224NC	345	42	24	1
	CMLXPR4230NC	404	42	30	1
	CMLXPR4236NC	465	42	35	1
	CMLXPR4242NC	585	42	42	1
	CMLXPR4248NC	602	42	48	1
	CMLXPR4824NC	355	48	24	1
	CMLXPR4830NC	417	48	30	1
	CMLXPR4836NC	478	48	36	1
	CMLXPR4842NC	602	48	42	1
	CMLXPR4848NC	621	48	48	1
	CMLXPR5424NC	380	54	24	1
	CMLXPR5430NC	446	54	30	1
	CMLXPR5436NC	512	54	36	1
	CMLXPR5442NC	579	54	42	1
	CMLXPR5448NC	711	54	48	1



**CMHLPBB01 - GALLERY PANEL BRACKET**

- Gallery panel bottom bracket connects two gallery end panels at bottom with screws.
- Available in standard paint colors.
- Screws are included with the bracket.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Bracket	CMHLPBB01	38	1.5	8	1


**CMHLPCB01 - GALLERY PANEL CORNER BRACKET**

- Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- Available in standard paint colors.
- Screws are included with the bracket.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Corner Bracket	CMHLPCB01	37	1.5	4	4


**CMPDSL/R - SLIDING PRIVACY DOOR**

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering.”
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Sliding Privacy Door - 66" High	CMPDSL6636R	2684	66	36	
		CMPDSL6636L	2684	66	36	
		CMPDSL6642R	2755	66	42	
		CMPDSL6642L	2755	66	42	

**CMFMA - MINI PANEL KIT**

- Compile's Mini Panel Kits are now available to our dealers and their sales staff. The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
- One Monolithic Mini Panel (Laminate side one / Acoustic side two).
- One Segmented Glazed Mini panel.
- One 2-way Universal Corner Post Kit.
- Two 24" Raceway Cover with Punch Out.
- Two 24" Raceway Cover with out Punch Out.
- One Raceway Cut Out Cover.
- One 3-way Post Base Cover.
- One End of Run Trim.
- One Pair of Corner Brackets.
- One Mid span Worksurface Support Bracket.
- One Duplex.
- One Power Distribution Harness.
- One Mesh jumper.
- One Carry Bag.



	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mini Panel Kit	CMFMA2418KIT1	2086	30	24	2 7/8






**CHP POST PACKAGE**

- Universal Post with all "Quick-Connection" clips.
- Post trim(s)
- Post base and top cap

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	2 - Way Post	CHP30-2	98	30	2.3	2.3
		CHP42-2	98	42	2.3	2.3
		CHP46-2	142	46	2.3	2.3
		CHP54-2	121	54	2.3	2.3
		CHP58-2	179	58	2.3	2.3
		CHP60-2	179	60	2.3	2.3
		CHP64-2	211	64	2.3	2.3
		CHP66-2	142	66	2.3	2.3
		CHP70-2	206	70	2.3	2.3
		CHP72-2	206	72	2.3	2.3
		CHP78-2	234	78	2.3	2.3
		CHP82-2	246	82	2.3	2.3
		CHP90-2	246	90	2.3	2.3
	3 - Way Post	CHP30-3	85	30	2.3	2.3
		CHP42-3	85	42	2.3	2.3
		CHP46-3	129	46	2.3	2.3
		CHP54-3	107	54	2.3	2.3
		CHP58-3	161	58	2.3	2.3
		CHP60-3	161	60	2.3	2.3
		CHP64-3	171	64	2.3	2.3
		CHP66-3	129	66	2.3	2.3
		CHP70-3	185	70	2.3	2.3
		CHP72-3	185	72	2.3	2.3
		CHP78-3	211	78	2.3	2.3
		CHP82-3	220	82	2.3	2.3
		CHP90-3	245	90	2.3	2.3
	4 - Way Post *No trim or base. Includes top cap only.	CHP30-4	69	30	2.3	2.3
		CHP42-4	69	42	2.3	2.3
		CHP46-4	117	46	2.3	2.3
		CHP54-4	90	54	2.3	2.3
		CHP58-4	132	58	2.3	2.3
		CHP60-4	132	60	2.3	2.3
		CHP64-4	139	64	2.3	2.3
		CHP66-4	107	66	2.3	2.3
		CHP70-4	153	70	2.3	2.3
		CHP72-4	153	72	2.3	2.3
		CHP78-4	174	78	2.3	2.3
		CHP82-4	182	82	2.3	2.3
		CHP90-4	203	90	2.3	2.3



**CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS**

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPxx), 2 way post base (CMPCxx) and post cap (CMPC).
- 3-way kits include 2 trim (CMETPxx), 3 way post base (CMPCxx) and post cap (CMPC).
- 4-way kits include post cap (CMPC) only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				H	W	D	
	90 Degree Corner Post Kit for Over Panels	CHOP12-2	64	12	2.3	2.3	
		CHOP12-3	54	12	2.3	2.3	
		CHOP12-4	37	12	2.3	2.3	
			CHOP16-2	64	16	2.3	2.3
			CHOP16-3	64	16	2.3	2.3
			CHOP16-4	54	16	2.3	2.3
			CHOP24-2	71	24	2.3	2.3
			CHOP24-3	64	24	2.3	2.3
			CHOP24-4	53	24	2.3	2.3

**CHPXW - 60 DEGREE POST PACKAGE**


- Universal Post with all "Quick-Connection" clips.
- Post trim is incorporated into 2 - Way aluminum post extrusion.
- Post top cap
- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
- 3 - Way post is 6" shorter than panel height to accommodate electric and base.
- PVC post trims can not be added to 60 degree posts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	2 - Way - 60 Degree Post Package	CHP2W30	69	30	2.3	2.3
		CHP2W42	69	42	2.3	2.3
		CHP2W46	90	46	2.3	2.3
		CHP2W54	90	54	2.3	2.3
		CHP2W58	123	58	2.3	2.3
		CHP2W60	135	60	2.3	2.3
		CHP2W64	147	64	2.3	2.3
		CHP2W66	107	66	2.3	2.3
		CHP2W70	156	70	2.3	2.3
		CHP2W72	156	72	2.3	2.3
		CHP2W78	174	78	2.3	2.3
		CHP2W82	182	82	2.3	2.3
		CHP2W90	200	90	2.3	2.3
			3 - Way - 60 Degree Post Package	CHP3W30	69	30
CHP3W42	69			42	2.3	2.3
CHP3W46	99			46	2.3	2.3
CHP3W54	90			54	2.3	2.3
CHP3W58	123			58	2.3	2.3
CHP3W60	135			60	2.3	2.3
CHP3W64	147			64	2.3	2.3
CHP3W66	107			66	2.3	2.3
CHP3W70	156			70	2.3	2.3
CHP3W72	156			72	2.3	2.3
CHP3W78	174			78	2.3	2.3
CHP3W82	182			82	2.3	2.3
CHP3W90	200			90	2.3	2.3




**CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS**

- No electrical knockouts included.
- Note: Made of reinforced aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Compile Raceway Cover	CMRC24NP	15	24		
	Without Knockouts	CMRC30NP	18	30		
		CMRC36NP	20	36		
		CMRC42NP	22	42		
		CMRC48NP	25	48		
		CMRC54NP	31	54		
		CMRC60NP	33	60		

**CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS**

- Contains one knockout for 24" w and three knockouts for 30" w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Compile Raceway Cover	CMRC24PO	15	24		
	With Knockouts	CMRC30PO	18	30		
		CMRC36PO	20	36		
		CMRC42PO	22	42		
		CMRC48PO	25	48		
		CMRC54PO	31	54		
		CMRC60PO	33	60		


**CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER**

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada, and Tungsten (Steel)
- Note: Knockout covers are made of plastic.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Compile Raceway Knockout Cover	CMRCB01	14			


**CHP - 90-DEGREE UNIVERSAL CORNER POST**

- Available in 42", 54" and 66"h.
- Standard Compile paint options.
- Specify the corner post height that matches the tallest or smallest panel connection.
- Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
- Requires post trim inserts to finish off post where there are no panel connections. Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
- Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
- See Panel Configuration Tips for application.
- Made of aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	90-Degree Universal Corner Post	CHP30	65	30		
		CHP42	65	36		
		CHP54	84	48		
		CHP66	103	60		

**CMET - END OF RUN TRIM INSERT FOR PANEL**


- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall.
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- Trims are PVC.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End of Run Trim Insert for Panel	CMET16	15	16	2.3	0.5
		CMET30	17	30	2.3	0.5
		CMET42	17	42	2.3	0.5
		CMET46	18	46	2.3	0.5
		CMET48	20	48	2.3	0.5
		CMET54	20	54	2.3	0.5
		CMET58	21	58	2.3	0.5
		CMET60	21	60	2.3	0.5
		CMET64	22	64	2.3	0.5
		CMET66	22	66	2.3	0.5
		CMET70	24	70	2.3	0.5
		CMET72	24	72	2.3	0.5
		CMET78	26	78	2.3	0.5
		CMET82	27	82	2.3	0.5
		CMET90	32	90	2.3	0.5




**CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST**

- Does not come with a post.
- Trim installs on all exposed sides of a Universal Corner Post.
- Specify to equal post height.
- Trims must be specified separately. Trim snaps in the post.
- Available in standard Compile paint options.
- 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
- See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Trim Insert for Universal Corner Post	CMETP30	14	30	2.3	0.5
	CMETP42	14	42	2.3	0.5
	CMETP46	18	46	2.3	0.5
	CMETP48	11	48	2.3	0.5
	CMETP54	15	54	2.3	0.5
	CMETP58	19	58	2.3	0.5
	CMETP60	21	60	2.3	0.5
	CMETP64	22	64	2.3	0.5
	CMETP66	16	66	2.3	0.5
	CMETP70	25	70	2.3	0.5
	CMETP72	25	72	2.3	0.5
	CMETP78	26	78	2.3	0.5
	CMETP82	28	82	2.3	0.5
	CMETP90	32	90	2.3	0.5


**CMET - TRIM INSERT FOR STEP DOWN**

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.
- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Trim Insert for Step Down	CMET06	9	6		
	CMET12	11	12		
	CMET18	15	18		
	CMET24	19	24		
	CMET36	24	36		

**CHWAXX - WALL ADAPTER**


- Same profile as vertical extrusion.
- Wall attachment hardware not provided.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Wall Adapter	CHWA30	39	30	2.36	.79
	CHWA42	54	42	2.36	.79
	CHWA46	54	46	2.36	.79
	CHWA48	54	48	2.36	.79
	CHWA54	68	54	2.36	.79
	CHWA58	68	58	2.36	.79
	CHWA60	80	60	2.36	.79
	CHWA64	80	64	2.36	.79
	CHWA66	80	66	2.36	.79
	CHWA70	92	70	2.36	.79
	CHWA72	92	72	2.36	.79
	CHWA78	103	78	2.36	.79
	CHWA82	116	82	2.36	.79
	CHWA90	127	90	2.36	.79

**CWMA - VERTICAL CHANNEL**

- Used to attach system components to fixed wall.
- Panel frame finish.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Vertical Channel	CWMA60	33	60	0.6	0.7



**CMPC - UNIVERSAL POST CAP**

- Comes standard with universal post.
- Specified separately for reconfiguration purposes.
- Available in standard Compile paint options.
- Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Universal Post Cap	CMPC	6	2	3	8




**CMPC - POST BASE COVER**

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- Finish is smooth plastic.
- Available in standard Compile paint options.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Post Base Cover - 3-Way Connection	CMPC1	10	6		




Post Base Cover - 2-Way Connection	CMPC2	11	6		
------------------------------------	-------	----	---	--	--



**CMHLPF - FLAT LEG FOR FREESTANDING PANELS**

- Not intended to add to a run of panels in conjunction with Leveling Glides.
- Kit will contains one legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.
- Please specify paint finish.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Single Flat Leg	CMHLPF01	107	.31	21	3
-----------------	----------	-----	-----	----	---

**CMHLPF - FLAT LEG FOR FREESTANDING PANELS**

- Double kit for freestanding applications.
- Kit will contains two legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.
- Please specify paint finish.
- Note: Leg is on available for freestanding panels 42" to 60" wide.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Double Flat Leg	CMHLPF02	213	.31	21	3
-----------------	----------	-----	-----	----	---

**CMHLLP01 - LOW PROFILE FOOT**

- Provides added support to a panel under load.
- Adjustable glides and connectors included.
- Made of powder coated steel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Low Profile Foot	CMHLLP01	159	12	11	1.1
------------------	----------	-----	----	----	-----

**CMHLLP02 - LOW PROFILE FOOT**

- Provides added support to a panel under load.
- Adjustable glides and connectors included.
- Made of powder coated steel.
- Set includes 2 complete legs.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



Double Low Profile Foot	CMHLLP02	317	12	11	1.1
-------------------------	----------	-----	----	----	-----

**CMPS - POST SEPARATOR**

- Creates a diagonal division within a compile post.
- Please specify post height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Post Separator	CMPS01	132	96	3.25	14

