



worksurfaces

**The information listed below provides you with basic features of Compile Worksurfaces.**

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:




- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

### Components


- A.** CWVL2436 Curvilinear Worksurface – Left  
 Note: When deepest end equals 24", opposite depth is 18"  
 When deepest end equals 30", opposite depth is 24"
- B.** CWCC3618 Corner Curved Worksurface
- C.** CWVR2436 Curvilinear Worksurface – Right



# WORKSURFACES

## CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.



|   | DESCRIPTION                         | PRODUCT CODE                        | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|-------------------------------------|-------------------------------------|------------|-------------------|----|----|
|   |                                     |                                     |            | D                 | W  |    |
|  | Rectangular Worksurfaces - 24" Deep | CWS2424P                            | 139        | 24                | 24 |    |
|   |                                     | CWS2430P                            | 149        | 24                | 30 |    |
|   |                                     | CWS2436P                            | 167        | 24                | 36 |    |
|   |                                     | CWS2442P                            | 214        | 24                | 42 |    |
|   |                                     | CWS2448P                            | 258        | 24                | 48 |    |
|   |                                     | CWS2454P                            | 301        | 24                | 54 |    |
|   |                                     | CWS2460P                            | 339        | 24                | 60 |    |
|   |                                     | CWS2466P                            | 354        | 24                | 66 |    |
|   |                                     | CWS2472P                            | 367        | 24                | 72 |    |
|   |                                     | CWS2478P                            | 590        | 24                | 78 |    |
|   |                                     | CWS2484P                            | 597        | 24                | 84 |    |
|   |                                     | CWS2490P                            | 626        | 24                | 90 |    |
|   |                                     | CWS2496P                            | 668        | 24                | 96 |    |
|   |                                     | Rectangular Worksurfaces - 30" Deep | CWS3024P   | 163               | 30 | 24 |
|   |                                     |                                     | CWS3030P   | 173               | 30 | 30 |
|   |                                     |                                     | CWS3036P   | 205               | 30 | 36 |
| CWS3042P  | 288                                 |                                     | 30         | 42                |    |    |
| CWS3048P  | 301                                 |                                     | 30         | 48                |    |    |
| CWS3054P  | 330                                 |                                     | 30         | 54                |    |    |
| CWS3060P  | 354                                 |                                     | 30         | 60                |    |    |
| CWS3066P  | 366                                 |                                     | 30         | 66                |    |    |
| CWS3072P  | 388                                 |                                     | 30         | 72                |    |    |
| CWS3078P  | 734                                 |                                     | 30         | 78                |    |    |
| CWS3084P  | 748                                 | 30                                  | 84         |                   |    |    |



# WORKSURFACES

## CWSNSC - STRAIGHT WORKSURFACE NO SCOOP


- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                               | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|---|---|--------------|------------|-------------------|----|
|   |   |              |            | D                 | W  |
|  | Straight Worksurface No Scoops - 24" Deep | CWS2424NSC   | 139        | 24                | 24 |
|   |   | CWS2430NSC   | 149        | 24                | 30 |
|   |   | CWS2436NSC   | 167        | 24                | 36 |
|   |   | CWS2442NSC   | 214        | 24                | 42 |
|   |   | CWS2448NSC   | 258        | 24                | 48 |
|   |   | CWS2454NSC   | 301        | 24                | 54 |
|   |   | CWS2460NSC   | 339        | 24                | 60 |
|   |   | CWS2466NSC   | 354        | 24                | 66 |
|   |   | CWS2472NSC   | 367        | 24                | 72 |
|   |   | CWS2478NSC   | 590        | 24                | 78 |
|   |   | CWS2484NSC   | 597        | 24                | 84 |
|   |   | CWS2490NSC   | 702        | 24                | 90 |
| CWS2496NSC  | 668                                       | 24           | 96         |                   |    |
|  | Straight Worksurface No Scoops - 30" Deep | CWS3024NSC   | 163        | 30                | 24 |
|   |   | CWS3030NSC   | 173        | 30                | 30 |
|   |   | CWS3036NSC   | 205        | 30                | 36 |
|   |   | CWS3042NSC   | 288        | 30                | 42 |
|   |   | CWS3048NSC   | 301        | 30                | 48 |
|   |   | CWS3054NSC   | 330        | 30                | 54 |
|   |   | CWS3060NSC   | 354        | 30                | 60 |
|   |   | CWS3066NSC   | 366        | 30                | 66 |
|   |   | CWS3072NSC   | 388        | 30                | 72 |
|   |   | CWS3078NSC   | 734        | 30                | 78 |
|   |   | CWS3084NSC   | 748        | 30                | 84 |

# WORKSURFACES

## CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE TABLES



- There is no scoop on this work surface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Height Adjustable Tables
- Surfaces not available in HPW.

|   | DESCRIPTION  | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|--|--------------|------------|-------------------|----|----|
|   |  |              |            | H                 | D  | W  |
|  | Rectangular Worksurface No Scoops for Height Adjustable Tables | CWS2346NSCP  | 258        | 1                 | 23 | 46 |
|   |  | CWS2352NSCP  | 301        | 1                 | 23 | 52 |
|   |  | CWS2358NSCP  | 339        | 1                 | 23 | 58 |
|   |  | CWS2364NSCP  | 354        | 1                 | 23 | 64 |
|   |  | CWS2370NSCP  | 367        | 1                 | 23 | 70 |
|   |  | CWS2946NSCP  | 301        | 1                 | 29 | 46 |
|   |  | CWS2952NSCP  | 330        | 1                 | 29 | 52 |
|   |  | CWS2958NSCP  | 354        | 1                 | 29 | 58 |
|   |  | CWS2964NSCP  | 366        | 1                 | 29 | 64 |
|   |  | CWS2970NSCP  | 388        | 1                 | 29 | 70 |

# WORKSURFACES


## CWSWNSC - WEDGE WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                                  | PRODUCT CODE  | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|--|---------------|------------|-------------------|----|----|
|   |  |               |            | D1                | D2 | W  |
|  | Straight Wedge Worksurface No Scoops - Left  | CWSW241848NSC | 359        | 24                | 18 | 48 |
|   |  | CWSW241854NSC | 405        | 24                | 18 | 54 |
|   |  | CWSW241860NSC | 446        | 24                | 18 | 36 |
|   |  | CWSW241866NSC | 494        | 24                | 18 | 42 |
|   |  | CWSW241872NSC | 538        | 24                | 18 | 48 |
|   |  | CWSW302448NSC | 446        | 30                | 24 | 60 |
|   |  | CWSW302454NSC | 504        | 30                | 24 | 66 |
|   |  | CWSW302460NSC | 560        | 30                | 24 | 72 |
|   |  | CWSW302466NSC | 615        | 30                | 24 | 78 |
|   |  | CWSW302472NSC | 674        | 30                | 24 | 84 |
|  | Straight Wedge Worksurface No Scoops - Right | CWSW182448NSC | 359        | 24                | 18 | 24 |
|   |  | CWSW182454NSC | 405        | 24                | 18 | 30 |
|   |  | CWSW182460NSC | 446        | 24                | 18 | 36 |
|   |  | CWSW182466NSC | 494        | 24                | 18 | 42 |
|   |  | CWSW182472NSC | 538        | 24                | 18 | 48 |
|   |  | CWSW243048NSC | 446        | 30                | 24 | 60 |
|   |  | CWSW243054NSC | 504        | 30                | 24 | 66 |
|   |  | CWSW243060NSC | 560        | 30                | 24 | 72 |
|   |  | CWSW243066NSC | 615        | 30                | 24 | 78 |
|   |  | CWSW243072NSC | 674        | 30                | 24 | 84 |

## CWSP - RECTANGULAR WORKSURFACES - SPAN A POST


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

|   | DESCRIPTION  | PRODUCT CODE                                       | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|--|--|------------|-------------------|----|----|
|   |  |  |            | D                 | W  |    |
|  | Rectangular Worksurfaces - 24" Deep<br>Span a Post | CWSP2426P  | 167        | 24                | 26 |    |
|   |  | CWSP2432P  | 201        | 24                | 32 |    |
|   |  | CWSP2438P  | 234        | 24                | 38 |    |
|   |  | CWSP2444P  | 264        | 24                | 44 |    |
|   |  | CWSP2450P  | 299        | 24                | 50 |    |
|   |  | CWSP2456P  | 330        | 24                | 56 |    |
|   |  | CWSP2462P  | 437        | 24                | 62 |    |
|   |  | CWSP2468P  | 476        | 24                | 68 |    |
|   |  | CWSP2474P  | 517        | 24                | 74 |    |
|   |  | CWSP2480P  | 556        | 24                | 80 |    |
|   |  | CWSP2486P  | 634        | 24                | 86 |    |
|   |  | Rectangular Worksurfaces - 30" Deep<br>Span a Post | CWSP3026P  | 209               | 30 | 26 |
|   |  |  | CWSP3032P  | 250               | 30 | 32 |
|   |  |  | CWSP3038P  | 296               | 30 | 38 |
| CWSP3044P   | 330  |  | 30         | 44                |    |    |
| CWSP3050P   | 373  |  | 30         | 50                |    |    |
| CWSP3056P   | 414  |  | 30         | 56                |    |    |
| CWSP3062P   | 546  |  | 30         | 62                |    |    |
| CWSP3068P   | 594  |  | 30         | 68                |    |    |
| CWSP3074P   | 646  |  | 30         | 74                |    |    |
| CWSP3080P   | 693  |  | 30         | 80                |    |    |
| CWSP3086P   | 791  | 30   | 86         |                   |    |    |

# WORKSURFACES


## CWVR - CURVILINEAR WORKSURFACES - RIGHT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                         | PRODUCT CODE                        | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|-------------------------------------|-------------------------------------|------------|-------------------|----|----|
|   |                                     |                                     |            | D                 | W  |    |
|  | Curvilinear Worksurfaces - 24" Deep | CWVR2424P                           | 179        | 24                | 24 |    |
|   |                                     | CWVR2430P                           | 185        | 24                | 30 |    |
|   |                                     | CWVR2436P                           | 223        | 24                | 36 |    |
|   |                                     | CWVR2442P                           | 258        | 24                | 42 |    |
|   |                                     | CWVR2448P                           | 295        | 24                | 48 |    |
|   |                                     | CWVR2454P                           | 330        | 24                | 54 |    |
|   |                                     | CWVR2460P                           | 358        | 24                | 60 |    |
|   |                                     | CWVR2466P                           | 396        | 24                | 66 |    |
|   |                                     | CWVR2472P                           | 426        | 24                | 72 |    |
|   |                                     | CWVR2478P                           | 590        | 24                | 78 |    |
|   |                                     | CWVR2484P                           | 597        | 24                | 84 |    |
|   |                                     | Curvilinear Worksurfaces - 30" Deep | CWVR3024P  | 185               | 30 | 24 |
|   |                                     |                                     | CWVR3030P  | 196               | 30 | 30 |
| CWVR3036P   | 231                                 |                                     | 30         | 36                |    |    |
| CWVR3042P   | 317                                 |                                     | 30         | 42                |    |    |
| CWVR3048P   | 330                                 |                                     | 30         | 48                |    |    |
| CWVR3054P   | 366                                 |                                     | 30         | 54                |    |    |
| CWVR3060P   | 396                                 |                                     | 30         | 60                |    |    |
| CWVR3066P   | 426                                 |                                     | 30         | 66                |    |    |
| CWVR3072P   | 453                                 |                                     | 30         | 72                |    |    |
| CWVR3078P   | 734                                 |                                     | 30         | 78                |    |    |
| CWVR3084P   | 748                                 |                                     | 30         | 84                |    |    |

## CWVL - CURVILINEAR WORKSURFACES - LEFT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"

|   | DESCRIPTION                         | PRODUCT CODE                        | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|-------------------------------------|-------------------------------------|------------|-------------------|----|----|
|   |                                     |                                     |            | D                 | W  |    |
|  | Curvilinear Worksurfaces - 24" Deep | CWVL2424P                           | 179        | 24                | 24 |    |
|   |                                     | CWVL2430P                           | 185        | 24                | 30 |    |
|   |                                     | CWVL2436P                           | 223        | 24                | 36 |    |
|   |                                     | CWVL2442P                           | 258        | 24                | 42 |    |
|   |                                     | CWVL2448P                           | 295        | 24                | 48 |    |
|   |                                     | CWVL2454P                           | 330        | 24                | 54 |    |
|   |                                     | CWVL2460P                           | 358        | 24                | 60 |    |
|   |                                     | CWVL2466P                           | 396        | 24                | 66 |    |
|   |                                     | CWVL2472P                           | 426        | 24                | 72 |    |
|   |                                     | CWVL2478P                           | 590        | 24                | 78 |    |
|   |                                     | CWVL2484P                           | 597        | 24                | 84 |    |
|   |                                     | Curvilinear Worksurfaces - 30" Deep | CWVL3024P  | 185               | 30 | 24 |
|   |                                     |                                     | CWVL3030P  | 196               | 30 | 30 |
| CWVL3036P   | 231                                 |                                     | 30         | 36                |    |    |
| CWVL3042P   | 317                                 |                                     | 30         | 42                |    |    |
| CWVL3048P   | 330                                 |                                     | 30         | 48                |    |    |
| CWVL3054P   | 366                                 |                                     | 30         | 54                |    |    |
| CWVL3060P   | 396                                 |                                     | 30         | 60                |    |    |
| CWVL3066P   | 426                                 |                                     | 30         | 66                |    |    |
| CWVL3072P   | 453                                 |                                     | 30         | 72                |    |    |
| CWVL3078P   | 734                                 |                                     | 30         | 78                |    |    |
| CWVL3084P   | 748                                 |                                     | 30         | 84                |    |    |






# WORKSURFACES


## CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                      | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|---|----------------------------------|--------------|------------|-------------------|----|
|   |                                  |              |            | D                 | W  |
|  | Corner Curved Worksurfaces - 36" | CWCC3618P    | 466        | 18                | 36 |
|   |                                  | CWCC3624P    | 511        | 24                | 36 |
|   | Corner Curved Worksurfaces - 42" | CWCC4224P    | 689        | 24                | 42 |
|   |                                  | CWCC4230P    | 750        | 30                | 42 |
|   | Corner Curved Worksurfaces - 48" | CWCC4824P    | 806        | 24                | 48 |
|   |                                  | CWCC4830P    | 844        | 30                | 48 |

## CWCF - FIVE SIDED WORKSURFACES


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

|   | DESCRIPTION                  | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|---|------------------------------|--------------|------------|-------------------|----|
|   |                              |              |            | D                 | W  |
|  | Five Sided Worksurface - 36" | CWCF3618P    | 461        | 18                | 36 |
|   |                              | CWCF3624P    | 511        | 24                | 36 |
|   | Five Sided Worksurface - 42" | CWCF4224P    | 689        | 24                | 42 |
|   |                              | CWCF4230P    | 750        | 30                | 42 |
|   | Five Sided Worksurface - 48" | CWCF4824P    | 806        | 24                | 48 |
|   |                              | CWCF4830P    | 844        | 30                | 48 |

# WORKSURFACES


## CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                                  | PRODUCT CODE | LIST PRICE<br>TF | DIMENSIONS/INCHES |    |
|---|--|--------------|------------------|-------------------|----|
|   |  |              |                  | D                 | W  |
|  | Curved Corner Worksurface for 60° Post - 24" | CWC62424P    | 435              | 24                | 24 |
|   |  | CWC62430P    | 773              | 24                | 30 |
|   |  | CWC62436P    | 868              | 24                | 36 |
|   |  | CWC62442P    | 1327             | 24                | 42 |
|   |  | CWC62448P    | 1447             | 24                | 48 |
|   | Curved Corner Worksurface for 60° Post - 30" | CWC63024P    | 435              | 30                | 24 |
|   |  | CWC63030P    | 773              | 30                | 30 |
|   |  | CWC63036P    | 868              | 30                | 36 |
|   |  | CWC63042P    | 1327             | 30                | 42 |
|   |  | CWC63048P    | 1447             | 30                | 48 |

## CWC6L - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners


|  | DESCRIPTION                        | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |    |
|--|------------------------------------|--------------|------------|-------------------|----|----|
|  |                                    |              |            | D1                | D2 | W  |
|  | Extended Curved Corner - 36" x 24" | CWC6L362448P | 630        | 36                | 24 | 48 |
|  |                                    | CWC6L362460P | 687        | 36                | 24 | 60 |
|  |                                    | CWC6L362466P | 754        | 36                | 24 | 66 |
|  |                                    | CWC6L362472P | 834        | 36                | 24 | 72 |
|  |                                    | CWC6L362478P | 891        | 36                | 24 | 78 |
|  |                                    | CWC6L362484P | 959        | 36                | 24 | 84 |
|  | Extended Curved Corner - 42" x 24" | CWC6L422460P | 723        | 42                | 24 | 60 |
|  |                                    | CWC6L422466P | 792        | 42                | 24 | 66 |
|  |                                    | CWC6L422472P | 879        | 42                | 24 | 72 |
|  |                                    | CWC6L422478P | 938        | 42                | 24 | 78 |
|  |                                    | CWC6L422484P | 1012       | 42                | 24 | 84 |
|  | Extended Curved Corner - 42" x 30" | CWC6L423060P | 813        | 42                | 30 | 60 |
|  |                                    | CWC6L423066P | 891        | 42                | 30 | 66 |
|  |                                    | CWC6L423072P | 975        | 42                | 30 | 72 |
|  |                                    | CWC6L423078P | 1044       | 42                | 30 | 78 |
|  |                                    | CWC6L423084P | 1113       | 42                | 30 | 84 |
|  | Extended Curved Corner - 48" x 24" | CWC6L482460P | 855        | 48                | 24 | 60 |
|  |                                    | CWC6L482466P | 924        | 48                | 24 | 66 |
|  |                                    | CWC6L482472P | 992        | 48                | 24 | 72 |
|  |                                    | CWC6L482478P | 1092       | 48                | 24 | 78 |
|  |                                    | CWC6L482484P | 1135       | 48                | 24 | 84 |
|  | Extended Curved Corner - 48" x 30" | CWC6L483060P | 905        | 48                | 30 | 60 |
|  |                                    | CWC6L483066P | 985        | 48                | 30 | 66 |
|  |                                    | CWC6L483072P | 1069       | 48                | 30 | 72 |
|  |                                    | CWC6L483078P | 1150       | 48                | 30 | 78 |
|  |                                    | CWC6L483084P | 1201       | 48                | 30 | 84 |



# WORKSURFACES


## CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                        | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|------------------------------------|--------------|------------|-------------------|----|----|
|   |                                    |              |            | D1                | D2 | W  |
|  | Extended Curved Corner - 36" x 24" | CWCER362448P | 630        | 36                | 24 | 48 |
|   |                                    | CWCER362460P | 687        | 36                | 24 | 60 |
|   |                                    | CWCER362466P | 754        | 36                | 24 | 66 |
|   |                                    | CWCER362472P | 834        | 36                | 24 | 72 |
|   |                                    | CWCER362478P | 891        | 36                | 24 | 78 |
|   |                                    | CWCER362484P | 959        | 36                | 24 | 84 |
|   | Extended Curved Corner - 42" x 24" | CWCER422460P | 723        | 42                | 24 | 60 |
|   |                                    | CWCER422466P | 792        | 42                | 24 | 66 |
|   |                                    | CWCER422472P | 879        | 42                | 24 | 72 |
|   |                                    | CWCER422478P | 938        | 42                | 24 | 78 |
|   |                                    | CWCER422484P | 1012       | 42                | 24 | 84 |
|   | Extended Curved Corner - 42" x 30" | CWCER423060P | 813        | 42                | 30 | 60 |
|   |                                    | CWCER423066P | 891        | 42                | 30 | 66 |
|   |                                    | CWCER423072P | 975        | 42                | 30 | 72 |
|   |                                    | CWCER423078P | 1044       | 42                | 30 | 78 |
|   |                                    | CWCER423084P | 1113       | 42                | 30 | 84 |
|   | Extended Curved Corner - 48" x 24" | CWCER482460P | 855        | 48                | 24 | 60 |
|   |                                    | CWCER482466P | 924        | 48                | 24 | 66 |
|   |                                    | CWCER482472P | 992        | 48                | 24 | 72 |
|   |                                    | CWCER482478P | 1092       | 48                | 24 | 78 |
|   |                                    | CWCER482484P | 1135       | 48                | 24 | 84 |
|   | Extended Curved Corner - 48" x 30" | CWCER483060P | 905        | 48                | 30 | 60 |
|   |                                    | CWCER483066P | 985        | 48                | 30 | 66 |
|   |                                    | CWCER483072P | 1069       | 48                | 30 | 72 |
|   |                                    | CWCER483078P | 1150       | 48                | 30 | 78 |
|   |                                    | CWCER483084P | 1201       | 48                | 30 | 84 |

## CWD - "D" WORKSURFACE


- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

|   | DESCRIPTION           | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|---|-----------------------|--------------|------------|-------------------|----|
|   |                       |              |            | D                 | W  |
|  | "D" Worksurface - 24" | CWD2442P     | 516        | 24                | 42 |
|   |                       | CWD2448P     | 530        | 24                | 48 |
|   |                       | CWD2460P     | 556        | 24                | 60 |
|   |                       | CWD2472P     | 594        | 24                | 72 |
|   | "D" Worksurface - 30" | CWD3042P     | 559        | 30                | 42 |
|   |                       | CWD3048P     | 566        | 30                | 48 |
|   |                       | CWD3060P     | 594        | 30                | 60 |
|   |                       | CWD3072P     | 659        | 30                | 72 |

# WORKSURFACES

## CWH - HATCHET WORKSURFACE (LEFT SHOWN)


- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

|   | DESCRIPTION                 | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|-----------------------------|--------------|------------|-------------------|----|----|
|   |                             |              |            | D1                | D2 | W  |
|  | Hatchet Worksurface - Left  | CWHL3672P    | 1133       | 36                | 30 | 72 |
|   | Hatchet Worksurface - Right | CWHR3672P    | 1133       | 36                | 30 | 72 |

Right Shown


## CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

|   | DESCRIPTION                        | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |    |
|---|------------------------------------|--------------|------------|-------------------|----|----|
|   |                                    |              |            | D1                | D2 | W  |
|  | Straight Wedge Worksurface - Left  | CWSW241848P  | 359        | 24                | 18 | 48 |
|   |                                    | CWSW241854P  | 405        | 24                | 18 | 54 |
|   |                                    | CWSW241860P  | 446        | 24                | 18 | 60 |
|   |                                    | CWSW241866P  | 494        | 24                | 18 | 66 |
|   |                                    | CWSW241872P  | 538        | 24                | 18 | 72 |
|   |                                    | CWSW302448P  | 446        | 30                | 24 | 48 |
|   | Straight Wedge Worksurface - Right | CWSW302454P  | 504        | 30                | 24 | 54 |
|   |                                    | CWSW302460P  | 560        | 30                | 24 | 60 |
|   |                                    | CWSW302466P  | 615        | 30                | 24 | 66 |
|   |                                    | CWSW302472P  | 674        | 30                | 24 | 72 |
|   |                                    | CWSW182448P  | 359        | 18                | 24 | 48 |
|   |                                    | CWSW182454P  | 405        | 18                | 24 | 54 |
|   |                                    | CWSW182460P  | 446        | 18                | 24 | 60 |
|   |                                    | CWSW182466P  | 494        | 18                | 24 | 66 |
| CWSW182472P   | 538                                | 18           | 24         | 72                |    |    |
| Straight Wedge Worksurface - Right  | CWSW243048P                        | 446          | 24         | 30                | 48 |    |
|   | CWSW243054P                        | 504          | 24         | 30                | 54 |    |
|   | CWSW243060P                        | 560          | 24         | 30                | 60 |    |
|   | CWSW243066P                        | 615          | 24         | 30                | 66 |    |
|   | CWSW243072P                        | 674          | 24         | 30                | 72 |    |

## CWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

|   | DESCRIPTION                             | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|---|---|--------------|------------|-------------------|----|
|   |   |              |            | D                 | W  |
|  | Quarter Round Panel Worksurface - Left  | CWQRL2424    | 214        | 24                | 24 |
|   |   | CWQRL3030    | 283        | 30                | 30 |
|   | Quarter Round Panel Worksurface - Right | CWQRR2424    | 214        | 24                | 24 |
|   |   | CWQRR3030    | 283        | 30                | 30 |




# WORKSURFACES

## CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.


| DESCRIPTION                            | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|--|--------------|------------|-------------------|----|
|  |              |            | D                 | W  |
| Quarter Round Panel Corner Worksurface | CWQRC2424    | 257        | 24                | 24 |
|  | CWQRC3030    | 316        | 30                | 30 |



## CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.


| DESCRIPTION                      | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|----------------------------------|--------------|------------|-------------------|----|
|                                  |              |            | D                 | W  |
| Straight Transaction Worksurface | CWT1512      | 64         | 15                | 12 |
|                                  | CWT1518      | 85         | 15                | 18 |
|                                  | CWT1524      | 101        | 15                | 24 |
|                                  | CWT1530      | 121        | 15                | 30 |
|                                  | CWT1536      | 138        | 15                | 36 |
|                                  | CWT1542      | 154        | 15                | 42 |
|                                  | CWT1548      | 175        | 15                | 48 |
|                                  | CWT1554      | 191        | 15                | 54 |
|                                  | CWT1560      | 212        | 15                | 60 |
|                                  | CWT1566      | 227        | 15                | 66 |
|                                  | CWT1572      | 247        | 15                | 72 |
|                                  | CWT1578      | 264        | 15                | 78 |
|                                  | CWT1584      | 282        | 15                | 84 |



## CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

| DESCRIPTION             | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|-------------------------|--------------|------------|-------------------|----|
|                         |              |            | D                 | W  |
| End Transaction Surface | CWTE1512     | 85         | 15                | 14 |
|                         | CWTE1518     | 101        | 15                | 20 |
|                         | CWTE1524     | 121        | 15                | 26 |
|                         | CWTE1530     | 138        | 15                | 32 |
|                         | CWTE1536     | 154        | 15                | 38 |
|                         | CWTE1542     | 175        | 15                | 44 |
|                         | CWTE1548     | 191        | 15                | 50 |
|                         | CWTE1554     | 212        | 15                | 56 |
|                         | CWTE1560     | 227        | 15                | 62 |
|                         | CWTE1566     | 247        | 15                | 68 |
|                         | CWTE1572     | 264        | 15                | 74 |




# WORKSURFACES

## CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.


| DESCRIPTION                    | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|--------------------------------|--------------|------------|-------------------|----|
|                                |              |            | D                 | W  |
| "L" Corner Transaction Surface | CWTCL90      | 180        | 15                | 21 |



## CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See the listing in this section.


| DESCRIPTION                             | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |        |
|---|--------------|------------|-------------------|--------|
|   |              |            | D                 | W      |
| Corner Transaction Surface for 90° Post | CW9T1524     | 245        | 15                | 32.861 |
|   | CW9T1530     | 292        | 15                | 38.861 |
|   | CW9T1536     | 338        | 15                | 44.861 |
|   | CW9T1542     | 383        | 15                | 50.861 |
|   | CW9T1548     | 434        | 15                | 56.861 |



## CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.


| DESCRIPTION    | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|----------------|--------------|------------|-------------------|---|
|                |              |            | D                 | W |
| Corner Bracket | CHCB2        | 22         | 2.5               |   |



## CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.


| DESCRIPTION              | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|--------------------------|--------------|------------|-------------------|---|
|                          |              |            | D                 | W |
| Mid Span Support Bracket | CHWB1        | 14         |                   |   |




# WORKSURFACES


## CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

|   | DESCRIPTION      | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|---|------------------|--------------|------------|-------------------|---|
|   |                  |              |            | D                 | W |
|  | Cantilever - 15" | CHC15L       | 50         | 15                | 6 |
|   |                  | CHC15R       | 50         | 15                | 6 |
|   | Cantilever - 22" | CHC22L       | 77         | 22                | 6 |
|   |                  | CHC22R       | 77         | 22                | 6 |


## CMHC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

|   | DESCRIPTION                 | PRODUCT CODE                | LIST PRICE | DIMENSIONS/INCHES |   |
|---|-----------------------------|-----------------------------|------------|-------------------|---|
|   |                             |                             |            | L                 | D |
|  | Worksurface Support Channel | CMHC40 - for 54" wide table | 84         | 40                | 5 |
|   |                             | CMHC46 - for 60" wide table | 91         | 46                | 5 |
|   |                             | CMHC52 - for 66" wide table | 101        | 52                | 5 |
|   |                             | CMHC58 - for 72" wide table | 114        | 58                | 5 |
|   |                             | CMHC64 - for 78" wide table | 124        | 64                | 5 |
|   |                             | CMHC70 - for 84" wide table | 138        | 70                | 5 |


## CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

|   | DESCRIPTION  | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|---|--------------|--------------|------------|-------------------|---|
|   |              |              |            | D                 | W |
|  | Flat Bracket | CHFB1        | 21         | 3                 | 4 |

## CHTB2 - TRANSACTION TOP BRACKETS


- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in Anodized Aluminum only.

|   | DESCRIPTION  | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|---|--------------|--------------|------------|-------------------|---|
|   |              |              |            | D                 | W |
|  | Flat Bracket | CHTB2        | 22         | 2.5               |   |

# WORKSURFACES


## CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

|   | DESCRIPTION         | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|---|---------------------|--------------|------------|-------------------|----|
|   |                     |              |            | D                 | W  |
|  | End Panel - 28"High | CHEP2924     | 264        | 28                | 24 |
|   |                     | CHEP2930     | 311        | 28                | 30 |



## CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

|   | DESCRIPTION              | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |
|---|--------------------------|--------------|------------|-------------------|
|   |                          |              |            | H                 |
|  | Mid Support Leg - Round  | CHMSL1       | 91         | 28                |
|   | Mid Support Leg - Square | CHMSL2       | 91         | 28                |



## CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

|   | DESCRIPTION       | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |
|---|-------------------|--------------|------------|-------------------|
|   |                   |              |            | H                 |
|   | Corner Leg Round  | CMHCL1       | 127        | 28                |
|   | Corner Leg Square | CMHCL2       | 127        | 28                |

## CHWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

|   | DESCRIPTION                                | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |
|---|--|--------------|------------|-------------------|
|   |  |              |            | H                 |
|   | 5" Surface to Storage Support Leg - Round  | CHWSRL01     | 59         | 4.5               |
|   | 5" Surface to Storage Support Leg - Square | CHWSSL01     | 59         | 4.5               |

Round      Square






# WORKSURFACES


## CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

|   | DESCRIPTION             | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|---|-------------------------|--------------|------------|-------------------|----|---|
|   |                         |              |            | H                 | D  | W |
|  | Metal End Gable - Right | CHMEG18R     | 267        | 28                | 17 | 4 |
|   |                         | CHMEG24R     | 285        | 28                | 23 | 4 |
|   |                         | CHMEG30R     | 300        | 28                | 29 | 4 |


## CHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

|   | DESCRIPTION            | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|---|------------------------|--------------|------------|-------------------|----|---|
|   |                        |              |            | H                 | W  | D |
|  | Metal End Gable - Left | CHMEG18L     | 267        | 28                | 17 | 4 |
|   |                        | CHMEG24L     | 285        | 28                | 23 | 4 |
|   |                        | CHMEG30L     | 300        | 28                | 29 | 4 |


## CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

|   | DESCRIPTION       | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|---|-------------------|--------------|------------|-------------------|----|---|
|   |                   |              |            | H                 | W  | D |
|  | Metal Support Leg | CHMSL12      | 239        | 28                | 11 | 4 |

## PEDESTAL FILLER BRACKET

- Screws to back of pedestal
- Fills the gap between the pedestal and panel when wing pnael is not used.

|   | DESCRIPTION              | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |       |
|---|--------------------------|--------------|------------|-------------------|-------|
|   |                          |              |            | D                 | W     |
|  | Pedestal Filler Bracket- | CHPBF        | 60         | 26.875            | 1.375 |

# WORKSURFACES

## DHPEDB - FLUSH PEDESTAL BRACKET

- Attaches metal or laminate storage or desking, to Compile panels for additional panel support
- Used in flush mount applications only
- Use CHPBF Pedestal Filler Bracket with CS19xx Pedestals and standard depth worksurfaces

| DESCRIPTION            | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |   |
|------------------------|--------------|------------|-------------------|---|---|
|                        |              |            | H                 | W | D |
| Flush Pedestal Bracket | DHPEDB       | 29         | 8                 | 1 | 1 |

