

compile systems





PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Compile that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Compile offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve Furniture Group is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve Furniture Group is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Compile Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

SUSTAINABILITY INFORMATION

Compile offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Compile's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

Compiles's entire panel is up to 82% recycled.

Compile masonite is up to 85% recycled.

Compile's entire product line is up to 99% recyclable.

REFERENCES	
Features, Benefits & General Information	
Coding an Order	4
Textiles & Finishes	114
Panel COM Form	119
Panel Fabric Specification Sheet	120
Pedestal Cushions COM Form	12 ²
Panel Fabric Sample	122
Appendix	123
Terms & Conditions	124
PANELS	
Panels – Technical Information	{
Panel – Types	
Panel Package — Configuration	1
Monolithic Panel Packages	16
Segmented Panel Packages	18
Acoustic Panel Packages	20
Monolithic Laminate Panel Packages	22
Segmented Laminate Panel Packages	26
Segmented Writeboard Panel Packages	30
Single Segmented Open Bottom Panel Packages	34
Glazed Panel Packages	36
Partly Glazed Panel Packages	38
12" Top Partly Glazed Panel Packages	40
Privacy Glass	
Over Panels	44
Gallery Panels	48
Sliding Doors	
Post Packages	
Raceway & Knockout Covers	58
Posts & Trim Inserts	
Post Covers	
Panel Legs	
Post Separator	
ELECTRICAL	
Electrical – Technical Information	
Electrical – Wire Schematic	67
Electrical – Configuration	
Power Distribution Housing	
Cables	
l Connector	
Duplex Receptacle	
Power Entry	
Electrical Box	
Post Extension	
I NOT EVIREIIGINII	

ELECTRICAL	
Ceiling Feed	73
Cable Cover	73
Task Lights	74
WORKSURFACES	
Worksurfaces — Technical Information	76
Worksurfaces - Configuration	77
Rectangular Worksurface	78
Straight Worksurfaces	79
Rectangular Worksurface for Height Adjustable Tables	80
Wedge Worksurfaces	81
Span a Post Rectangular Worksurfaces	81
Curvilinear Worksurface	82
Corner Worksurface	83
Extended Curved Corner	84
"D" Worksurface	85
Hatchet Worksurface	86
Straight Wedge Worksurfaces	86
Quarter Round Panel Worksurface	86
Transaction Worksurface	87
Accessories	88
STORAGE	
Storage — Technical Information	94
Storage - Configuration	95
Pedestals	96
Overhead Storage	98
Lateral File	100
Storage Towers	103
Key Alike Form	105
ACCESSORIES	
Tack Board	108
White Marker Board	108
Load Bars	109
Rail Accessories	109

PANELS

 Panel Fabric modules consist of Module Frames, Module Interiors and Fabric Skins.

Fabric

Fabric offerings include selections woven with 100% recycled yarn.

Panel Frame

- Typical workstation contains up to 62.2% recycled material
- Panel is made of 82.3% recycled material.
- Acoustic panels are light tackable with 0.70 NRC and a 26 STC rating.
- Non Acoustic panels are not tackable with 0.17 NRC and a 28 STC rating.
- · Raceway covers are aluminum.
- Plastic top cap vs Aluminum top cap.

Metal Components/Raceway Finish

- All aluminum components are painted with environmentally friendly epoxy powder.
- Raceway interiors are coated with recycled epoxy powder.
- The entire Compile Panel and the processes used to manufacture it are designed to save and protect the environment. Compile Panels are made from recycled materials and are 99% recyclable.

Panel Options

- Compile Panels come in 5 heights: 30", 42", 48" 54" and 66".
- Panel widths come in 7 sizes including: 24", 30", 36", 42", 48", 54" and 60".
- Panels conform to CGSB and ANSI/BIFMA standards.
 This is your assurance that the quality, and performance level of these Panels have been tested to equal or exceed the requirements of the US government.
- Rigid, aluminum Panel Frame is 2 3/8" thick.
- Aluminum Panel Frame combined with easy to assemble "Quick Connect" clips, create a rigid Panel Wall
- Levelling glides extend 2". Enables the client to deal with severe undulations in the flooring levels of a building.
- Compile makes it easy to select a Panel function that is suitable for your application.
- Compile makes it easy to select a Panel type and height that is suitable for your application.

VOICE/DATA AND ELECTRICAL POWER

- Voice/data cables can be inserted at the base. 8 wire, 4 circuit electrical capability, 2 utility + 2 dedicated circuits, each with 10 gauge (oversized) neutrals. All circuits can support up to 20 amps (15 CSA).
- Raceway Cover opening sizes conform to the ANSI/ TIA/EIA Furniture Opening Standard of 1.345"x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" 60" wide include raceway covers with 3 knockouts.

- Panels and electrical components are CSA/UL approved.
- Compile panel raceway is roughly 2.13" x 4.6" without power distribution housing installed. With power distribution housing installed inside, the dimension is reduced to roughly 2.13" x 2.13
- The base raceway cavity accommodates 50 .25" diameter communication cables without power installed or 30 .25" diameter communication cables with power installed.
- 90-degree posts accommodate 25 .25"diameter communication cables without a ceiling infeed or 20 .25" diameter communication cables with a ceiling infeed installed.
- 120-degree posts may not be utilized for power infeeds or communication cables. 90-degree posts may be utilized at the end of a 120-degree configuration if ceiling infeed of power and/or data cables is required.
- No tools are required to install electrical in the Compile Panel System.

WORKSURFACES

- 1" thick worksurfaces come in a variety of shapes and sizes. Essentially, they are 24" or 30" deep and are available in 6" increments from 24" to 84" wide.
- Cable scoops located at the back of each Worksurface provide routing of power and data cables.
- This convenient feature, together with a 3/8" gap between the Worksurface and the Panel, allows access to cables without having grommet holes in the Worksurface.
- With this choice of product, we can tailor each installation to your requirements. The addition of custom sizes shows a commitment to client satisfaction that not every manufacturer offers.
- Thermally fused laminate tops are standard.
- · All Worksurfaces utilize balanced construction.
- Predrilled holes in worksurfaces enable installer to properly align worksurface.

STORAGE

- 19", 23" and 29" deep Pedestals. Freestanding and Worksurface supporting options available.
- Drawer divider and pencil tray included in all Freestanding Pedestals containing box drawers.
 Drawer divider and pencil tray not included in Worksurface Supporting Pedestals.
- Adjustable glides are accessible from the inside of the cabinet.
- Positive and secure locking system on all Pedestals is standard.
- Full height drawer sides are standard on all file drawers. This enables you to hang files from the drawer side so no extra hardware is necessary. File drawers accept letter sized files. Optional file bars are available to file legal and metric sized files.
- Steel construction guarantees the performance of the product over the long term. Welded joints with a full top, back and base ensure that the Pedestal will sit square and adequately support the Worksurface where necessary.

- Worksurface supporting Pedestals are standard with Compile
- · Shelves feature all metal construction.
- All storage components as well as the Panel Frames are epoxy powder coated.
- Glides enable you to level the cabinet to the floor and or Worksurface. The convenient adjustment feature allows the installer to adjust the height of the cabinet while it is under the Worksurface. This saves time in the installation process.
- For additional security and peace of mind, locks can be keyed alike or master keyed for additional convenience. Standard recessed handle offers uncluftered aesthetic.
- "Environmentally friendly" epoxy powder coat is 15 times more durable in independent testing than a wet paint spray. This helps maintain the look of the product over its many years of service.

WARRANTIES AND PERFORMANCE

- · A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2008 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- · Level 3 Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Compile Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Furniture Group is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve Furniture Group is committed

 (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment,
 (2) to continuous improvement to our environmental systems and programs and
 (3) to comply to all relevant environmental legislation and regulations.
- Compile Panel System can help a company meet LEED requirements for office furniture.
- Compile components are tested to the highest standard in the industry. This is your assurance of quality and longevity.
- Panel textiles, adjustable keyboard mechanisms, task lights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty

CODING AN ORDER INTRODUCTION

Compile products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.


Panels

Example:

Product:

Compile Fabric Monolithic Panel

Specify:



Base Code found on the product page to the left of the product name and a simple product illustration.

CoMpile product line

Fabric-covered Panel

Monolithic panel category

CMFM6648

Panel size offering. Listed on every product page with price listing.

Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering

code.

CMFM6648-BK

Standard paint code for frame. See the Fabric & Finish listing in this section.


To specify fabric for a Compile Panel, please note:



CMFM6648-BK-B84A

Fabric code for all modules on both sides of the Panel*. See the Fabric & Finish listing in this section.

* NOTE: If different fabrics are to be included on a Compile Panel, please use the following ordering format. Start at the bottom of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



= 42 Position 2

Position 1

11 **B86A** 12 B84A

01 **B86A** 02 B84A I = Inside

0 = Outside

INTRODUCTION CODING AN ORDER


Electrical

Example:

Product:

Flexible Mesh Jumper Cable

Specify:



CE8CP**17**

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Electrical category.

Cable Panel.

Pass-Through.

Product size offering – length. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.


Worksurfaces

Example:

Product:

Curvilinear Worksurface - Left

Specify:



CWVL**3042**

CWVL3042-T431

CWVL3042-T890-CR

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Worksurface category.

CurVilinear shape.

Left hand configuration.

Worksurface size offering. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Laminate code for surface. See the Fabric & Finish listing in this section.

PVC code for trim. See the Fabric & Finish listing in this section.

5

INTRODUCTION CODING AN ORDER


Worksurfaces - Hardware

Example:

Product:

End Panel

Specify:



2 CHEP-**T431**

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Hardware category.

End Panel.

End Panel.

Laminte code for End Panel. See the Fabric & Finish listing in this section.


Storage

Example:

Product:

Box, Box, File Pedestal

Specify:



2 CS1923BBF

3 CS19**23**BBF

4 CS1923BBF

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Storage category.

19 Product Series.

23" Pedestal depth in inches.

 $\boldsymbol{B} o \boldsymbol{x}$ drawer, $\boldsymbol{B} o \boldsymbol{x}$ drawer, $\boldsymbol{F} i le$ drawer.


panels

THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:


- Compile Panels are:
 - Available in four (5) heights: 30", 42", 48", 54" and 66"; and seven (7) widths: 24", 30" 36", 42", 48", 54" and 60".
 - 2 3/8" thick.
 - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" 60" wide include raceway covers with 3 knockouts.
- . Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- · Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field
 to change a panel from non-powered to powered (or vice versa).
- · Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.

MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25


Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package



Powered Compile Monolithic Fabric Panel Package



Non-Powered Compile Monolithic Fabric Panel Package





Non-Powered Compile Monolithic Laminate Panel Package



Model Definitions:

N0 = No punch outs on raceways.

N1 = Raceway punch out on one side.

N2 = Raceway punch out on both sides.

P1 = Power harness and raceway punch out on one side.

P2 = Power harness and raceway punch outs on two sides.

RACEWAY COVER OPTIONS (Suffix)

(NO) No Knockouts Side 1 and Side 2

(N1) Knockouts Side 1 - No Knockout Side 2

(N2) Knockouts Side 1 and Side


(P1) Knockouts Side 1 - No Knockout Side 2




PANELS PANEL TYPES

SEGMENTED - PANEL PACKAGES - PAGES 18 & 19, 26-35


Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package



Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 20 & 21


Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




PANELS PANEL TYPES

SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 34-35


Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



Powered Compile Single Segmented Open Bottom Panel Package




Powered Compile Single Segmented Open Bottom Panel Package



DOOR PANELS - PAGE 42


Sliding Privacy Door




CMPDSL6636/42

GLAZED PANEL PACKAGES - PAGES 36-37


Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



Powered Compile Glazed Panel Package




Powered Compile Glazed Panel Package




PANELS PANEL TYPES

PARTLY GLAZED PANEL PACKAGES - PAGES 38-41


Non-Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package



Powered Compile Partly Glazed Panel Package




Powered Compile Partly Glazed Panel Package



Compile Privacy Glass

Available in widths from 24" to 60".



MINI PANEL KIT - PAGE 43

Mini Panel Kit



CMFMA2418KIT1

PANELS CONFIGURATION

This page provides an exploded view of a sample Panel Package highlighting each Panel component included within the package.

Package Components

Package 1 CMFM6636N0


- A. (1) 66"h x 36"w Monolithic Fabric Panel
- B. (2) 36"w Raceway Covers Without Knockouts


Package 2 CMFF6636P2


- C. (1) 66"h x 36"w Single Segmented Fabric Panel
- D. (2) 36"w Raceway Covers With Knockouts
- E. (1) 36"w Power Distribution Housing

Package 3 CHP66-2

- F. (1) 66"h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post







CMFMXXYYN_ - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1 Gr2		DIMENSIONS/INCHES H W D		
			011	UI2	••	•••	
	Non-Powered Compile Fabric Monolithic	CMFM3024N_	391	427	30	24	2 3/8
	Panel Package - 30"	CMFM3030N_	441	476	30	30	2 3/8
		CMFM3036N_	479	548	30	36	2 3/8
		CMFM3042N_	529	598	30	42	2 3/8
		CMFM3048N_	562	631	30	48	2 3/8
		CMFM3054N_	622	691	30	54	2 3/8
		CMFM3060N_	656	724	30	60	2 3/8
	New December Committee Calmin Managitation	Charlago ani	201	407	40	24	2.20
	Non-Powered Compile Fabric Monolithic	CMFM4224N_	391	427	42	24	2 3/8
	Panel Package - 42"	CMFM4230N_	441	476	42	30	2 3/8
//II		CMFM4236N_	479	548	42	36	2 3/8
		CMFM4242N_	529	598	42	42	2 3/8
		CMFM4248N_	562	631	42	48	2 3/8
		CMFM4254N_	622	691	42	54	2 3/8
		CMFM4260N_	656	724	42	60	2 3/8
a	Non-Powered Compile Fabric Monolithic	CMFM4824N	407	448	48	24	2 3/8
	Panel Package - 48"	CMFM4830N	462	503	48	30	2 3/8
ا اه		CMFM4836N	513	593	48	36	2 3/8
		CMFM4842N	571	652	48	42	2 3/8
		CMFM4848N	600	682	48	48	2 3/8
7		CMFM4854N	650	732	48	54	2 3/8
		CMFM4860N_	710	789	48	60	2 3/8
	N D 10 71 51 1 14 171	01.451.45.40.41	400	450			0.00
	Non-Powered Compile Fabric Monolithic	CMFM5424N_	408	450	54	24	2 3/8
	Panel Package - 54"	CMFM5430N_	462	504	54	30	2 3/8
/ 1		CMFM5436N_	514	596	54	36	2 3/8
		CMFM5442N_	571	653	54	42	2 3/8
		CMFM5448N_	601	684	54	48	2 3/8
		CMFM5454N_	651	734	54	54	2 3/8
		CMFM5460N_	710	792	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic	CMFM6624N	456	511	66	24	2 3/8
	Panel Package - 66"	CMFM6630N	524	579	66	30	2 3/8
	ranor rackage oo	CMFM6636N	598	698	66	36	2 3/8
// 		CMFM6642N	671	771	66	42	2 3/8
l 		_	726	826			2 3/8
		CMFM6648N_			66	48	
		CMFM6654N_	808	908	66	54	2 3/8
		CMFM6660N_	888	990	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2

Evolve Customer Support available at 856.552.4000, 888.827.2500, from 8:30 am - 5:30 pm Eastern time, or fax at 856.552.4001.

CMFMXXYYP_ - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	DESCRIPTION PRODUCT CODE LIST PRI				F PRICE DIMENSIONS/INCHES Gr2 H W D			
			ווט	UIZ	П	VV	U		
<i>a</i>	Powered Compile Fabric Monolithic	CMFM3024P_	556	592	30	24	2 3/8		
	Panel Package - 30"	CMFM3030P_	663	698	30	30	2 3/8		
		CMFM3036P_	712	781	30	36	2 3/8		
		CMFM3042P_	766	835	30	42	2 3/8		
		CMFM3048P_	818	887	30	48	2 3/8		
		CMFM3054P_	878	947	30	54	2 3/8		
		CMFM3060P_	914	982	30	60	2 3/8		
	Powered Compile Fabric Monolithic	CMFM4224P_	556	592	42	24	2 3/8		
	Panel Package - 42"	CMFM4230P_	663	698	42	30	2 3/8		
		CMFM4236P_	712	781	42	36	2 3/8		
		CMFM4242P_	766	835	42	42	2 3/8		
		CMFM4248P_	818	887	42	48	2 3/8		
		CMFM4254P_	878	947	42	54	2 3/8		
		CMFM4260P_	914	982	42	60	2 3/8		
		01451440040	574	040	40		0.00		
	Powered Compile Fabric Monolithic	CMFM4824P_	571	613	48	24	2 3/8		
	Panel Package - 48"	CMFM4830P_	680	721	48	30	2 3/8		
		CMFM4836P_	742	823	48	36	2 3/8		
		CMFM4842P_	806	887	48	42	2 3/8		
1 1		CMFM4848P_	858	939	48	48	2 3/8		
		CMFM4854P_	904	986	48	54	2 3/8		
		CMFM4860P_	966	1047	48	60	2 3/8		
4	Powered Compile Fabric Monolithic	CMFM5424P	571	613	54	24	2 3⁄8		
	Panel Package - 54"	CMFM5430P_	680	722	54	30	2 3/8		
	railei rackaye - 54			827	54 54		23/8		
		CMFM5436P_	745	827 889		36			
ru		CMFM5442P_	807		54	42	2 3/8		
		CMFM5448P_	858	941	54	48	2 3/8		
		CMFM5454P_	905	988	54	54	2 3/8		
		CMFM5460P_	966	1048	54	60	2 3/8		
	Powered Compile Fabric Monolithic	CMFM6624P	619	674	66	24	2 3⁄8		
//	Panel Package - 66"	CMFM6630P	745	800	66	30	2 3/8		
	or r donago oo	CMFM6636P	830	930	66	36	2 3/8		
		CMFM6642P	907	1007	66	42	23/8		
		CMFM6648P	983	1007	66	48	23/8		
		CMFM6654P	1065	1165	66	46 54	23/8		
		_	1144	1246	66	54 60	23/8		
		CMFM6660P_	1144	1240	00	DU	2 3/0		

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMFFXXYYN_ - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	Non-Power Compile Single Segmented Fabric Panel Package - 42" Non-Powered Compile Single Segmented Fabric Panel Package - 48"	CMFF4224N_ CMFF4230N_ CMFF4236N_ CMFF4242N_ CMFF4242N_ CMFF4254N_ CMFF4250N_ CMFF4260N_ CMFF4272N_	Gr1 409 462 488 557 594 660 706 832 877	6r2 445 498 556 626 663 729 775 965 1010	42 42 42 42 42 42 42 42 42 42 42	24 30 36 42 48 54 60 66 72	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Fabric Panel Package - 42" Non-Powered Compile Single Segmented	CMFF4230N_ CMFF4236N_ CMFF4242N_ CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_ CMFF4272N_	462 488 557 594 660 706 832	498 556 626 663 729 775 965	42 42 42 42 42 42 42	30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Non-Powered Compile Single Segmented	CMFF4236N_ CMFF4242N_ CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_ CMFF4272N_	488 557 594 660 706 832	556 626 663 729 775 965	42 42 42 42 42 42	36 42 48 54 60 66	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
		CMFF4242N_ CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_ CMFF4272N_	557 594 660 706 832	626 663 729 775 965	42 42 42 42 42	42 48 54 60 66	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
		CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_ CMFF4272N_	594 660 706 832	663 729 775 965	42 42 42 42	48 54 60 66	2 3/8 2 3/8 2 3/8 2 3/8
		CMFF4254N_ CMFF4260N_ CMFF4266N_ CMFF4272N_	660 706 832	729 775 965	42 42 42	54 60 66	2 3/8 2 3/8 2 3/8
		CMFF4260N_ CMFF4266N_ CMFF4272N_	706 832	775 965	42 42	60 66	2 3/8 2 3/8
		CMFF4266N_ CMFF4272N_	832	965	42	66	2 3/8
		CMFF4272N_					
		_	877	1010	42	72	2 3/8
		01.455.400.414					
		CMFF4824N	446	487	48	24	2 3/8
	Fabric Panel Package - 48"	CMFF4830N_	494	535	48	30	2 3/8
		CMFF4836N_	558	639	48	36	2 3/8
		CMFF4842N	632	713	48	42	2 3/8
		CMFF4848N	682	763	48	48	2 3/8
		CMFF4854N	726	806	48	54	2 3/8
		CMFF4860N_	781	862	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMFF5424N	447	488	54	24	2 3/8
	Fabric Panel Package - 54"	CMFF5430N	495	537	54	30	2 3/8
		CMFF5436N	559	641	54	36	2 3/8
		CMFF5442N	632	714	54	42	2 3/8
		CMFF5448N	683	765	54	48	2 3/8
		CMFF5454N	726	808	54	54	23/8
		CMFF5460N_	781	863	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMFF6624N	523	578	66	24	2 3/8
	Fabric Panel Package - 66"	CMFF6630N	596	651	66	30	2 3/8
/ 		CMFF6636N	663	763	66	36	2 3/8
´ II /		CMFF6642N_	756	856	66	42	23/8
		CMFF6648N	801	901	66	48	23/8
/II <i>/</i> /		CMFF6654N	868	968	66	54	2 3/8
` 		CMFF6660N	922	1022	66	60	23/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFFXXYYP_ - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	UCT CODE LIST PRICE					
			Gr1	Gr2	Н	W	D	
<u>/</u>	Powered Compile Single Segmented	CMFF4224P_	572	608	42	24	2 3/8	
	Fabric Panel Package - 42"	CMFF4230P_	680	716	42	30	2 3/8	
		CMFF4236P_	721	789	42	36	2 3/8	
		CMFF4242P_	794	863	42	42	2 3/8	
/ 		CMFF4248P_	847	916	42	48	2 3/8	
		CMFF4254P_	917	986	42	54	2 3/8	
		CMFF4260P_	962	1031	42	60	2 3/8	
		CMFF4266P_	1111	1243	42	66	2 3/8	
		CMFF4272P_	1171	1303	42	72	2 3/8	
<i>a</i>	Powered Compile Single Segmented	CMFF4824P	610	650	48	24	2 3/8	
	Fabric Panel Package - 48"	CMFF4830P	715	756	48	30	2 3/8	
	Tablic Faller Fackage - 40	CMFF4836P	713	870	48	36	23/8	
		CMFF4842P	868	949	48	42	23/8	
		CMFF4848P	939	1020	48	48	23/8	
		CMFF4854P	984	1064	48	54	23/8	
		CMFF4860P_	1039	1118	48	60	2 3/8	
•	Powered Compile Single Segmented	CMFF5424P	611	652	54	24	2 3/8	
	Fabric Panel Package - 54"	CMFF5424P_ CMFF5430P	715	757	54 54	30	2 3/8	
ا ام	rabilic Pallel Package - 54	CMFF5436P	715 793	757 875	54 54	30 36	2 3/8	
////		CMFF5442P	793 869	951	54 54	42	23/8	
		CMFF5442P_ CMFF5448P	940	1022	54 54	42 48	2 3/8	
		CMFF5454P	940 985	1022	54 54	48 54	2 3/8	
		CMFF5460P	1041	1123	54 54	60	23/8	
		CIVIFF540UF_	1041	1123	54	bU	2 3/8	
	Powered Compile Single Segmented	CMFF6624P_	685	740	66	24	2 3/8	
	Fabric Panel Package - 66"	CMFF6630P_	817	872	66	30	2 3/8	
/1 		CMFF6636P_	893	993	66	36	2 3/8	
		CMFF6642P_	992	1092	66	42	2 3/8	
JY J		CMFF6648P_	1054	1154	66	48	2 3/8	
		CMFF6654P_	1123	1223	66	54	2 3/8	
1 1 692		CMFF6660P	1177	1277	66	60	2 3/8	

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

CMFMAXXYYN_ - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE LIST PRIC		PRICE DIMENSION		ENSIONS/IN	NS/INCHES	
			Gr1	Gr2	Н	W	D	
	Non-Powered Compile Monolithic Acoustic	CMFMA4224N_	465	500	42	24	2 3/8	
	Panel Package - 42"	CMFMA4230N_	523	558	42	30	2 3/8	
		CMFMA4236N_	569	638	42	36	2 3/8	
		CMFMA4242N_	624	693	42	42	2 3/8	
		CMFMA4248N_	664	733	42	48	2 3/8	
		CMFMA4254N_	735	804	42	54	2 3/8	
		CMFMA4260N_	773	841	42	60	2 3/8	
/	Non-Powered Compile Monolithic Acoustic	CMFMA4824N_	485	526	48	24	2 3/8	
	Panel Package - 48"	CMFMA4830N_	546	570	48	30	2 3/8	
	-	CMFMA4836N_	603	684	48	36	2 3/8	
(CMFMA4842N_	675	756	48	42	2 3/8	
		CMFMA4848N_	712	793	48	48	2 3/8	
		CMFMA4854N_	763	844	48	54	2 3/8	
		CMFMA4860N_	834	916	48	60	2 3/8	
	Non-Powered Compile Monolithic Acoustic	CMFMA5424N_	485	527	54	24	2 3/8	
	Panel Package - 54"	CMFMA5430N_	547	589	54	30	2 3/8	
	· ·	CMFMA5436N_	603	686	54	36	2 3/8	
_		CMFMA5442N_	675	758	54	42	2 3/8	
		CMFMA5448N_	712	794	54	48	2 3/8	
		CMFMA5454N_	764	847	54	54	2 3/8	
		CMFMA5460N_	834	917	54	60	2 3/8	
	Non-Powered Compile Monolithic Acoustic	CMFMA6624N	541	596	66	24	2 3/8	
	Panel Package - 66"	CMFMA6630N_	621	676	66	30	2 3/8	
		CMFMA6636N	710	810	66	36	2 3/8	
		CMFMA6642N	798	898	66	42	2 3/8	
* 		CMFMA6648N	862	962	66	48	2 3/8	
		CMFMA6654N	956	1058	66	54	23/8	
		CMFMA6660N	1050	1150	66	60	23/8	

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFMAXXYYP_ - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
4	Powered Compile Monolithic Acoustic	CMFMA4224P_	629	664	42	24	2 3/8
	Panel Package - 42"	CMFMA4230P_	742	777	42	30	2 3/8
	· ·	CMFMA4236P_	801	870	42	36	2 3/8
		CMFMA4242P_	863	932	42	42	2 3/8
		CMFMA4248P_	919	988	42	48	2 3/8
		CMFMA4254P_	989	1058	42	54	2 3/8
		CMFMA4260P_	1029	1097	42	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA4824P	647	688	48	24	2 3/8
	Panel Package - 48"	CMFMA4830P	764	805	48	30	2 3/8
	3	CMFMA4836P	835	917	48	36	2 3/8
/ II		CMFMA4842P	910	992	48	42	2 3/8
		CMFMA4848P	966	1047	48	48	2 3/8
		CMFMA4854P_	1021	1103	48	54	2 3/8
		CMFMA4860P_	1091	1173	48	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA5424P_	650	692	54	24	2 3/8
	Panel Package - 54"	CMFMA5430P_	766	808	54	30	2 3/8
	· ·	CMFMA5436P_	835	918	54	36	2 3/8
/ II		CMFMA5442P_	911	994	54	42	2 3/8
		CMFMA5448P_	966	1048	54	48	2 3/8
		CMFMA5454P_	1021	1104	54	54	2 3/8
		CMFMA5460P_	1092	1175	54	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA6624P_	706	761	66	24	2 3/8
	Panel Package - 66"	CMFMA6630P_	843	898	66	30	2 3/8
	Ÿ	CMFMA6636P_	941	1041	66	36	2 3/8
/ 		CMFMA6642P_	1031	1131	66	42	2 3/8
		CMFMA6648P_	1115	1215	66	48	2 3/8
		CMFMA6654P_	1212	1314	66	54	2 3/8
		CMFMA6660P_	1305	1405	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

CMLFMXXYYN_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST Gr1	PRICE Gr2	DIM H	ENSIONS/IN W	CHES D
	Non-Powered Compile Monolithic	CMLFM3024N_	475	495	30	24	2 3/8
	Single Sided Panel Package - 30"	CMLFM3030N_	550	564	30	30	2 3/8
	3 3 3 3 3 3 3 3 3 3	CMLFM3036N	628	646	30	36	2 3/8
		CMLFM3042N	712	726	30	42	2 3/8
		CMLFM3048N_	775	793	30	48	2 3/8
		CMLFM3054N_	855	876	30	54	23/8
		CMLFM3060N_	939	962	30	60	23/8
		CIVILI IVISUUUIV_	333	302	30	00	2 3/0
	Non-Powered Compile Monolithic	CMLFM4224N_	560	578	42	24	2 3/8
	Single Sided Panel Package - 42"	CMLFM4230N	656	677	42	30	2 3/8
	g	CMLFM4236N	749	774	42	36	2 3/8
11 4		CMLFM4242N_	850	875	42	42	23/8
		CMLFM4248N_	926	953	42	48	2 3/8
		CMLFM4254N_	1024	1057	42	54	2 3/8
•		_					
		CMLFM4260N_	1124	1158	42	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4824N_	663	691	48	24	2 3/8
	Single Sided Panel Package - 48"	CMLFM4830N_	777	798	48	30	2 3/8
41	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	CMLFM4836N	892	918	48	36	2 3/8
		CMLFM4842N_	1011	1043	48	42	2 3/8
		CMLFM4848N	1103	1137	48	48	23/8
		CMLFM4854N	1227	1264	48	54	2 3/8
		CMLFM4860N	1347	1387	48	60	2 3/8
		GIVILFIVI400UN_	1347	1307	40	00	2 3/0
	Non-Powered Compile Monolithic	CMLFM5424N_	664	688	54	24	2 3/8
	Single Sided Panel Package - 54"	CMLFM5430N_	777	804	54	30	2 3/8
		CMLFM5436N_	892	918	54	36	2 3/8
		CMLFM5442N_	1012	1045	54	42	2 3/8
		CMLFM5448N_	1103	1139	54	48	2 3/8
		CMLFM5454N	1227	1264	54	54	2 3/8
		CMLFM5460N_	1347	1388	54	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM6624N_	819	846	66	24	2 3/8
	Single Sided Panel Package - 66"	CMLFM6630N_	959	992	66	30	2 3/8
1	3 * * * * * * * * * 3 * *	CMLFM6636N_	1106	1141	66	36	2 3/8
		CMLFM6642N_	1258	1295	66	42	2 3/8
		CMLFM6648N_	1368	1412	66	48	2 3/8
		CMLFM6654N	1522	1571	66	54	2 3/8
		_	1675	1728	66	60	2 3/8
		CMLFM6660N_	10/0	1/28	00	OU	2 3/0

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLFMXXYYP_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h. panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST Gr1	PRICE Gr2	DIM H	ENSIONS/IN W	CHES D
	Non-Powered Compile Monolithic	CMLFM3024P_	638	657	30	24	2 3/8
	Single Sided Panel Package - 30"	CMLFM3030P_	770	846	30	30	2 3/8
		CMLFM3036P_	859	947	30	36	2 3/8
		CMLFM3042P_	949	1044	30	42	2 3/8
		CMLFM3048P_	1029	1133	30	48	2 3/8
		CMLFM3054P_	1111	1230	30	54	2 3/8
		CMLFM3060P_	1196	1325	30	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4224P_	724	805	42	24	2 3/8
	Single Sided Panel Package - 42"	CMLFM4230P_	877	971	42	30	2 3/8
	omgro orded i dilor i dellago 42	CMLFM4236P_	983	1092	42	36	23/8
" 		CMLFM4242P_	1089	1210	42	42	23/8
		CMLFM4248P_	1182	1314	42	48	23/8
		CMLFM4254P	1281	1431	42	54	23/8
		CMLFM4260P_	1384	1546	42	60	23/8
		OWE WITZON _	1004	1040	TZ.	00	230
	Non-Powered Compile Monolithic	CMLFM4824P_	828	845	48	24	2 3/8
	Single Sided Panel Package - 48"	CMLFM4830P_	998	1022	48	30	2 3/8
		CMLFM4836P_	1123	1151	48	36	2 3/8
		CMLFM4842P_	1246	1278	48	42	2 3/8
		CMLFM4848P_	1357	1387	48	48	2 3/8
		CMLFM4854P_	1481	1521	48	54	2 3/8
		CMLFM4860P_	1604	1799	48	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM5424P	829	926	54	24	2 3/8
	Single Sided Panel Package - 54"	CMLFM5430P	998	1114	54	30	2 3/8
	orngie orded i drief i dekage 54	CMLFM5436P_	1123	1252	54	36	2 3/8
		CMLFM5442P_	1246	1395	54	42	2 3/8
		CMLFM5448P	1357	1518	54	48	2 3/8
		CMLFM5454P	1482	1659	54 54	54	2 3/8
		CMLFM5460P_	1604	1800	54 54	60	23/8
		GIVILFIVIS400F_	1004	1000	54	00	2 3/0
	Non-Powered Compile Monolithic	CMLFM6624P_	985	1106	66	24	2 3/8
	Single Sided Panel Package - 66"	CMLFM6630P_	1177	1319	66	30	2 3/8
/ 		CMLFM6636P_	1338	1500	66	36	2 3/8
		CMLFM6642P_	1492	1675	66	42	2 3/8
		CMLFM6648P_	1623	1824	66	48	2 3/8
		CMLFM6654P_	1780	2002	66	54	2 3/8
		CMLFM6660P_	1934	2175	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2



${\bf CMLLMXXYYN_-MONOLITHIC\,LAMINATE\,DOUBLE\,SIDED\,PANEL-NON-POWERED}$

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h nanels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES				
		Gr1	Н	W	D		
Non-Powered Compile Monolithic	CMLLM3024N_	537	30	24	2 3/8		
Double Sided Laminate Panel Package - 30"	CMLLM3030N_	636	30	30	2 3/8		
· ·	CMLLM3036N_	726	30	36	2 3/8		
	CMLLM3042N_	829	30	42	2 3/8		
	CMLLM3048N_	925	30	48	2 3/8		
	CMLLM3054N_	1023	30	54	2 3/8		
	CMLLM3060N_	1106	30	60	2 3/8		
Non-Powered Compile Monolithic	CMLLM4224N_	636	42	24	2 3⁄8		
Double Sided Laminate Panel Package - 42"	CMLLM4230N_	748	42	30	2 3/8		
	CMLLM4236N_	871	42	36	2 3/8		
	CMLLM4242N	993	42	42	2 3/8		
	CMLLM4248N	1112	42	48	2 3/8		
	CMLLM4254N	1222	42	54	2 3/8		
	CMLLM4260N_	1329	42	60	2 3/8		
	_						
Non-Powered Compile Monolithic	CMLLM4824N_	752	48	24	2 3/8		
Double Sided Laminate Panel Package - 48"	CMLLM4830N_	891	48	30	2 3/8		
v	CMLLM4836N_	1033	48	36	2 3/8		
	CMLLM4842N_	1181	48	42	2 3/8		
	CMLLM4848N_	1327	48	48	2 3/8		
	CMLLM4854N_	1462	48	54	2 3/8		
	CMLLM4860N_	1546	48	60	2 3/8		
	_						
Non-Powered Compile Monolithic	CMLLM5424N_	752	54	24	2 3⁄8		
Double Sided Laminate Panel Package - 54"	CMLLM5430N_	891	54	30	2 3/8		
	CMLLM5436N_	1034	54	36	2 3/8		
	CMLLM5442N_	1182	54	42	2 3/8		
	CMLLM5448N_	1328	54	48	2 3/8		
	CMLLM5454N_	1462	54	54	2 3/8		
	CMLLM5460N_	1592	54	60	2 3/8		
Non-Powered Compile Monolithic	CMLLM6624N_	952	66	24	2 3/8		
Double Sided Laminate Panel Package - 66"	CMLLM6630N_	1124	66	30	2 3/8		
3.	CMLLM6636N_	1304	66	36	2 3/8		
	CMLLM6642N_	1493	66	42	2 3/8		
	CMLLM6648N_	1675	66	48	2 3/8		
	CMLLM6654N_	1847	66	54	2 3/8		
	CMLLM6660N_	2020	66	60	2 3/8		
			30	30			

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(0) No Knockouts Side 1 and Side 2

(1) Knockouts Side 1 - No Knockout Side 2

CMLLMXXYYP_ - MONOLITHIC LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMI H	ENSIONS/IN W	CHES D
	B 10 TAM ENT	ON 411 I N 4000 4 D	700	00	0.4	0.00
	Powered Compile Monolithic	CMLLM3024P_	703	30	24	2 3/8
ا ا	Double Sided Laminate Panel Package - 30"	CMLLM3030P_	858	30	30	2 3/8
		CMLLM3036P_	959	30	36	2 3/8
		CMLLM3042P_	1064	30	42	2 3/8
		CMLLM3048P_	1177	30	48	2 3/8
		CMLLM3054P_	1280	30	54	2 3/8
•		CMLLM3060P_	1364	30	60	2 3/8
	Powered Compile Monolithic	CMLLM4224P	801	42	24	2 3⁄8
	Double Sided Laminate Panel Package - 42"	CMLLM4230P_	970	42	30	2 3/8
	Bouble olded Ediffillate Fuller Fuckage 42	CMLLM4236P_	1105	42	36	2 3/8
		CMLLM4242P	1231	42	42	2 3/8
		CMLLM4248P	1366	42	48	2 3/8
		CMLLM4254P	1480	42	54	2 3/8
		CMLLM4260P	1587	42	60	2 3/8
•		CIVILLIVI4200I _	1307	42	00	2 3/0
	Powered Compile Monolithic	CMLLM4824P_	915	48	24	2 3/8
	Double Sided Laminate Panel Package - 48"	CMLLM4830P_	1111	48	30	2 3/8
		CMLLM4836P_	1266	48	36	2 3/8
		CMLLM4842P_	1418	48	42	2 3/8
		CMLLM4848P_	1583	48	48	2 3/8
		CMLLM4854P_	1719	48	54	2 3/8
		CMLLM4860P_	1796	48	60	2 3/8
	Powered Compile Monolithic	CMLLM5424P_	915	54	24	2 3⁄8
	Double Sided Laminate Panel Package - 54"	CMLLM5430P_	1112	54	30	2 3/8
	Double Sided Latilitate Fallet Fackage - 54	CMLLM5436P_	1266	54 54	36	2 3/8
		CMLLM5442P_	1418	54 54	42	2 3/8
					42 48	
		CMLLM5448P_	1584	54		2 3/8
		CMLLM5454P_	1721	54	54	2 3/8
		CMLLM5460P_	1848	54	60	2 3/8
	Powered Compile Monolithic	CMLLM6624P_	1115	66	24	2 3⁄8
	Double Sided Laminate Panel Package - 66"	CMLLM6630P_	1347	66	30	2 3/8
	· ·	CMLLM6636P_	1536	66	36	2 3/8
		CMLLM6642P_	1731	66	42	2 3/8
		CMLLM6648P	1929	66	48	2 3/8
		CMLLM6654P	2104	66	54	2 3/8
		CMLLM6660P_	2277	66	60	2 3/8
		5.1. <u>12.1.10</u> 5051. <u>_</u>		33	33	2 90

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFLXXYYN_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D	
	Non-Powered Compile Single Segmented	CMFL4224N_	560	579	42	24	2 3/8	
	Laminate Panel Package - 42"	CMFL4230N_	656	677	42	30	2 3/8	
		CMFL4236N_	749	775	42	36	2 3/8	
		CMFL4242N_	850	876	42	42	2 3/8	
		CMFL4248N_	926	954	42	48	2 3/8	
		CMFL4254N_	1024	1057	42	54	2 3/8	
		CMFL4260N_	1124	1158	42	60	2 3/8	
	Non-Powered Compile Single Segmented	CMFL4824N	663	684	48	24	2 3/8	
	Laminate Panel Package - 48"	CMFL4830N	777	798	48	30	2 3/8	
		CMFL4836N	892	919	48	36	2 3/8	
		CMFL4842N	1011	1044	48	42	2 3/8	
		CMFL4848N	1103	1136	48	48	2 3/8	
		CMFL4854N	1227	1468	48	54	2 3/8	
		CMFL4860N_	1347	1389	48	60	2 3/8	
	Non-Powered Compile Single Segmented	CMFL5424N_	664	688	54	24	2 3⁄8	
	Laminate Panel Package - 54"	CMFL5430N	777	804	54	30	2 3/8	
	· ·	CMFL5436N	892	919	54	36	2 3/8	
		CMFL5442N	1012	1045	54	42	2 3/8	
		CMFL5448N	1103	1139	54	48	2 3/8	
		CMFL5454N	1227	1265	54	54	2 3/8	
		CMFL5460N_	1347	1389	54	60	2 3/8	
	Non-Powered Compile Single Segmented	CMFL6624N_	819	847	66	24	2 3⁄8	
	Lmainate Panel Package - 66"	CMFL6630N_	959	992	66	30	2 3/8	
		CMFL6636N	1106	1141	66	36	2 3/8	
		CMFL6642N	1258	1293	66	42	2 3/8	
		CMFL6648N	1368	1413	66	48	2 3/8	
		CMFL6654N_	1522	1572	66	54	2 3/8	
r Je		CMFL6660N	1675	1729	66	60	2 3/8	
		_						

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFLXXYYP_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST	LIST PRICE		ENSIONS/IN	ICHES
			Gr1	Gr2	Н	W	D
	Powered Compile Single Segmented	CMFL4224P_	724	805	42	24	2 3/8
	Laminate Panel Package - 42"	CMFL4230P_	877	971	42	30	2 3/8
		CMFL4236P_	983	1093	42	36	2 3/8
		CMFL4242P_	1089	1211	42	42	2 3/8
		CMFL4248P_	1182	1315	42	48	2 3/8
		CMFL4254P_	1281	1431	42	54	2 3/8
		CMFL4260P_	1384	1546	42	60	2 3/8
	Powered Compile Single Segmented	CMFL4824P	828	848	48	24	2 3/8
	Laminate Panel Package - 48"	CMFL4830P	998	1021	48	30	2 3/8
		CMFL4836P	1123	1151	48	36	2 3/8
		CMFL4842P	1246	1276	48	42	2 3/8
		CMFL4848P	1357	1392	48	48	2 3/8
		CMFL4854P	1481	1520	48	54	2 3/8
		CMFL4860P_	1604	1648	48	60	2 3/8
	Powered Compile Single Segmented	CMFL5424P	829	927	54	24	2 3/8
	Laminate Panel Package - 54"	CMFL5430P	998	1114	54	30	2 3/8
		CMFL5436P_	1123	1252	54	36	2 3/8
		CMFL5442P_	1246	1395	54	42	2 3/8
		CMFL5448P_	1357	1519	54	48	2 3/8
		CMFL5454P_	1482	1659	54	54	2 3/8
		CMFL5460P_	1604	1801	54	60	2 3/8
	Powered Compile Single Segmented	CMFL6624P_	985	1107	66	24	2 3/8
	Laminate Panel Package - 66"	CMFL6630P	1177	1319	66	30	2 3/8
		CMFL6636P_	1297	1502	66	36	2 3/8
		CMFL6642P	1492	1675	66	42	2 3/8
$\mathbf{I} \mid \mathbf{I} \mathbf{V} \mid$		CMFL6648P	1623	1821	66	48	2 3/8
		CMFL6654P	1780	2003	66	54	2 3/8
r J		CMFL6660P_	1934	2177	66	60	2 3/8
			-				

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

CMLLXXYYN_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - NON-POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the

same height.

- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Gr1	Н	W	D	
	Non-Powered Compile Single Segmented	CMLL4224N_	636	42	24	2 3/8	
	Double Sided Laminate Panel Package - 42"	CMLL4230N_	748	42	30	2 3/8	
	-	CMLL4236N_	871	42	36	2 3/8	
		CMLL4242N_	993	42	42	2 3/8	
^		CMLL4248N_	1112	42	48	2 3/8	
		CMLL4254N_	1222	42	54	2 3/8	
		CMLL4260N_	1329	42	60	2 3/8	
	Non-Powered Compile Single Segmented	CMLL4824N_	752	48	24	2 3/8	
	Double Sided Laminate Panel Package - 48"	CMLL4830N_	891	48	30	2 3/8	
		CMLL4836N_	1033	48	36	2 3/8	
JPJ		CMLL4842N_	1181	48	42	2 3/8	
		CMLL4848N_	1327	48	48	2 3/8	
		CMLL4854N_	1462	48	54	2 3/8	
		CMLL4860N_	1589	48	60	2 3/8	
	Non-Powered Compile Single Segmented	CMLL5424N_	752	54	24	2 3/8	
	Double Sided Laminate Panel Package - 54"	CMLL5430N_	891	54	30	2 3/8	
		CMLL5436N_	1034	54	36	2 3/8	
JPJ		CMLL5442N_	1182	54	42	2 3/8	
		CMLL5448N_	1328	54	48	2 3/8	
		CMLL5454N_	1462	54	54	2 3/8	
		CMLL5460N_	1592	54	60	2 3/8	
	Non-Powered Compile Single Segmented	CMLL6624N_	952	66	24	2 3/8	
	Double Sided Laminate Panel Package - 66"	CMLL6630N_	1124	66	30	2 3/8	
		CMLL6636N_	1304	66	36	2 3/8	
		CMLL6642N_	1493	66	42	2 3/8	
		CMLL6648N_	1675	66	48	2 3/8	
/ 		CMLL6654N_	1847	66	54	2 3/8	
		CMLL6660N_	2020	66	60	2 3/8	

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLLXXYYP_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66" panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Н	W	D
	Powered Compile Single Segmented	CMLL4224P_	801	42	24	2 3/8
	Double Sided Laminate Panel Package - 42"	CMLL4230P_	970	42	30	2 3/8
		CMLL4236P_	1105	42	36	2 3/8
		CMLL4242P_	1231	42	42	2 3/8
r a 💌		CMLL4248P_	1366	42	48	2 3/8
		CMLL4254P_	1480	42	54	2 3/8
		CMLL4260P_	1587	42	60	2 3/8
	Powered Compile Single Segmented	CMLL4824P	915	48	24	2 3/8
	Double Sided Laminate Panel Package - 48"	CMLL4830P	1111	48	30	2 3/8
		CMLL4836P	1266	48	36	2 3/8
		CMLL4842P	1418	48	42	2 3/8
		CMLL4848P_	1583	48	48	2 3/8
		CMLL4854P	1719	48	54	2 3/8
		CMLL4860P_	1848	48	60	2 3/8
	Powered Compile Single Segmented	CMLL5424P	915	54	24	2 3/8
	Double Sided Laminate Panel Package - 54"	CMLL5430P	1112	54	30	2 3/8
	Boablo olded Edilling of allori deliage of	CMLL5436P	1266	54	36	2 3/8
		CMLL5442P	1418	54	42	2 3/8
		CMLL5448P	1584	54	48	2 3/8
r		CMLL5454P_	1721	54	54	2 3/8
		CMLL5460P_	1848	54	60	2 3/8
	Powered Compile Single Segmented	CMLL6624P	1115	66	24	2 3/8
	Double Sided Laminate Panel Package - 66"	CMLL6630P	1347	66	30	2 3/8
	onder cannot and a did of	CMLL6636P	1536	66	36	2 3/8
		CMLL6642P	1731	66	42	2 3/8
		CMLL6648P	1929	66	48	2 3/8
		CMLL6654P_	2104	66	54	2 3/8
r J y		CMLL6660P_	2277	66	60	2 3/8
		5220000	22,,			200

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFWXXYYN_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- · Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		CHES
			Gr1	Gr2	Н	W	D
_	Non-Powered Compile Write Board	CMFW4824N_	594	623	48	24	2 3/8
	Single Sided Panel Package - 48"	CMFW4830N_	717	752	48	30	2 3/8
	No punchouts	CMFW4836N_	796	835	48	36	2 3/8
		CMFW4842N_	897	752	48	42	2 3/8
WRITE		CMFW4848N_	1008	1060	48	48	2 3/8
		CMFW4854N_	1121	1161	48	54	2 3/8
		CMFW4860N_	1233	1300	48	60	2 3/8
	Non-Powered Compile Write Board	CMFW5424N	595	619	54	24	2 3/8
	Single Sided Panel Package - 54"	CMFW5430N	718	745	54	30	2 3/8
		CMFW5436N	797	823	54	36	2 3/8
		CMFW5442N	898	931	54	42	2 3/8
WRITE		CMFW5448N	1010	1046	54	48	2 3/8
		CMFW5454N	1121	1159	54	54	2 3/8
		CMFW5460N_	1234	1276	54	60	2 3/8
	Non-Powered Compile Write Board	CMFW6624N	749	777	66	24	2 3/8
	Single Sided Panel Package - 66"	CMFW6630N	891	924	66	30	2 3/8
		CMFW6636N	992	1027	66	36	2 3/8
		CMFW6642N	1122	1160	66	42	2 3/8
		CMFW6648N	1251	1296	66	48	2 3/8
VRITE		CMFW6654N	1391	1439	66	54	2 3/8
		CMFW6660N_	1536	1588	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFWXXYYP_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

Powered Compile Write Board Single Sided Panel Package - 48" Punchouts on one side	CMFW4824P_ CMFW4830P	Gr1 757	Gr2 786	Н	W	D
Single Sided Panel Package - 48"	_	757	700			
Single Sided Panel Package - 48"	CWEW/4830b		/00	48	24	2 3/8
Punchouts on one side		939	974	48	30	2 3/8
Punchouts on one side	CMFW4836P_	1027	1066	48	36	2 3/8
	CMFW4842P_	1133	1183	48	42	2 3/8
	CMFW4848P_	1263	1313	48	48	2 3/8
	CMFW4854P_	1378	1417	48	54	2 3/8
	CMFW4860P_	1491	1557	48	60	2 3/8
Powered Compile Write Board	CMFW5424P_	759	783	54	24	2 3/8
Single Sided Panel Package - 54"	CMFW5430P_	940	967	54	30	2 3/8
	CMFW5436P_	1027	1054	54	36	2 3/8
	CMFW5442P_	1134	1167	54	42	2 3/8
	CMFW5448P_	1263	1299	54	48	2 3/8
	CMFW5454P_	1380	1418	54	54	2 3/8
	CMFW5460P_	1491	1536	54	60	2 3⁄8
Powered Compile Write Board	CMFW6624P_	914	941	66	24	2 3/8
Single Sided Panel Package - 66"	CMFW6630P_	1112	1145	66	30	2 3/8
	CMFW6636P_	1222	1257	66	36	2 3/8
	CMFW6642P_	1358	1396	66	42	2 3/8
	CMFW6648P_	1507	1549	66	48	2 3/8
	CMFW6654P_	1647	1697	66	54	2 3/8
	CMFW6660P_	1795	1849	66	60	2 3/8
	Single Sided Panel Package - 54" Powered Compile Write Board	CMFW4848P_ CMFW4854P_ CMFW4860P_ Powered Compile Write Board Single Sided Panel Package - 54" CMFW5430P_ CMFW5430P_ CMFW5436P_ CMFW5442P_ CMFW5442P_ CMFW5454P_ CMFW5454P_ CMFW5450P_ Powered Compile Write Board Single Sided Panel Package - 66" CMFW663P_ CMFW663P_ CMFW664P_ CMFW664P_ CMFW664P_ CMFW664P_ CMFW6654P_ CMFW6654P_	CMFW4848P_ 1263 CMFW4854P_ 1378 CMFW4860P_ 1491 Powered Compile Write Board CMFW5424P_ 759 Single Sided Panel Package - 54" CMFW5430P_ 940 CMFW5430P_ 1027 CMFW5436P_ 1027 CMFW5442P_ 1134 CMFW5448P_ 1263 CMFW5454P_ 1380 CMFW5460P_ 1491 Powered Compile Write Board CMFW6624P_ 914 Single Sided Panel Package - 66" CMFW6630P_ 1112 CMFW6630P_ 1222 CMFW663P_ 1222 CMFW6648P_ 1507 CMFW6654P_ 1507	CMFW4848P	CMFW4848P_ 1263 1313 48 CMFW4854P_ 1378 1417 48 CMFW4860P_ 1491 1557 48 Powered Compile Write Board CMFW5424P_ 759 783 54 Single Sided Panel Package - 54" CMFW5430P_ 940 967 54 CMFW5430P_ 1027 1054 54 CMFW5436P_ 1027 1054 54 CMFW5448P_ 1134 1167 54 CMFW5448P_ 1263 1299 54 CMFW5454P_ 1380 1418 54 CMFW5460P_ 1491 1536 54 Powered Compile Write Board CMFW6624P_ 914 941 66 Single Sided Panel Package - 66" CMFW6630P_ 1112 1145 66 CMFW6630P_ 1222 1257 66 CMFW6648P_ 1388 1396 66 CMFW6654P_ 1358 1396 66 CMFW6654P_ 1507 1549 66 CMFW6654P_ 1507 1549 66 CMFW6654P_ 1647 1697 66	CMFW4848P_ 1263 1313 48 48 48 CMFW4854P_ 1378 1417 48 54 CMFW4860P_ 1491 1557 48 60 Powered Compile Write Board CMFW5424P_ 759 783 54 24 Single Sided Panel Package - 54" CMFW5430P_ 940 967 54 30 CMFW5436P_ 1027 1054 54 36 CMFW5442P_ 1134 1167 54 42 CMFW5448P_ 1263 1299 54 48 CMFW544P_ 1380 1418 54 54 CMFW5454P_ 1380 1418 54 54 CMFW5460P_ 1491 1536 54 60 Powered Compile Write Board CMFW6624P_ 914 941 66 24 Single Sided Panel Package - 66" CMFW6630P_ 1112 1145 66 30 CMFW6630P_ 1222 1257 66 36 CMFW6630P_ 1222 1257 66 36 CMFW6630P_ 1358 1396 66 42 CMFW6634P_ 1358 1396 66 42 CMFW6634P_ 1507 1549 66 48 CMFW6634P_ 1507 1549 66 48 CMFW6634P_ 1507 1549 66 48 CMFW6634P_ 1647 1697 66 54

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMWWXXYYN_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHE		CHES
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Write Board	CMWW4824N_	651	670	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMWW4830N_	808	831	48	30	2 3/8
WRITE	No Punchouts	CMWW4836N_	875	907	48	36	2 3/8
		CMWW4842N_	992	1025	48	42	2 3/8
WRITE		CMWW4848N_	1161	1197	48	48	2 3/8
		CMWW4854N_	1289	1329	48	54	2 3/8
		CMWW4860N_	1420	1461	48	60	2 3/8
_	Non-Powered Compile Write Board	CMWW5424N_	652	688	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMWW5430N_	808	844	54	30	2 3/8
WRITE		CMWW5436N_	875	944	54	36	2 3/8
		CMWW5442N_	993	1062	54	42	2 3/8
		CMWW5448N_	1161	1230	54	48	2 3/8
		CMWW5454N_	1290	1359	54	54	2 3/8
		CMWW5460N_	1420	1489	54	60	2 3/8
	Non-Powered Compile Write Board	CMWW6624N_	804	840	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMWW6630N_	985	1021	66	30	2 3/8
		CMWW6636N_	992	1061	66	36	2 3/8
WRITE		CMWW6642N_	1218	1288	66	42	2 3/8
WRITE		CMWW6648N_	1400	1469	66	48	2 3/8
デスト 』		CMWW6654N_	1563	1632	66	54	2 3/8
		CMWW6660N_	1723	1792	66	60	2 3/8

Raceway Cover Options (1) Shown

RACEWAY COVER OPTIONS (Suffix)

(0) No Knockouts Side 1 and Side 2

(1) Knockouts Side 1 - No Knockout Side 2

CMWWXXYYP_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the hottom
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	RIPTION PRODUCT CODE		LIST PRICE		DIMENSIONS/INCHES	
			Gr1	Gr2	Н	W	D
_	Powered Compile Write Board	CMWW4824P_	815	835	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMWW4830P_	1029	1052	48	30	2 3/8
WRITE	Punchouts on one side	CMWW4836P_	1107	1136	48	36	2 3/8
		CMWW4842P_	1230	1262	48	42	2 3/8
WRITE		CMWW4848P_	1415	1451	48	48	2 3/8
/ 		CMWW4854P_	1546	1586	48	54	2 3/8
		CMWW4860P_	1678	1718	48	60	2 3/8
_	Powered Compile Write Board	CMWW5424P_	815	851	54	24	2 3⁄8
	Single Segmented Panel Package - 54"	CMWW5430P_	1029	1065	54	30	2 3/8
WRITE		CMWW5436P_	1107	1176	54	36	2 3/8
		CMWW5442P_	1231	1300	54	42	2 3/8
WRITE		CMWW5448P_	1415	1484	54	48	2 3/8
		CMWW5454P_	1547	1616	54	54	2 3/8
		CMWW5460P_	1678	1747	54	60	2 3/8
	Powered Compile Write Board	CMWW6624P_	966	1002	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMWW6630P_	1204	1240	66	30	2 3/8
		CMWW6636P_	1305	1374	66	36	2 3/8
WRITE		CMWW6642P_	1454	1523	66	42	2 3/8
WRITE		CMWW6648P_	1656	1725	66	48	2 3/8
		CMWW6654P_	1819	1888	66	54	2 3/8
		CMWW6660P_	1981	2050	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFOXXYYN_ - COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Single Segmented	CMF04224N_	380	398	42	24	2 3/8
	Open Bottom Panel Package - 42"	CMF04230N_	426	441	42	30	2 3/8
	-	CMF04236N_	452	481	42	36	2 3/8
		CMF04242N_	516	545	42	42	2 3/8
		CMF04248N_	549	578	42	48	2 3/8
		CMF04254N_	613	628	42	54	2 3/8
		CMF04260N_	654	683	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMF04824N_	410	433	48	24	2 3/8
ا ا	Open Bottom Panel Package -48"	CMF04830N_	460	480	48	30	2 3/8
		CMF04836N_	516	537	48	36	2 3/8
		CMF04842N_	586	626	48	42	2 3/8
		CMF04848N_	632	673	48	48	2 3/8
		CMF04854N_	671	712	48	54	2 3/8
		CMF04860N_	723	764	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMF05424N	411	435	54	24	2 3/8
	Open Bottom Panel Package -54"	CMF05430N	460	484	54	30	2 3/8
	open bettern raner rackage e r	CMF05436N	517	541	54	36	23/8
´ /		CMF05442N	586	627	54	42	2 3/8
		CMF05448N	632	673	54	48	2 3/8
		CMF05454N	671	713	54	54	2 3/8
		CMF05460N_	724	765	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMF06624N_	482	517	66	24	2 3/8
	Open Bottom Panel Package - 66"	CMF06630N_	553	588	66	30	2 3/8
		CMF06636N_	615	676	66	36	2 3/8
		CMF06642N_	699	762	66	42	2 3/8
		CMF06648N_	740	803	66	48	2 3/8
		CMF06654N_	804	865	66	54	2 3/8
		CMF06660N_	852	913	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFOXXYYP_ - COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- 24" wide panels have one punchout, 30" wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCH		CHES
			Gr1	Gr2	Н	W	D
	Powered Compile Single Segmented	CMF04224P_	529	547	42	24	2 3/8
	Open Bottom Panel Package - 42"	CMF04230P_	630	648	42	30	2 3/8
AK I		CMF04236P_	664	693	42	36	2 3/8
		CMF04242P_	733	762	42	42	2 3/8
		CMF04248P_	782	811	42	48	2 3/8
		CMF04254P_	847	862	42	54	2 3/8
		CMF04260P_	891	920	42	60	2 3/8
	Powered Compile Single Segmented	CMFO4824P	562	585	48	24	2 3/8
	Open Bottom Panel Package -48"	CMF04830P_	660	681	48	30	2 3/8
	· ·	CMF04836P_	732	753	48	36	2 3/8
		CMF04842P	803	844	48	42	2 3/8
1 1//		CMF04848P	866	907	48	48	2 3/8
		CMF04854P	907	948	48	54	2 3/8
		CMF04860P_	960	1000	48	60	2 3/8
	Powered Compile Single Segmented	CMF05424P	562	586	54	24	2 3/8
	Open Bottom Panel Package -54"	CMF05430P	663	686	54	30	2 3/8
		CMF05436P	732	756	54	36	2 3/8
		CMF05442P	804	846	54	42	2 3/8
		CMF05448P	868	910	54	48	2 3/8
		CMF05454P	910	951	54	54	2 3/8
		CMF05460P_	960	1001	54	60	2 3/8
	Powered Compile Single Segmented	CMF06624P	633	667	66	24	2 3/8
	Open Bottom Panel Package - 66"	CMF06630P	754	789	6	30	2 3/8
	,	CMF06636P	828	891	66	36	2 3/8
		CMF06642P	915	976	66	42	2 3/8
		CMF06648P	972	1035	66	48	2 3/8
		CMF06654P	1039	1100	66	54	23/8
		CMF06660P_	1091	1154	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMFGXXYYN_ - COMPILE GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing starts at 29" high to the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
A 1	Non-Powered Compile Glazed	CMFG4224N_	514	534	42	24	2 3/8
	Panel Package - 42"	CMFG4230N_	586	609	42	30	2 3/8
		CMFG4236N_	655	683	42	36	2 3/8
		CMFG4242N_	732	764	42	42	2 3/8
		CMFG4248N_	801	834	42	48	2 3/8
		CMFG4254N_	900	935	42	54	2 3/8
		CMFG4260N_	992	1032	42	60	2 3/8
a	Non-Powered Compile Glazed	CMFG4824N	553	573	48	24	2 3/8
	Panel Package - 48"	CMFG4830N	647	670	48	30	2 3/8
	g	CMFG4836N	736	763	48	36	2 3/8
		CMFG4842N	824	853	48	42	2 3/8
		CMFG4848N_	899	932	48	48	2 3/8
		CMFG4854N	1047	1083	48	54	2 3/8
		CMFG4860N_	1184	1226	48	60	2 3/8
	Non-Powered Compile Glazed	CMFG5424N	554	577	54	24	2 3/8
	Panel Package - 54"	CMFG5430N	650	674	54	30	2 3/8
ا ا ا	Tuller Luckage 54	CMFG5436N	736	764	54	36	2 3/8
		CMFG5442N	828	857	54	42	23/8
		CMFG5448N	900	934	54	48	23/8
		CMFG5454N	1048	1084	54	54	23/8
		CMFG5460N_	1185	1227	54	60	2 3/8
•	Non-Powered Compile Glazed	CMFG6624N	694	723	66	24	2 3/8
/ 1	Panel Package - 66"	CMFG6630N	806	840	66	30	2 3/8
	Tanor Lackage 60	CMFG6636N	919	955	66	36	2 3/8
		CMFG6642N_	1034	1081	66	42	23/8
		CMFG6648N	1122	1173	66	48	23/8
		CMFG6654N	1298	1353	66	54	23/8
		CMFG6660N_	1465	1523	66	60	2 3/8
Ť							

Raceway Cover Options (1) Shown

RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFGXXYYP_ - COMPILE GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same

- height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- · Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing starts at 29" high to the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST P Gr1	RICE Gr2	DIME H	NSIONS/IN W	CHES D
			UII	UIZ	- 11	VV	D .
	Powered Compile Glazed	CMFG4224P_	677	697	42	24	2 3/8
	Panel Package - 42"	CMFG4230P_	806	829	42	30	2 3/8
		CMFG4236P_	888	916	42	36	2 3/8
		CMFG4242P_	966	998	42	42	2 3/8
		CMFG4248P_	1054	1087	42	48	2 3/8
		CMFG4254P_	1154	1189	42	54	2 3/8
		CMFG4260P_	1247	1287	42	60	2 3/8
A	Powered Compile Glazed	CMFG4824P	715	736	48	24	2 3/8
	Panel Package - 48"	CMFG4830P	866	889	48	30	2 3/8
	Tunor Tuokago To	CMFG4836P_	966	994	48	36	2 3/8
		CMFG4842P_	1062	1090	48	42	2 3/8
		CMFG4848P	1152	1186	48	48	2 3/8
		CMFG4854P	1302	1338	48	54	2 3/8
		CMFG4860P_	1442	1483	48	60	2 3/8
•		_					
	Powered Compile Glazed	CMFG5424P_	715	738	54	24	2 3⁄8
	Panel Package - 54"	CMFG5430P_	868	892	54	30	2 3/8
		CMFG5436P_	966	994	54	36	2 3/8
		CMFG5442P_	1062	1091	54	42	2 3/8
		CMFG5448P_	1153	1187	54	48	2 3/8
		CMFG5454P_	1303	1339	54	54	2 3/8
		CMFG5460P_	1443	1485	54	60	2 3/8
à	Powered Compile Glazed	CMFG6624P	858	887	66	24	2 3/8
<u>/1</u>	Panel Package - 66"	CMFG6630P	1027	1061	66	30	2 3/8
a f	i aliei i ackage - oo	CMFG6636P	1151	1187	66	36	2 3/8
		CMFG6642P	1271	1318	66	30 42	23/8
		CMFG6648P_	1380	1431	66	48	23/8
		CMFG6654P_	1552	1607	66	46 54	23/8
		CMFG6660P_	1725	1783	66	60	23/8
		CIVII GOOODI _	1/23	1703	UU	UU	<i>2 3</i> /0

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

(2) Knockouts Side 1 and Side 2

CMPGXXYYN_ - COMPILE PARTLY GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- · Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing is 14" nominal from the top of the panel.

DESCRIPTION	PRODUCT CODE	LIST Gr1	PRICE Gr2	DIMI H	ENSIONS/IN W	CHES D
Non-Powered Compile Partly Glazed Panel Package - 48"	CMPG4824N_ CMPG4830N_	589 679	634 737	48 48	24 30	2 3/8 2 3/8
	CMPG4836N_ CMPG4842N_ CMPG4848N	757 843 929	816 918 1018	48 48 48	36 42 48	2 3/8 2 3/8 2 3/8
	CMPG4854N_ CMPG4860N_	1027 1115	1118 1216	48 48	54 60	2 3/8 2 3/8
Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N_ CMPG5430N_ CMPG5436N_ CMPG5442N_ CMPG5448N_ CMPG5454N_ CMPG5460N_	589 679 759 844 929 1027 1117	636 738 820 918 1018 1120 1219	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N_ CMPG6630N_ CMPG6636N_ CMPG6642N_ CMPG6648N_ CMPG6654N_ CMPG6660N_	647 741 831 925 1022 1126 1227	698 802 987 999 1110 1216 1325	66 66 66 66 66 66	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8

Raceway Cover Options (1) Shown

RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMPGXXYYP_ - COMPILE PARTLY GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- · Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing is 14" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	DIMENSIONS/INCHE	
			Gr1	Gr2	Н	W	D
/ 1	Powered Compile Partly Glazed	CMPG4824P_	754	800	48	24	2 3/8
	Panel Package - 48"	CMPG4830P_	900	958	48	2 3/8	
	·	CMPG4836P_	988	1047	48	36	2 3/8
		CMPG4842P_	1079	1152	48	42	2 3/8
r I		CMPG4848P_	1185	1273	48	48	2 3/8
		CMPG4854P_	1281	1374	48	54	2 3/8
		CMPG4860P_	1372	1474	48	60	2 3/8
/ 1	Powered Compile Partly Glazed	CMPG5424P_	754	801	54	24	2 3/8
	Panel Package - 54"	CMPG5430P_	901	960	54	30	2 3/8
		CMPG5436P_	989	1050	54	36	2 3/8
		CMPG5442P_	1079	1153	54	42	2 3/8
		CMPG5448P_	1186	1275	54	48	2 3/8
		CMPG5454P_	1282	1375	54	54	2 3/8
		CMPG5460P_	1372	1474	54	60	2 3/8
	Powered Compile Partly Glazed	CMPG6624P_	808	859	66	24	2 3/8
	Panel Package - 66"	CMPG6630P_	961	1022	66	30	2 3/8
		CMPG6636P_	1062	1218	66	36	2 3/8
		CMPG6642P_	1161	1235	66	42	2 3/8
// 		CMPG6648P_	1276	1364	66	48	2 3/8
		CMPG6654P_	1384	1474	66	54	2 3/8
		CMPG6660P_	1484	1582	66	60	2 3/8
		_					

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMPLGXXYYN_ - SINGLE 12" GLAZED AT TOP PANEL - NON-POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h

panels.

- 4 Panel connector brackets per side come standard with 66"h. panels.
- · Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
A	Non-Powered Compile 12" Top Glazed	CMPLG4224N	564	585	42	24	2 3/8
	Single Segmented Panel Package - 42"	CMPLG4230N_	660	681	42	30	2 3/8
		CMPLG4236N	757	798	42	36	2 3/8
		CMPLG4242N	843	883	42	42	2 3/8
		CMPLG4248N	915	956	42	48	2 3/8
		CMPLG4254N	1022	1063	42	54	2 3/8
		CMPLG4260N_	1122	1163	42	60	2 3/8
/1	Non-Powered Compile 12" Top Glazed	CMPLG4824N_	577	596	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMPLG4830N_	665	685	48	30	2 3/8
		CMPLG4836N_	742	781	48	36	2 3/8
		CMPLG4842N_	824	863	48	42	2 3/8
		CMPLG4848N_	903	942	48	48	2 3/8
		CMPLG4854N_	1008	1044	48	54	2 3/8
		CMPLG4860N_	1094	1133	48	60	2 3/8
	Non-Powered Compile 12" Top Glazed	CMPLG5424N_	580	603	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMPLG5430N_	665	686	54	30	2 3/8
		CMPLG5436N_	745	785	54	36	2 3/8
		CMPLG5442N_	828	869	54	42	2 3/8
		CMPLG5448N_	914	955	54	48	2 3/8
		CMPLG5454N_	1010	1051	54	54	2 3/8
		CMPLG5460N_	1095	1136	54	60	2 3/8
	Non-Powered Compile 12" Top Glazed	CMPLG6624N_	632	673	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMPLG6630N_	726	767	66	30	2 3/8
		CMPLG6636N_	831	912	66	36	2 3/8
		CMPLG6642N_	907	988	66	42	2 3/8
		CMPLG6648N_	1004	1084	66	48	2 3/8
^ 		CMPLG6654N_	1106	1187	66	54	2 3/8
		CMPLG6660N_	1203	1284	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMPLGXXYYP_ - SINGLE 12" GLAZED AT TOP PANEL - POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.

- · Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Please specify duplex receptacles separately.
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		CHES
			Gr1	Gr2	Н	W	D
A	Powered Compile 12" Top Glazed	CMPLG4224P_	728	751	42	24	2 3/8
	Single Segmented Panel Package - 42"	CMPLG4230P_	880	903	42	30	2 3/8
		CMPLG4236P_	988	1028	42	36	2 3/8
		CMPLG4242P_	1078	1119	42	42	2 3/8
		CMPLG4248P_	1171	1212	42	48	2 3/8
		CMPLG4254P_	1278	1318	42	54	2 3/8
		CMPLG4260P_	1382	1422	42	60	2 3/8
/1	Powered Compile 12" Top Glazed	CMPLG4824P	741	764	48	24	2 3⁄8
	Single Segmented Panel Package - 48"	CMPLG4830P	886	905	48	30	2 3/8
	origio ooginoritoa i anoi i ackage 40	CMPLG4836P	975	1013	48	36	2 3/8
		CMPLG4842P	1062	1098	48	42	2 3/8
		CMPLG4848P	1149	1187	48	48	2 3/8
		CMPLG4854P	1264	1302	48	54	2 3/8
		CMPLG4860P	1354	1392	48	60	2 3/8
•		01VII EG 10001 _	1001	1002	10	00	200
	Powered Compile 12" Top Glazed	CMPLG5424P_	742	763	54	24	2 3⁄8
	Single Segmented Panel Package - 54"	CMPLG5430P_	888	909	54	30	2 3/8
		CMPLG5436P_	975	1016	54	36	2 3/8
		CMPLG5442P_	1062	1103	54	42	2 3/8
		CMPLG5448P_	1169	1210	54	48	2 3/8
		CMPLG5454P_	1264	1305	54	54	2 3/8
		CMPLG5460P_	1354	1395	54	60	2 3/8
4	Powered Compile 12" Top Glazed	CMPLG6624P	798	838	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMPLG6630P_	949	990	66	30	23/8
	Single Segmented Lanet Lackage - 00	CMPLG6636P	1048	1128	66	36	23/8
		CMPLG6642P	1144	1224	66	42	23/8
		CMPLG6648P_	1259	1340	66	48	23/8
		CMPLG6654P	1363	1340	66	48 54	23/8
		CMPLG6660P	1460	1540	66	60	23/8
		CIVII LG0000F_	1400	1340	00	00	2 3/0

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

PANELS PRIVACY GLASS

CMPSXX - COMPILE PRIVACY GLASS

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- · Width dimensions given are width of glass only.

- Attachment hardware is provided for attaching to panels.
- Please note Privacy Glass in 24" 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
- Square profile on clamps and glass corners.

	DESCRIPTION	PRODUCT CODE	LIST CLR	PRICE FRST ADD	DIME H	ENSIONS/INO W	
			ULN	LUO I ADD	п	VV	D
1	Compile Privacy Glass	CMPS24	316	68	12	24	6
		CMPS30	335	50	12	30	6
		CMPS36	354	40	12	36	6
		CMPS42	365	61	12	42	6
		CMPS48	375	83	12	48	6
12" H		CMPS54	386	100	12	54	6
		CMPS60	403	124	12	60	6
_		CMPS0924	316	68	9	24	6
		CMPS0930	335	54	9	30	6
		CMPS0936	354	40	9	36	6
		CMPS0942	365	64	9	42	6
		CMPS0948	375	83	9	48	6
9" H		CMPS0954	386	100	9	54	6
		CMPS0960	403	124	9	60	6
		CMPS0624	316	68	6	24	6
		CMPS0630	335	54	6	30	6
		CMPS0636	354	40	6	36	6
		CMPS0642	365	64	6	42	6
		CMPS0648	375	83	6	48	6
		CMPS0654	386	100	6	54	6
6"H		CMPS0660	403	124	6	60	6

CMPSEGXX - COMPILE PRIVACY GLASS PANEL WIDTH

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.

- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

	DESCRIPTION	PRODUCT CODE	LIST CLR	PRICE FRST ADD	DIM H	ENSIONS/IN W	CHES D
~	Compile Privacy Glass	CMPSEG0624	283	62.26	6	24	2.41
	Compile i rivacy diass	CMPSEG0630	309	48	6	30	2.41
		CMPSEG0636	328	32.8	6	36	2.41
		CMPSEG0642	342	56	6	42	2.41
		CMPSEG0648	363	72.6	6	48	2.41
		CMPSEG0654	377	93	6	54	2.41
		CMPSEG0660	386	120	6	60	2.41
		GIVII SEGOOO	300	120	U	00	2.41
		CMPSEG0924	283	62.26	9	24	2.41
		CMPSEG0930	309	48	9	30	2.41
		CMPSEG0936	328	32.8	9	36	2.41
		CMPSEG0942	342	56	9	42	2.41
		CMPSEG0948	363	72.6	9	48	2.41
		CMPSEG0954	377	93	9	54	2.41
		CMPSEG0960	386	120	9	60	2.41
		CMPSEG1224	283	62.26	12	24	2.41
		CMPSEG1230	309	48	12	30	2.41
		CMPSEG1230	328	32.8	12	30 36	2.41
		CMPSEG1242	342	56	12	42	2.41
		CMPSEG1248	363	72.6	12	48	2.41
		CMPSEG1254	377	93	12	54	2.41
		CMPSEG1260	386	120	12	60	2.41

CMPMP-GI-W - PRIVACY GLASS FOR 1" LAMINATE GALLERY PANELS

- Privacy glass integrated with aluminum top trim.
- Attaches on top of gallery panels to add privacy or divide space.
- · Includes aluminum trim with channel, end caps and glass tile.
- Top rail may also be used to hang accessories.

- Glass and attachment hardware ship separately.
- Please specify standard paint finish for the channel.
- · Standard in clear (CLR) or frosted (FRST).

DESCRIPTION	PRODUCT CODE	LIST	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	Н	W	D	
6" H Privacy Glass w/ Aluminum Trim	CMPMP24GI6W	311	71	6	24	1	
,	CMPMP30GI6W	338	50	6	30	1	
	CMPMP36GI6W	359	36	6	36	1	
	CMPMP42GI6W	375	59	6	42	1	
	CMPMP48GI6W	395	76	6	48	1	
9" H Privacy Glass w/ Aluminum Trim	CMPMP24GI9W	311	71	9	24	1	
	CMPMP30GI9W	338	50	9	30	1	
	CMPMP36GI9W	359	36	9	36	1	
	CMPMP42GI9W	375	59	9	42	1	
	CMPMP48GI9W	395	76	9	48	1	
12" H Privacy Glass w/ Aluminum Trim	CMPMP24GIW	311	66	12	24	1	
,	CMPMP30GIW	338	50	12	30	1	
	CMPMP36GIW	359	36	12	36	1	
	CMPMP42GIW	375	59	12	42	1	
	CMPMP48GIW	395	76	12	48	1	

CMPFD-W - PRIVACY FELT FOR 1" LAMINATE GALLERY PANELS

- Privacy felt integrated with aluminum top trim.
- Attaches on top of gallery panels to add privacy or divide space.
- Includes aluminum trim with channel, end caps and felt tile.
- Top rail may also be used to hang accessories.

- Felt and attachment hardware ship separately.
- Please specify standard paint finish for the channel.
- Please specify standard felt finish.

DESCRIPTION	TION PRODUCT CODE		DIMENSIONS/INCHES		
			Н	W	D
6" H Felt w/ Aluminum Trim	CMPFD0624W	125	6	24	1
	CMPFD0630W	145	6	30	1
	CMPFD0636W	172	6	36	1
	CMPFD0642W	193	6	42	1
	CMPFD0648W	283	6	48	1
	CMPFD0654W	310	6	54	1
	CMPFD0660W	332	6	60	1
	CMPFD0666W	350	6	66	1
	CMPFD0672W	395	6	72	1
9" H Felt w/ Aluminum Trim	CMPFD0924W	125	9	24	1
	CMPFD0930W	145	9	30	1
	CMPFD0936W	172	9	36	1
	CMPFD0942W	193	9	42	1
	CMPFD0948W	283	9	48	1
	CMPFD0954W	310	9	54	1
	CMPFD0960W	332	9	60	1
	CMPFD0966W	350	9	66	1
	CMPFD0972W	395	9	72	1
12" H Felt w/ Aluminum Trim	CMPFD1224W	125	12	24	1
	CMPFD1230W	145	12	30	1
	CMPFD1236W	172	12	36	1
	CMPFD1242W	193	12	42	1
	CMPFD1248W	283	12	48	1
	CMPFD1254W	310	12	54	1
	CMPFD1260W	332	12	60	1
	CMPFD1266W	350	12	66	1
	CMPFD1272W	395	12	72	1

PANELS OVER PANEL

CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL

- Privacy felt panel intergrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.

- Felt and attachment hardware to ship separately
- 9mm Felt material is tackable and comes in 12 different colors. Please specify color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
				Н	W	D
	6" Integrated Felt Divider, Panel Width	CMPSEF0624	115	6	24	2.41
	•	CMPSEF0630	133	6	30	2.41
		CMPSEF0636	159	6	36	2.41
		CMPSEF0642	175	6	42	2.41
		CMPSEF0648	262	6	48	2.41
		CMPSEF0654	282	6	54	2.41
		CMPSEF0660	305	6	60	2.41
	9" Integrated Felt Divider, Panel Width	CMPSEF0924	115	9	24	2.41
	•	CMPSEF0930	133	9	30	2.41
		CMPSEF0936	159	9	36	2.41
		CMPSEF0942	175	9	42	2.41
		CMPSEF0948	262	9	48	2.41
		CMPSEF0954	282	9	54	2.41
~		CMPSEF0960	305	9	60	2.41
	12" Integrated Felt Divider, Panel Width					
	-	CMPSEF1224	115	12	24	2.41
		CMPSEF1230	133	12	30	2.41
		CMPSEF1236	159	12	36	2.41
		CMPSEF1242	175	12	42	2.41
		CMPSEF1248	262	12	48	2.41
		CMPSEF1254	282	12	54	2.41
		CMPSEF1260	305	12	60	2.41

CMOF - COMPILE FABRIC OVER PANEL

- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CHSD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
		Gr1	Gr2	Н	W	D
Compile Fabric Over Panel	CM0F1224	220	248	12	24	2.3
	CM0F1230	257	285	12	30	2.3
	CM0F1236	286	315	12	36	2.3
	CM0F1242	324	353	12	42	2.3
	CMOF1248	374	403	12	48	2.3
	CM0F1254	388	417	12	54	2.3
	CMOF1260	460	488	12	60	2.3
	014054004	050	000	40	0.4	0.0
	CMOF1624	256	289	16	24	2.3
	CM0F1630	298	332	16	30	2.3
	CM0F1636	315	348	16	36	2.3
	CM0F1642	375	409	16	42	2.3
	CMOF1648	430	464	16	48	2.3
	CM0F1654	450	483	16	54	2.3
	CMOF1660	526	560	16	60	2.3
	CM0F2424	330	377	24	24	2.3
	CM0F2430	381	428	24	30	2.3
	CM0F2436	426	473	24	36	2.3
	CM0F2442	478	525	24	42	2.3
	CMOF2448	515	562	24	48	2.3
	CMOF2454	572	619	24	54	2.3
	CMOF2460	657	704	24	60	2.3
	51VISI 2700	557	, 54	27	50	2.0

CMOLF - COMPILE LAMINATE ONE SIDE, FABRIC ONE SIDE OVER PANEL

- One side in fabric and one side in laminate, incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CHSD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.

OVER PANEL

• Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
		Gr1	Gr2	Н	W	D
Compile Laminate One Side,	CMOLF1224	246	264	12	24	2.3
Fabric One Side Over Panel	CM0LF1230	289	307	12	30	2.3
	CMOLF1236	328	343	12	36	2.3
	CMOLF1242	372	387	12	42	2.3
	CMOLF1248	427	442	12	48	2.3
	CMOLF1254	451	466	12	54	2.3
	CMOLF1260	527	542	12	60	2.3
	CMOLF1624	294	314	16	24	2.3
	CMOLF1630	351	371	16	30	2.3
	CMOLF1636	388	408	16	36	2.3
	CMOLF1642	440	460	16	42	2.3
	CMOLF1648	502	522	16	48	2.3
	CMOLF1654	530	550	16	54	2.3
	CMOLF1660	617	637	16	60	2.3
	CMOLF2424	385	411	24	24	2.3
	CMOLF2430	460	484	24	30	2.3
	CMOLF2436	510	534	24	36	2.3
	CMOLF2442	573	599	24	42	2.3
	CMOLF2448	623	649	24	48	2.3
	CMOLF2454	695	719	24	54	2.3
	CMOLF2460	794	818	24	60	2.3

CMOLL - COMPILE LAMINATE TWO SIDES OVER PANEL

- Laminate modules incorporated into an aluminum frame.
- One CHSD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.

Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE		ENSIONS/IN	CHES
			Н	W	D
Compile Laminate Two Sides Over Panel	CMOLL1224	273	12	24	2.3
·	CMOLL1230	310	12	30	2.3
	CMOLL1236	365	12	36	2.3
	CMOLL1242	416	12	42	2.3
	CMOLL1248	478	12	48	2.3
	CMOLL1254	507	12	54	2.3
	CMOLL1260	589	12	60	2.3
	CMOLL1624	327	16	24	2.3
	CMOLL1630	385	16	30	2.3
	CMOLL1636	438	16	36	2.3
	CMOLL1642	498	16	42	2.3
	CMOLL1648	570	16	48	2.3
	CMOLL1654	606	16	54	2.3
	CMOLL1660	699	16	60	2.3
	CMOLL2424	435	24	24	2.3
	CMOLL2430	513	24	30	2.3
	CMOLL2436	585	24	36	2.3
	CMOLL2442	663	24	42	2.3
	CMOLL2448	724	24	48	2.3
	CMOLL2454	806	24	54	2.3
	CMOLL2460	917	24	60	2.3

PANELS OVER PANEL

CMOG - COMPILE GLAZED OVER PANEL

- Glazed module incorporated into an aluminum frame.
- One CHSD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.

Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIS	T PRICE	DIM	ENSIONS/IN	CHES
		CLR	FRST ADD	Н	W	D
Compile Glazed Over Panel	CM0G1224	196	10	12	24	2.3
, , , , , , , , , , , , , , , , , , ,	CM0G1230	228	10	12	30	2.3
	CM0G1236	255	11	12	36	2.3
	CM0G1242	285	11	12	42	2.3
	CM0G1248	327	12	12	48	2.3
	CM0G1254	340	14	12	54	2.3
	CMOG1260	407	15	12	60	2.3
	CM0G1624	228	10	16	24	2.3
	CMOG1630	258	11	16	30	2.3
	CMOG1636	294	12	16	36	2.3
	CM0G1642	328	12	16	42	2.3
	CM0G1648	377	14	16	48	2.3
	CMOG1654	389	15	16	54	2.3
	CMOG1660	460	18	16	60	2.3
	CM0G2424	292	12	24	24	2.3
	CM0G2430	315	12	24	30	2.3
	CM0G2436	371	14	24	36	2.3
	CM0G2442	416	15	24	42	2.3
	CM0G2448	443	18	24	48	2.3
	CMOG2454	491	19	24	54	2.3
	CM0G2460	569	19	24	60	2.3

CMOFW - COMPILE ONE SIDE WRITE BOARD OVER PANEL

- Fabric or write board covered modules incorporated into an aluminum frame.
- One CHSD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.

•	Maximum	stacking	one high.	Not	load	bearing.
---	---------	----------	-----------	-----	------	----------

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
		Gr1	Gr2	Н	W	D
Compile Fabric or Write Board Over Panel	CM0FW1224	277	292	12	24	2.3
,	CM0FW1230	328	343	12	30	2.3
	CM0FW1236	372	387	12	36	2.3
	CM0FW1242	423	438	12	42	2.3
	CM0FW1248	468	483	12	48	2.3
	CM0FW1254	516	531	12	54	2.3
	CM0FW1260	601	616	12	60	2.3
	CMOFW1624	333	353	16	24	2.3
	CM0FW1630	392	412	16	30	2.3
	CMOFW1636	448	467	16	36	2.3
	CM0FW1642	510	529	16	42	2.3
	CM0FW1648	583	603	16	48	2.3
	CM0FW1654	621	640	16	54	2.3
	CMOFW1660	714	733	16	60	2.3
	CM0FW2424	430	456	24	24	2.3
	CM0FW2430	495	519	24	30	2.3
	CM0FW2436	606	630	24	36	2.3
	CM0FW2442	678	704	24	42	2.3
	CM0FW2448	713	737	24	48	2.3
	CM0FW2454	852	876	24	54	2.3
	CM0FW2460	946	970	24	60	2.3

CMOWW - COMPILE WRITE BOARD TWO SIDES OVER PANEL

- Write board covered modules incorporated into an aluminum frame.
- One CHSD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.

• Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
			Н	W	D
Compile Write Board Over Panel	CM0WW1224	336	12	24	2.3
·	CM0WW1230	389	12	30	2.3
	CM0WW1236	463	12	36	2.3
	CM0WW1242	516	12	42	2.3
	CM0WW1248	606	12	48	2.3
	CMOWW1254	638	12	54	2.3
	CMOWW1260	738	12	60	2.3
	CMOWW1624	411	16	24	2.3
	CMOWW1630	492	16	30	2.3
	CM0WW1636	568	16	36	2.3
	CMOWW1642	650	16	42	2.3
	CMOWW1648	740	16	48	2.3
	CMOWW1654	800	16	54	2.3
	CMOWW1660	913	16	60	2.3
	CMOWW2424	562	24	24	2.3
	CM0WW2430	671	24	30	2.3
	CM0WW2436	776	24	36	2.3
	CM0WW2442	888	24	42	2.3
	CM0WW2448	982	24	48	2.3
	CM0WW2454	1095	24	54	2.3
	CM0WW2460	1241	24	60	2.3

CHSD - SLIDER KIT FOR OVER PANEL

- One kit required for installation of each Over Panel
- Included with each NEW Over Panel Kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC W	HES D	
One kit required for installation of each Over Panel	CHSDKIT	7	.09	2.28	.43	

PANELS GALLERY PANEL

CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- No connections at both ends, connection is at the center interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE L	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	End of Run Gallery Panel	CMLEP4227NC	466	42	26.25	1
		CMLEP4251NC	845	42	50.30	1
		CMLEP4263NC	982	42	62.30	1
B		CMLEP4827NC	513	48	26.25	1
l,		CMLEP4851NC	928	48	50.30	1
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		CMLEP4863NC	1078	48	62.30	1
		CMLEP5427NC	559	54	26.25	1
V		CMLEP5451NC	1012	54	50.30	1
		CMLEP5463NC	1176	54	62.30	1

CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- . No connections at both ends, connection is at center on both faces.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Middle of Run Gallery Panel	CMLMP4251NC	983	42	50.30	1	
		CMLMP4263NC	1118	42	62.30	1	
		CMLMP4851NC	1066	48	50.30	1	
4		CMLMP4863NC	1216	48	62.30	1	
\ .		CMLMP5451NC	1150	54	50.30	1	
1		CMLMP5463NC	1314	54	62.30	1	

CMLSEPLXXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- . No connections at both ends, connection is at center on both faces.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	IENSIONS/INC	HES
				Н	W	D
	Single End of Run Gallery Panel	CMLSEPL4215NC	350	42	14.25	1
	,	CMLSEPR4215NC	350	42	14.25	1
B		CMLSEPL4227NC	644	42	26.30	1
		CMLSEPR4227NC	644	42	26.30	1
b I		CMLSEPL4815NC	381	48	14.25	1
[CMLSEPR4815NC	381	48	14.25	1
		CMLSEPL4827NC	703	48	26.30	1
\searrow		CMLSEPR4827NC	703	48	26.30	1
		CMLSEPL5415NC	410	54	14.25	1
		CMLSEPR5415NC	410	54	14.25	1
		CMLSEPL5427NC	763	54	26.30	1
		CMLSEPR5427NC	763	54	26.30	1
		CMLSEPL4233NC	664	42	32.33	1
		CMLSEPR4233NC	664	42	32.33	1
4		CMLSEPL4833NC	725	48	32.33	1
		CMLSEPR4833NC	725	48	32.33	1
4		CMLSEPL5433NC	786	54	32.33	1
		CMLSEPR5433NC	786	54	32.33	1

CMLSMPXXXXNC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Single Middle of Run Gallery Panel	CMLSMP4227NC	782	42	26.30	1	
		CMLSMP4827NC	842	48	26.30	1	
		CMLSMP5427NC	901	54	26.30	1	
		CMLSMP4233NC	805	42	32.30	1	
9		CMLSMP4833NC	865	48	32.30	1	
		CMLSMP5433NC	927	54	32.30	1	

PANELS GALLERY PANEL

CMLEPXXXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- · Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	End of Run Gallery Panel	CMLEP4251	879	42	50.30	1
		CMLEP4263	1013	42	62.30	1
		CMLEP4851	961	48	50.30	1
8		CMLEP4863	1111	48	62.30	1
		CMLEP5451	1045	54	50.30	1
		CMLEP5463	1210	54	62.30	1

CMLMPXXXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- Connections at both ends as well as the center on the interior face.
- · Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Middle of Run Gallery Panel	CMLMP4251	988	42	50.30	1	
		CMLMP4263	1123	42	62.30	1	
		CMLMP4851	1072	48	50.30	1	
.]		CMLMP4863	1221	48	62.30	1	
•		CMLMP5451	1154	54	50.30	1	
1		CMLMP5463	1322	54	62.30	1	

CMLSEPLXXXX - SINGLE END PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Single End of Run Gallery Panel	CMLSEPL4227	659	42	26.30	1	
	3	CMLSEPR4227	659	42	26.30	1	
8		CMLSEPL4827	721	48	26.30	1	
		CMLSEPR4827	721	48	26.30	1	
b I		CMLSEPL5427	779	54	26.30	1	
		CMLSEPR5427	779	54	26.30	1	
*		CMLSEPL4233	680	42	32.33	1	
		CMLSEPR4233	680	42	32.33	1	
¶		CMLSEPL4833	740	48	32.33	1	
b		CMLSEPR4833	740	48	32.33	1	
1		CMLSEPL5433	803	54	32.33	1	
.		CMLSEPR5433	803	54	32.33	1	
N B							
\supset							

CMLSMPXXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Single Middle of Run Gallery Panel	CMLSMP4227	797	42	26.30	1	
		CMLSMP4827	858	48	26.30	1	
a I		CMLSMP5427	915	54	26.30	1	
		CMLSMP4233	821	42	32.30	1	
		CMLSMP4833	882	48	32.30	1	
Į į		CMLSMP5433	944	54	32.30	1	

CML2PLXXXX - LEFT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- · Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- · Please specify LP laminate finish and PVC edge finish.
- · If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Two Way Return	CML2PL4213	240	42	13	1	
End of Run Gallery Panel	CML2PL4225	523	42	25	1	
	CML2PL4231	537	42	31	1	
	CML2PL4813	269	48	13	1	
	CML2PL4825	582	48	25	1	
	CML2PL4831	598	48	31	1	
	CML2PL5413	299	54	13	1	
	CML2PL5425	640	54	25	1	
	CML2PL5431	659	54	31	1	

CML2PRXXXX - RIGHT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	NSIONS/INC	HES	
			Н	W	D	
Two Way Return	CML2PR4213	240	42	13	1	
Ellu di nuli dallely rallel	CML2PR4231	537	42	31	1	
	CML2PR4813 CML2PR4825	269 582	48 48	13 25	1 1	
	CML2PR4831 CML2PR5413	598 299	48 54	31 13	1 1	
	CML2PR5425 CML2PR5431	640 659	54 54	25 31	1 1	
		Two Way Return CML2PR4213 End of Run Gallery Panel CML2PR4225 CML2PR4231 CML2PR4813 CML2PR4825 CML2PR4821 CML2PR4831 CML2PR4831 CML2PR5413	Two Way Return CML2PR4213 240 End of Run Gallery Panel CML2PR4225 523 CML2PR4231 537 CML2PR4813 269 CML2PR4825 582 CML2PR4831 598 CML2PR4831 598 CML2PR5413 299 CML2PR5413 299 CML2PR5425 640	H Two Way Return CML2PR4213 240 42 End of Run Gallery Panel CML2PR4225 523 42 CML2PR4231 537 42 CML2PR4813 269 48 CML2PR4825 582 48 CML2PR4821 598 48 CML2PR4831 299 54 CML2PR5413 299 54 CML2PR5413 299 54 CML2PR5425 640 54	Two Way Return CML2PR4213 240 42 13 End of Run Gallery Panel CML2PR4225 523 42 25 CML2PR4231 537 42 31 CML2PR4813 269 48 13 CML2PR4825 582 48 25 CML2PR4831 598 48 31 CML2PR4831 598 48 31 CML2PR4831 598 48 31 CML2PR5413 299 54 13 CML2PR5413 299 54 25	Two Way Return CML2PR4213 240 42 13 1

PANELS GALLERY PANEL

CML3PLXXXX - LEFT THREE WAY RETURN END OF RUN GALLERY PANEL

- · Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPLxxxx or CMLSEPLxxxx.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	CHES	
				Н	W	D	
	Three Way Return	CML3PL4225	357	42	25	1	
	End of Run Gallery Panel	CML3PL4249	724	42	49	1	
		CML3PL4261	859	42	61	1	
		CML3PL4825	401	48	25	1	
.		CML3PL4849	807	48	49	1	
\\		CML3PL4861	957	48	61	1	
		CML3PL5425	447	54	25	1	
		CML3PL5449	889	54	49	1	
		CML3PL5461	1054	54	61	1	

CML3PRXXXX - RIGHT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPRxxxx or CMLSEPRxxxx.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/INC	CHES	
				Н	W	D	
	Three Way Return	CML3PR4225	357	42	25	1	
	End of Run Gallery Pane	CML3PR4249 CML3PR4261	724 859	42 42	49 61	1	
		CML3PR4825 CML3PR4849	401 807	48 48	25 49	1	
:		CML3PR4861	957	48	61	1	
		CML3PR5425 CML3PR5449	447 889	54 54	25 49	1 1	
		CML3PR5461	1054	54	61	1	

CMLXPLXXXX - LEFT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Extension End of Run	CMLXPL4224	846	42	12.3	1	
	Return Gallery Panel	CMLXPL4224	846	42	24	1	
	,	CMLXPL4230	509	42	30	1	
		CMLXPL4236	586	42	35	1	
		CMLXPL4242	736	42	42	1	
l, H		CMLXPL4248	756	42	48	1	
*		CMLXPL4812	248	48	12.3	1	
		CMLXPL4824	448	48	24	1	
		CMLXPL4830	526	48	30	1	
		CMLXPL4836	601	48	36	1	
		CMLXPL4842	756	48	42	1	
		CMLXPL4848	779	48	48	1	
		CMLXPL5412	277	54	12.3	1	
		CMLXPL5424	478	54	24	1	
		CMLXPL5430	560	54	30	1	
		CMLXPL5436	644	54	36	1	
		CMLXPL5442	726	54	42	1	
		CMLXPL5448	892	54	48	1	
		554 20 110	202	01	.0		

CMLXPRXXXX - RIGHT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	E DIMENSIONS/INCHES			
				Н	W	D	
	Extension End of Run	CMLXPL4212	222	42	12.3	1	
	Return Gallery Panel	CMLXPR4224	846	42	24	1	
		CMLXPR4230	509	42	30	1	
		CMLXPR4236	586	42	35	1	
		CMLXPR4242	736	42	42	1	
Į, į		CMLXPR4248	756	42	48	1	
		CMLXPL4812	248	48	12.3	1	
√		CMLXPR4824	448	48	24	1	
		CMLXPR4830	526	48	30	1	
		CMLXPR4836	601	48	36	1	
		CMLXPR4842	756	48	42	1	
		CMLXPR4848	779	48	48	1	
		CMLXPL5412	277	54	12.3	1	
		CMLXPR5424	478	54	24	1	
		CMLXPR5430	560	54	30	1	
		CMLXPR5436	644	54	36	1	
		CMLXPR5442	726	54	42	1	
		CMLXPR5448	892	54	48	1	

PANELS GALLERY PANEL

CMLXPLXXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- · Connections only at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Extension End of Run Gallery Panel	CMLXPL4224NC	432	42	24	1
,	CMLXPL4230NC	506	42	30	1
	CMLXPL4236NC	582	42	35	1
	CMLXPL4242NC	732	42	42	1
	CMLXPL4248NC	753	42	48	1
	CMLXPL4824NC	445	48	24	1
	CMLXPL4830NC	523	48	30	1
	CMLXPL4836NC	598	48	36	1
	CMLXPL4842NC	753	48	42	1
	CMLXPL4848NC	776	48	48	1
	CMLXPL5424NC	476	54	24	1
	CMLXPL5430NC	558	54	30	1
	CMLXPL5436NC	640	54	36	1
	CMLXPL5442NC	724	54	42	1
	CMLXPL5448NC	889	54	48	1

CMLXPLXXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION

- · Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- · Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	Extension End of Run Gallery Panel	CMLXPR4224NC	432	42	24	1
	,	CMLXPR4230NC	506	42	30	1
		CMLXPR4236NC	582	42	35	1
		CMLXPR4242NC	732	42	42	1
		CMLXPR4248NC	753	42	48	1
		CMLXPR4824NC	445	48	24	1
\		CMLXPR4830NC	523	48	30	1
		CMLXPR4836NC	598	48	36	1
		CMLXPR4842NC	753	48	42	1
		CMLXPR4848NC	776	48	48	1
		CMLXPR5424NC	476	54	24	1
		CMLXPR5430NC	558	54	30	1
		CMLXPR5436NC	640	54	36	1
		CMLXPR5442NC	724	54	42	1
		CMLXPR5448NC	889	54	48	1

CMHLPBB01 - GALLERY PANEL BRACKET

- Gallery panel bottom bracket connects two gallery end panels at bottom with screws.
- · Available in standard paint colors.
- Screws are included with the bracket.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	CHES	
			Н	W	U
Bracket	CMHLPBB01	50	1.5	8	1

CMHLPCB01 - GALLERY PANEL CORNER BRACKET

- Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- · Available in standard paint colors.

Screws are included with the bracket.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	ES D
Corner Bracket	CMHLPCB01	48	1.5	4	4

CMPDSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering."
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		S D
Sliding Privacy Door - 66" High	CMPDSL6636R CMPDSL6636L CMPDSL6642R CMPDSL6642L	3351 3351 3439 3439	66 66 66 66	36 36 42 42	D

CMFMA - MINI PANEL KIT

- Compile's Mini Panel Kits are now available to our dealers and their sales staff.
 The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
- One Monolithic Mini Panel (Laminate side one / Acoustic side two).
- One Segmented Glazed Mini panel.
- One 2-way Universal Corner Post Kit.
- Two 24" Raceway Cover with Punch Out.
- Two 24" Raceway Cover with out Punch Out.
- · One Raceway Cut Out Cover.

- · One 3-way Post Base Cover.
- · One End of Run Trim.
- One Pair of Corner Brackets.
- One Mid span Worksurface Support Bracket.
- One Duplex.
- One Power Distribution Harness.
- One Mesh jumper.
- One Carry Bag.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INC W	HES D
Mini Panel Kit	CMFMA2418KIT1	2605	30	24	2 7/8

- **CHP POST PACKAGE** Universal Post with all "Quick-Connection" clips.
- Post trim(s)

Post base and top cap

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				Н	W	D
m	2 - Way Post	CHP30-2	124	30	2.3	2.3
	,	CHP42-2	124	42	2.3	2.3
		CHP46-2	179	46	2.3	2.3
		CHP54-2	152	54	2.3	2.3
		CHP58-2	224	58	2.3	2.3
		CHP60-2	224	60	2.3	2.3
		CHP64-2	265	64	2.3	2.3
		CHP66-2	179	66	2.3	2.3
		CHP70-2	258	70	2.3	2.3
Ţ		CHP72-2	258	72	2.3	2.3
		CHP78-2	294	78	2.3	2.3
		CHP82-2	309	82	2.3	2.3
		CHP90-2	309	90	2.3	2.3
۵	3 - Way Post	CHP30-3	109	30	2.3	2.3
	3 - Way i ust	CHP42-3	109	42	2.3	2.3
		CHP46-3	162	46	2.3	2.3
		CHP54-3	135	54	2.3	2.3
		CHP58-3	203	58	2.3	2.3
		CHP60-3	203	60	2.3	2.3
		CHP64-3	216	64	2.3	2.3
		CHP66-3	162	66	2.3	2.3
		CHP70-3	233	70	2.3	2.3
Ψ		CHP72-3	233	72	2.3	2.3
U		CHP78-3	265	78	2.3	2.3
		CHP82-3	277	82	2.3	2.3
		CHP90-3	307	90	2.3	2.3
		0111 30 3	307	30	2.5	2.0
m	4 - Way Post	CHP30-4	88	30	2.3	2.3
	*No trim or base. Includes top cap only.	CHP42-4	88	42	2.3	2.3
		CHP46-4	148	46	2.3	2.3
		CHP54-4	114	54	2.3	2.3
		CHP58-4	165	58	2.3	2.3
		CHP60-4	165	60	2.3	2.3
III		CHP64-4	175	64	2.3	2.3
III		CHP66-4	135	66	2.3	2.3
III		CHP70-4	193	70	2.3	2.3
W		CHP72-4	193	72	2.3	2.3
•		CHP78-4	219	78	2.3	2.3
		CHP82-4	228	82	2.3	2.3
		CHP90-4	255	90	2.3	2.3

CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPxx), 2 way post base (CMPCxx) and post cap (CMPC)
- 3-way kits include 2 trim (CMETPxx), 3 way post base (CMPCxx) and post cap (CMPC).

• 4-way kits include post cap (CMPC) only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	DIMENSIONS/INCHES		
				Н	W	D	
n a n	90 Degree Corner Post Kit for Over Panels	CH0P12-2	81	12	2.3	2.3	
	· ·	CH0P12-3	69	12	2.3	2.3	
		CHOP12-4	48	12	2.3	2.3	
		OHODAC O	01	10	2.2	2.2	
		CHOP16-2 CHOP16-3	81 81	16 16	2.3 2.3	2.3 2.3	
		CHOP16-4	69	16	2.3	2.3	
		01101 10 4	00	10	2.0	2.5	
		CHOP24-2	90	24	2.3	2.3	
		CH0P24-3	81	24	2.3	2.3	
		CH0P24-4	68	24	2.3	2.3	

CHPXW - 60 DEGREE POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
- Post trim is incorporated into 2 Way aluminum post extrusion.
- · Post top cap

- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
- 3 Way post is 6" shorter than panel height to accommodate electric and base.
- PVC post trims can not be added to 60 degree posts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES	
				Н	W	D	
S	2 - Way - 60 Degree Post Package	CHP2W30	88	30	2.3	2.3	
	,g.	CHP2W42	88	42	2.3	2.3	
		CHP2W46	114	46	2.3	2.3	
		CHP2W54	114	54	2.3	2.3	
		CHP2W58	156	58	2.3	2.3	
		CHP2W60	171	60	2.3	2.3	
		CHP2W64	185	64	2.3	2.3	
		CHP2W66	135	66	2.3	2.3	
		CHP2W70	196	70	2.3	2.3	
		CHP2W72	196	72	2.3	2.3	
*		CHP2W78	219	78	2.3	2.3	
		CHP2W82	228	82	2.3	2.3	
		CHP2W90	251	90	2.3	2.3	
M	3 - Way - 60 Degree Post Package	CHP3W30	88	30	2.3	2.3	
	, ,	CHP3W42	88	42	2.3	2.3	
		CHP3W46	125	46	2.3	2.3	
		CHP3W54	114	54	2.3	2.3	
		CHP3W58	156	58	2.3	2.3	
		CHP3W60	171	60	2.3	2.3	
		CHP3W64	185	64	2.3	2.3	
		CHP3W66	135	66	2.3	2.3	
		CHP3W70	196	70	2.3	2.3	
		CHP3W72	196	72	2.3	2.3	
4		CHP3W78	219	78	2.3	2.3	
		CHP3W82	228	82	2.3	2.3	
		CHP3W90	251	90	2.3	2.3	

CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS

- · No electrical knockouts included.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCHES		
			Н	W	D	
Compile Raceway Cover	CMRC24NP	20		24		
Without Knockouts	CMRC30NP	24		30		
	CMRC36NP	27		36		
	CMRC42NP	29		42		
	CMRC48NP	33		48		
	CMRC54NP	40		54		
	CMRC60NP	42		60		

CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS

- Contains one knockout for 24"w and three knockouts for 30"w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Compile Raceway Cover	CMRC24PO	20		24		
With Knockouts	CMRC30PO	24		30		
	CMRC36PO	27		36		
	CMRC42PO	29		42		
	CMRC48PO	33		48		
	CMRC54PO	40		54		
	CMRC60PO	42		60		

CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada, and Fog.
- Note: Knockout covers are made of plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Compile Raceway Knockout Cover	CMRCB01	19			

CHP - 90-DEGREE UNIVERSAL CORNER POST

- Available in 42", 54" and 66"h.
- Standard Compile paint options.
- Specify the corner post height that matches the tallest or smallest panel connection.
- Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
- Requires post trim inserts to finish off post where there are no panel connections.
 Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
- Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
- See Panel Configuration Tips for application.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INCHE W	S D
90-Degree Universal Corner Post	CHP30 CHP42 CHP54 CHP66	82 82 106 130	30 36 48 60		

CMET - END OF RUN TRIM INSERT FOR PANEL

- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- · Trims are PVC.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	NSIONS/IN	CHES	
				Н	W	D	
4	End of Run Trim Insert for Panel	CMET16	20	16	2.3	0.5	
		CMET30	23	30	2.3	0.5	
		CMET42	23	42	2.3	0.5	
		CMET46	24	46	2.3	0.5	
		CMET48	27	48	2.3	0.5	
		CMET54	27	54	2.3	0.5	
		CMET58	28	58	2.3	0.5	
		CMET60	28	60	2.3	0.5	
		CMET64	29	64	2.3	0.5	
		CMET66	29	66	2.3	0.5	
		CMET70	32	70	2.3	0.5	
		CMET72	32	72	2.3	0.5	
V		CMET78	34	78	2.3	0.5	
		CMET82	35	82	2.3	0.5	
		CMET90	41	90	2.3	0.5	

PANELS TRIM INSERTS

CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST

- Does not come with a post.
- Trim installs on all exposed sides of a Universal Corner Post.
- · Specify to equal post height.
- Trims must be specified separately. Trim snaps in the post.

- Available in standard Compile paint options.
- 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
- See Panel Configuration Tips for application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
M	Trim Insert for Universal Corner Post	CMETP30	19	30	2.3	0.5
		CMETP42	19	42	2.3	0.5
		CMETP46	24	46	2.3	0.5
		CMETP48	15	48	2.3	0.5
		CMETP54	20	54	2.3	0.5
		CMETP58	26	58	2.3	0.5
		CMETP60	28	60	2.3	0.5
		CMETP64	29	64	2.3	0.5
		CMETP66	21	66	2.3	0.5
		CMETP70	33	70	2.3	0.5
		CMETP72	33	72	2.3	0.5
		CMETP78	34	78	2.3	0.5
\mathbb{P}		CMETP82	36	82	2.3	0.5
		CMETP90	41	90	2.3	0.5

CMET - TRIM INSERT FOR STEP DOWN

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.

- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INCH W	IES D
Trim Insert for Step Down	CMET06 CMET12	12 15	6 12		
	CMET18 CMET24	20 26	18 24		
	CMET36	32	36		

CHWAXX - WALL ADAPTER

- Same profile as vertical extrusion.
- · Wall attachment hardware not provided.
- Made of aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCHES	
				Н	W	D
M	Wall Adapter	CHWA30	51	30	2.36	.79
		CHWA42	69	42	2.36	.79
		CHWA46	69	46	2.36	.79
		CHWA48	69	48	2.36	.79
		CHWA54	87	54	2.36	.79
		CHWA58	87	58	2.36	.79
		CHWA60	101	60	2.36	.79
		CHWA64	101	64	2.36	
.43		CHWA66	101	66	2.36	.79
		CHWA70	116	70	2.36	.79
		CHWA72	116	72	2.36	.79
		CHWA78	130	78	2.36	.79
		CHWA82	146	82	2.36	.79
		CHWA90	160	90	2.36	.79

PANELS POST COVERS

CWMA - VERTICAL CHANNEL

- Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE W	S D
Vertical Channel Sold in pairs	CWMA60	42	60	0.6	0.7

CMPC - UNIVERSAL POST CAP

- · Comes standard with universal post.
- Specified separately for reconfiguration purposes.

- Available in standard Compile paint options.
- Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE W	S D
Universal Post Cap	CMPC	9	2 3/8		

CMPC - POST BASE COVER

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- · Finish is smooth plastic.
- Available in standard Compile paint options.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHES W	S D
Post Base Cover - 3-Way Connection	CMPC1	14	6		
Post Base Cover - 2-Way Connection	CMPC2	15	6		

CMHLPF - FLAT LEG FOR FREESTANDING PANELS

- · Not intended to add to a run of panels in conjunction with Leveling Glides.
- · Kit will contains one legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the

panel and replace it with the legs.

• Please specify paint finish.



CMHLPF - FLAT LEG FOR FREESTANDING PANELS

- Double kit for freestanding applications.
- · Kit will contains two legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.
- Please specify paint finish.
- Note: Leg is on available for freestanding panels 42" to 60" wide.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	ES D
Double Flat Leg	CMHLPF02	267	.31	21	3

CMHLLP01 - LOW PROFILE FOOT

- Provides added support to a panel under load.
- Adjustable glides and connectors included.

Made of powder coated steel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/ING W	CHES D
Low Profile Foot	CMHLLP01	200	12	11	1.1

CMHLLP02 - LOW PROFILE FOOT

- · Provides added support to a panel under load.
- · Adjustable glides and connectors included.

- Made of powder coated steel.
- Set includes 2 complete legs.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		ES
 ¶்	Double Low Profile Foot	CMHLLP02	397	12	11	1.1



CMPS - POST SEPARATOR

- Creates a diagonal division within a compile post.
- Please specify post height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI H	ENSIONS/INC W	CHES D
Post Separator	CMPS01	165	96	3.25	14



NOTES

electrical

STEP-BY-STEP SPECIFICATION - 8-WIRE ELECTRICAL SYSTEM





Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.

- (a) Use CE8FR1 Reversible Floor Power Entry (default to CE8FR1). (b) Select the Panel to which the Floor Power Entry will be attached.
- (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.

Note: When using Pass Through Connectors in conditions other than a straight line, you must use a CE8CI-1 I-Connector along with a CE8CP17 Flexible Mesh Jumper Cable through the corner post.

Step



Determine which Panels are to be powered.

Use CE8PD Power Distribution Housing that corresponds with the width of the Panel

(

(3)

Connect power to the powered Panels.

- Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels.
- 2. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels separated by a post.
- 3. Use CE8CP17 Flexible Mesh cable (to turn the post) and a CE8CI-1 "I" Connector to attach the CE8CP Pass Through Cable.
 (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels that separate the two powered Panels and applying an additional 16" to the total. (CE8PD Power Distribution Housing is positioned 8" in from the ends of the powered Panel.)
 (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
- (c) Subtract 17" from the total length to find the pass through cable length required.
- From the price list, select the CE8CP Pass-Through Cable that matches
 the calculated length. If the length is between listed sizes, use the next
 size un

Step



Determine the location and circuitry of the receptacles.

- Each powered Panel has four (4) potential locations for CE8RD Duplex
 Receptacles 2 per side. (Exception: 24" wide Panel has only two
 potential locations 1 per side.)
- At each receptacle location there is a choice of four circuit options.Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

COMPILE'S 8-WIRE ELECTRICAL SYSTEM

Flectrical

This modification allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

0.50

1 00

This system is rated for connection to:

1. A grounded 120/240V, single phase, 20 A, 60Hz

Pencil Sharpener

2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

EQUIPMENT AMPERAGE

Calculator.........
Electric Fraser

Radio	0.05
Paper Shredder	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer	1.20 - 3.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit	1.00 - 10.00

Data/Comm

Compile's duplex receptacle openings (1.345 x 2.80) will conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04

 Desk Top Plotter
 1.50

 Fan
 1.00

 Heater
 8.50 - 12.50

 Coffee Pot
 15.00


 Task Light
 1.00


 Slide Projector
 2.00 - 6.00

Since some equipment, such as large copiers, printers, plotters, heaters and coffee makers would occupy most of the circuit capacity, it is recommended that such devices be supplied with the power directly from the wall or building receptacle.

ELECTRICAL WIRING SCHEMATIC

Wiring Schematic





Defining "2 + 2" Wiring Configurations

2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Compile's new #1 & #2 circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Compile's new "A" & "B" circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire *** + 1 green/yellow ground wire** = 4 wires)

Note

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found above.

- * A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.
- ** A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).
- *** All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

) e

ELECTRICAL CONFIGURATION

This page provides an exploded view of a sample configuration highlighting each Electrical component required when specifying this configuration.

Components

A. CE8PD36 Power Distribution Housing

Note: 8 wire, 4 circuits, 2+2 configuration

B. CE8CP17 Flexible Mesh Jumper Cable (connects two panels side by side or separated by a post)


C. CE8RD Duplex Receptacle

D. CE8CI-1 "I" Connector

E. CE8CP Pass-Through Cable

Note: Must run in a straight line application only

Note: Pass-Through Extension Cable (CE8CPF154) available — extends power capability beyond 208".



ELECTRICAL

CE8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. CE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (4th circuit dedicated).
- Power distribution housing is required for each powered panel, the power distribution housing should equal the width of the panel that it is specified in.
- Provides two duplex receptacle ports per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle on one panel side.
- Each power distribution housing supports 15-20 amps.
- Must specify Raceway Cover with Knockouts on panels, where Power Distribution Housings will be utilized.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	IENSIONS/INCH W	IES D
Power Distribution Housing	CE8PD24 CE8PD30	165 224		6 1/4 11 1/2	
	CE8PD36 CE8PD42	235 240		17 1/2 23 1/2	
	CE8PD48 CE8PD60	258 262		29 1/2 41 1/2	

CE8CP17 - FLEXIBLE MESH JUMPER CABLE

- 17" mesh jumper.
- Jumper cable is used to pass through a post or connect two panels together.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		
Flexible Mesh Jumper Cable	CE8CP17	129		17	



CE8CP - PASS THROUGH CABLE

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- Metal conduit pass through cables should be in used in a straight runs. Metal conduit pass through cables cannot pass through a post.
- Flexible conduit is required to turn a post. This only comes as 17"w. If panels at the posts do not all have power distribution housings, they must be added even if duplexes are not specified.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached).
 To this add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H W D		
M	Pass Through Cable	CE8CP28	171	28 1/2		
	· ·	CE8CP40	179	40 1/2		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		CE8CP46	185	46 1/2		
Managara II		CE8CP52	191	52 1/2		
		CE8CP58	201	58 1/2		
1: <i>9</i>		CE8CP64	211	64 1/2		
Cle E		CE8CP70	217	70 1/2		
		CE8CP76	220	76 1/2		
		CE8CP82	228	82 1/2		
		CE8CP88	235	88 1/2		
		CE8CP94	241	94 1/2		
		CE8CP100	248	100 1/2		

CE8CP-H - HYBRID PASS THROUGH CABLES WITH WIRE MESH

- Flexible metal conduit with wire mesh distributes electrical power through non powered panels.
- Hybrid Pass through cables with wire mesh allows to connect at 90 degree post at one end.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this, add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a post. See tips at the beginning of the section for more details.
- Hybrid pass-through cables with wire mesh allows connection at 90 degree post at one end for panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
Hybrid Pass Through Cable	Hybrid Pass Through Cable	CE8CP40-H	111	2	401/2	.5
		CE8CP46-H	118	2	46 1/2	.5
		CE8CP52-H	127	2	52 1/2	.5
		CE8CP58-H	135	2	58 1/2	.5
	CE8CP64-H	143	2	64 1/2	.5	
	CE8CP70-H	154	2	70 1/2	.5	
		CE8CP76-H	162	2	76 1/2	.5
		CE8CP82-H	171	2	82 1/2	.5
		CE8CP88-H	178	2	88 1/2	.5
		CE8CP94-H	187	2	94 1/2	.5
		CE8CP100-H	195	2	100 1/2	.5
		CE8CP106-H	204	2	106 1/2	.5
		CE8CP118-H	222	2	118 1/2	.5
		CE8CP130-H	238	2	130 1/2	.5
		CE8CP142-H	255	2	142 1/2	.5

CE8CI-1 - "I" CONNECTOR

- Female Female connector connects two Pass-Through Cables.
- Connects 17" Flexible Jumper Cable or ceiling feeds to pass through cables.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHE W	S D
"I" Connector	CE8CI-1	95			

CE8RD - DUPLEX RECEPTACLE

- Up to 3 receptacles per circuit
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit
- Duplex Receptacles standard in Black (BLK).

- CE8RD1 = Circuit #1 (utility circuit)
- CE8RD2 = Circuit #2 (utility circuit)
- CE8RDA = Circuit A (dedicated)
- CE8RDB = Circuit B (dedicated)
- CE8RD1 and CE8RD2 (#1 and #2 share common ground)
- · CE8RDA and CE8RDB (A and B share common ground)

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		
Duplex Receptacle	CE8RD1 CE8RD2 CE8RDA CE8RDB	36 36 36 36			

CE8RDXCA - CALIFORNIA CONTROLLED DUPLEX RECEPTACLE

- California Title 24 meets federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- CE8RD1CA = Circuit #1 (utility circuit)
- CE8RD2CA = Circuit #2 (utility circuit)
- CE8RDACA = Circuit A (dedicated)
- CE8RDBCA = Circuit B (dedicated)

NOTE:

- CE8RD1CA and CE8RD2CA (#1 and #2 share common ground)
- CE8RDACA and CE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.

71

· Available in BLK finish only.

DESCRIPTION		LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Duplex Receptacle	CE8RD1CA	41	2	4 5⁄8	1 1/4
	CE8RD2CA	41	2	4 5⁄8	1 1/4
	CE8RDACA	41	2	4 5⁄8	1 1/4
	CE8RDBCA	41	2	4 5⁄8	1 1/4

CE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

CE8FR2 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way.
- Includes 144" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.

DESCRIPTION	PRODUCT CODE	LIST PRICE	HES		
			Н	W	D
Reversible Floor Power Entry	CE8FR1 CE8FR2	372 479		72 144	

CE8F - FLOOR POWER ENTRY

- · Snaps in end of power distribution housing.
- · Includes flexible vinyl conduit.

- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	NSIONS/INCHE L	S D
Reversible Floor Power Entry	CE8F1P CE8F2P	382 494		72 144	

CMEB01 - ELECTRICAL BOX - CHICAGO

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel ,except 24" panel only one
- Note: A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/INCH W	IES D
Electrical Box - Chicago	CMEB01	109			

CMEB02NY - ELECTRICAL BOX - NEW YORK

- · Shipped assembled.
- Comes with pig tail electric.
- Use with 30" wide Panel of larger

- Post extension cable capacities: without electric, 30 with electric, 20
- · Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHE H W		CHES D
Electrical Box - New York	CMEB02NY	476			

CEPEXX - POST EXTENSION

- · Same profile as post.
- Includes two post extension brackets, four screws and four trim inserts.
- Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INCHI W	ES D
Post Extension	CEPE64 CEPE82	206 258	64 82		

CE8ECX - CEILING FEED

- · Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- · Post extension ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN:	SIONS/INCHE W	S D
Ceiling Feed	CEBEC1 CEBEC2 CEBEC3	286 502 568	132 144 180		

CMECC - CABLE COVER

- Attaches to panels vertically between modules to provide enclosures for power
 Available in Steel (STL), Black (BLK), Nevada (NEV) only. or data cords.

• Available in 21" and 36" lengths, 6 per pack.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/ING W	CHES D
Cord Cover	CMECC21 CMECC36	35 54	21 36	0.5 0.5	1 1

evolvefurnituregroup.com

73

CMLEDES - STARTER LED TASK LIGHT

- Undercabinet slim profile LED linear light fixture with lens and On/Off switch.
- May be used as stand-alone or extended with add-on section below (CMLEDES_DSC).
- Plug-in power supply with 72" cord length plus 78" DC cable.
- Includes magnet mounting bracket with optional adhesive metal plate.
- Light enclosure in clear anodizing finish. Color temperature cool white 4000K.
- Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INC	
			Н	W	D
Led Task Light	CMLEDES24	297	1	22.9	1
	CMLEDES36	341	1	33.5	1
	CMLEDES48	379	1	45.5	1

CMLEDES - ADD-ON LED TASK LIGHT

- Undercabinet slim profile LED linear add-on light fixture with lens.
- Daisy chain unit with 39" linking cable, no power supply.
- Add-on units can only be linked up to a total of 48 watts per power supply; this is
 equivalent to 10 feet of nominal length of light per power supply.

 Includes magnet mounting bracket with optional adhesive metal plate. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Led Task Light	CMLEDES24DSC	243	1	24	39
	CMLEDES36DSC	286	1	36	39
	CMLEDES48DSC	325	1	48	39
		Led Task Light CMLEDES24DSC CMLEDES36DSC	Led Task Light CMLEDES24DSC 243 CMLEDES36DSC 286	Led Task Light CMLEDES24DSC 243 1 CMLEDES36DSC 286 1	Led Task Light CMLEDES24DSC CMLEDES36DSC 243 286 1 1 36

CMLEDESOS - OCCUPANCY SENSOR

• Inline add-on controller for dimming and occupancy sensor.


Sensor bypass switch.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEI H	NSIONS/INCH W	ES D
Occupancy Sensor	CMLEDESOS	122	6	2.4	2


worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



• Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



WORKSURFACES CONFIGURATION

This page provides a three dimensional view of a sample configuration highlighting each Worksurface component required when specifying this configuration.

Components


A. CWVL2436 Curvilinear Worksurface – Left

Note: When deepest end equals 24", opposite depth is 18"

When deepest end equals 30", opposite depth is 24"

B. CWCC3618 Corner Curved Worksurface

C. CWVR2436 Curvilinear Worksurface – Right



CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INCHES
	2200		2.0	D	W
W	Rectangular Worksurfaces - 24" Deep	CWS2424P	149	24	24
VV /		CWS2430P	160	24	30
		CWS2436P	179	24	36
		CWS2442P	229	24	42
		CWS2448P	277	24	48
D		CWS2454P	323	24	54
		CWS2460P	363	24	60
		CWS2466P	379	24	66
		CWS2472P	393	24	72
		CWS2478P	632	24	78
		CWS2484P	639	24	84
		CWS2490P	670	24	90
		CWS2496P	715	24	96
	Rectangular Worksurfaces - 30" Deep	CWS3024P	175	30	24
		CWS3030P	186	30	30
		CWS3036P	220	30	36
		CWS3042P	309	30	42
		CWS3048P	323	30	48
		CWS3054P	354	30	54
		CWS3060P	379	30	60
		CWS3066P	392	30	66
		CWS3072P	416	30	72
		CWS3078P	786	30	78
		CWS3084P	801	30	84



CWSNSC - STRAIGHT WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INCHES
	DESCRIPTION	PRODUCT CODE	LIST FRICE	D	W
	Straight Worksurface No Scoops - 24" Deep	CWS2424NSC	149	24	24
W	3	CWS2430NSC	160	24	30
		CWS2436NSC	179	24	36
		CWS2442NSC	229	24	42
		CWS2448NSC	277	24	48
D		CWS2454NSC	323	24	54
		CWS2460NSC	363	24	60
		CWS2466NSC	379	24	66
		CWS2472NSC	393	24	72
		CWS2478NSC	632	24	78
		CWS2484NSC	639	24	84
		CWS2490NSC	752	24	90
		CWS2496NSC	715	24	96
	Straight Worksurface No Scoops - 30" Deep	CWS3024NSC	175	30	24
		CWS3030NSC	186	30	30
		CWS3036NSC	220	30	36
		CWS3042NSC	309	30	42
		CWS3048NSC	323	30	48
		CWS3054NSC	354	30	54
		CWS3060NSC	379	30	60
		CWS3066NSC	392	30	66
		CWS3072NSC	416	30	72
		CWS3078NSC	786	30	78
		CWS3084NSC	801	30	84

CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE TABLES

- There is no scoop on this work surface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the
- For use with Height Adjustable Tables
- Surfaces not available in HPW.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	D	W
	Rectangular Worksurface No Scoops	CWS2346NSCP	277	1	23	46
	for Height Adjustable Tables	CWS2352NSCP	323	1	23	52
W		CWS2358NSCP	363	1	23	58
		CWS2364NSCP	379	1	23	64
		CWS2370NSCP	393	1	23	70
D		CWS2946NSCP	323	1	29	46
		CWS2952NSCP	354	1	29	52
		CWS2958NSCP	379	1	29	58
		CWS2964NSCP	392	1	29	64
		CWS2970NSCP	416	1	29	70



CWSWNSC - WEDGE WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- · Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- · Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/INC	NS/INCHES	
				D1	D2	W	
D2	Straight Wedge Worksurface No Scoops - Left	CWSW241848NSC	385	24	18	48	
W		CWSW241854NSC	434	24	18	54	
		CWSW241860NSC	478	24	18	36	
		CWSW241866NSC	529	24	18	42	
		CWSW241872NSC	576	24	18	48	
D1		CWSW302448NSC	478	30	24	60	
		CWSW302454NSC	540	30	24	66	
		CWSW302460NSC	600	30	24	72	
		CWSW302466NSC	659	30	24	78	
		CWSW302472NSC	722	30	24	84	
WD1	Straight Wedge Worksurface No Scoops - Right	CWSW182448NSC	385	24	18	24	
W		CWSW182454NSC	434	24	18	30	
		CWSW182460NSC	478	24	18	36	
		CWSW182466NSC	529	24	18	42	
D2		CWSW182472NSC	576	24	18	48	
		CWSW243048NSC	478	30	24	60	
		CWSW243054NSC	540	30	24	66	
		CWSW243060NSC	600	30	24	72	
		CWSW243066NSC	659	30	24	78	
		CWSW243072NSC	722	30	24	84	

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W	
		0.110000000				
W	Rectangular Worksurfaces - 24" Deep	CWSP2426P	179	24	26	
	Span a Post	CWSP2432P	216	24	32	
		CWSP2438P	251	24	38	
		CWSP2444P	283	24	44	
		CWSP2450P	320	24	50	
D		CWSP2456P	354	24	56	
		CWSP2462P	468	24	62	
		CWSP2468P	510	24	68	
		CWSP2474P	554	24	74	
		CWSP2480P	595	24	80	
		CWSP2486P	679	24	86	
	Rectangular Worksurfaces - 30" Deep	CWSP3026P	224	30	26	
	Span a Post	CWSP3032P	268	30	32	
		CWSP3038P	317	30	38	
		CWSP3044P	354	30	44	
		CWSP3050P	400	30	50	
		CWSP3056P	443	30	56	
		CWSP3062P	585	30	62	
		CWSP3068P	636	30	68	
		CWSP3074P	692	30	74	
		CWSP3080P	742	30	80	
		CWSP3086P	847	30	86	
		2		30		

- CWVR CURVILINEAR WORKSURFACES RIGHT

 All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W	
					VV	
D \sim w	Curvilinear Worksurfaces - 24" Deep	CWVR2424P	192	24	24	
W		CWVR2430P	198	24	30	
		CWVR2436P	239	24	36	
		CWVR2442P	277	24	42	
		CWVR2448P	316	24	48	
		CWVR2454P	354	24	54	
		CWVR2460P	384	24	60	
		CWVR2466P	424	24	66	
		CWVR2472P	456	24	72	
		CWVR2478P	632	24	78	
		CWVR2484P	639	24	84	
	Curvilinear Worksurfaces - 30" Deep	CWVR3024P	198	30	24	
		CWVR3030P	210	30	30	
		CWVR3036P	248	30	36	
		CWVR3042P	340	30	42	
		CWVR3048P	354	30	48	
		CWVR3054P	392	30	54	
		CWVR3060P	424	30	60	
		CWVR3066P	456	30	66	
		CWVR3072P	485	30	72	
		CWVR3078P	786	30	78	
		CWVR3084P	801	30	84	

CWVL - CURVILINEAR WORKSURFACES - LEFT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end
- equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INCHES
				D	W
D ^ W	Curvilinear Worksurfaces - 24" Deep	CWVL2424P	192	24	24
D W	·	CWVL2430P	198	24	30
		CWVL2436P	239	24	36
		CWVL2442P	277	24	42
		CWVL2448P	316	24	48
		CWVL2454P	354	24	54
		CWVL2460P	384	24	60
		CWVL2466P	424	24	66
		CWVL2472P	456	24	72
		CWVL2478P	632	24	78
		CWVL2484P	639	24	84
	Curvilinear Worksurfaces - 30" Deep	CWVL3024P	198	30	24
		CWVL3030P	210	30	30
		CWVL3036P	248	30	36
		CWVL3042P	340	30	42
		CWVL3048P	354	30	48
		CWVL3054P	392	30	54
		CWVL3060P	424	30	60
		CWVL3066P	456	30	66
		CWVL3072P	485	30	72
		CWVL3078P	786	30	78
		CWVL3084P	801	30	84



CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- · Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
W	Corner Curved Worksurfaces - 36"	CWCC3618P CWCC3624P	499 547	18 24	36 36
	Corner Curved Worksurfaces - 42"	CWCC4224P CWCC4230P	738 803	24 30	42 42
	Corner Curved Worksurfaces - 48"	CWCC4824P CWCC4830P	863 904	24 30	48 48

CWCF - FIVE SIDED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- · Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: D	SIONS/INCHES W
W	Five Sided Worksurface - 36"	CWCF3618P CWCF3624P	494 547	18 24	36 36
	Five Sided Worksurface - 42"	CWCF4224P CWCF4230P	738 803	24 30	42 42
	Five Sided Worksurface - 48"	CWCF4824P CWCF4830P	863 904	24 30	48 48

CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIMI D	ENSIONS/INCHES W	
	Curved Corner Worksurface for 60° Post - 24"	CWC62424P	466	24	24	
W		CWC62430P	828	24	30	
		CWC62436P	929	24	36	
		CWC62442P	1420	24	42	
		CWC62448P	1549	24	48	
ט י	Curved Corner Worksurface for 60° Post - 30"	CWC63024P	466	30	24	
		CWC63030P	828	30	30	
		CWC63036P	929	30	36	
		CWC63042P	1420	30	42	
		CWC63048P	1549	30	48	

CWCEL - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
^ B4	Extended Curved Corner - 36" x 24"	CWCEL362448P	675	36	24	48
W D1		CWCEL362460P	736	36	24	60
•		CWCEL362466P	807	36	24	66
		CWCEL362472P	893	36	24	72
D2		CWCEL362478P	954	36	24	78
D2		CWCEL362484P	1027	36	24	84
	Extended Curved Corner - 42" x 24"	CWCEL422460P	774	42	24	60
		CWCEL422466P	848	42	24	66
		CWCEL422472P	941	42	24	72
		CWCEL422478P	1004	42	24	78
		CWCEL422484P	1083	42	24	84
	Extended Curved Corner - 42" x 30"	CWCEL423060P	870	42	30	60
		CWCEL423066P	954	42	30	66
		CWCEL423072P	1044	42	30	72
		CWCEL423078P	1118	42	30	78
		CWCEL423084P	1191	42	30	84
	Extended Curved Corner - 48" x 24"	CWCEL482460P	915	48	24	60
		CWCEL482466P	989	48	24	66
		CWCEL482472P	1062	48	24	72
		CWCEL482478P	1169	48	24	78
		CWCEL482484P	1215	48	24	84
	Extended Curved Corner - 48" x 30"	CWCEL483060P	969	48	30	60
		CWCEL483066P	1054	48	30	66
		CWCEL483072P	1144	48	30	72
		CWCEL483078P	1231	48	30	78
		CWCEL483084P	1286	48	30	84

CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

• Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				D1	D2	W
D2	Extended Curved Corner - 36" x 24"	CWCER362448P	675	36	24	48
W/ S		CWCER362460P	736	36	24	60
//////		CWCER362466P	807	36	24	66
		CWCER362472P	893	36	24	72
		CWCER362478P	954	36	24	78
D1 \(\sum_{D2} \)		CWCER362484P	1027	36	24	84
	Extended Curved Corner - 42" x 24"	CWCER422460P	774	42	24	60
		CWCER422466P	848	42	24	66
		CWCER422472P	941	42	24	72
		CWCER422478P	1004	42	24	78
		CWCER422484P	1083	42	24	84
	Extended Curved Corner - 42" x 30"	CWCER423060P	870	42	30	60
		CWCER423066P	954	42	30	66
		CWCER423072P	1044	42	30	72
		CWCER423078P	1118	42	30	78
		CWCER423084P	1191	42	30	84
	Extended Curved Corner - 48" x 24"	CWCER482460P	915	48	24	60
		CWCER482466P	989	48	24	66
		CWCER482472P	1062	48	24	72
		CWCER482478P	1169	48	24	78
		CWCER482484P	1215	48	24	84
	Extended Curved Corner - 48" x 30"	CWCER483060P	969	48	30	60
		CWCER483066P	1054	48	30	66
		CWCER483072P	1144	48	30	72
		CWCER483078P	1231	48	30	78
		CWCER483084P	1286	48	30	84

CWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list
- · Monoleg is included

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W	
	"D" Worksurface - 24"	CWD2442P	553	24	42	
		CWD2448P	568	24	48	
		CWD2460P	595	24	60	
		CWD2472P	636	24	72	
	"D" Worksurface - 30"	CWD3042P	599	30	42	
•		CWD3048P	606	30	48	
		CWD3060P	636	30	60	
		CWD3072P	706	30	72	

CWH - HATCHET WORKSURFACE (LEFT SHOWN)

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: D1	SIONS/INCHI D2	ES W
Hatchet Worksurface - Left	CWHL3672P	1213	36	30	72
Hatchet Worksurface - Right	CWHR3672P	1213	36	30	72

Right Shown

CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
				D1	D2	W
D.O.	Straight Wedge Worksurface - Left	CWSW241848P	385	24	18	48
D2		CWSW241854P	434	24	18	54
		CWSW241860P	478	24	18	60
		CWSW241866P	529	24	18	66
W W		CWSW241872P	576	24	18	72
D1 ×		CWSW302448P	478	30	24	48
		CWSW302454P	540	30	24	54
		CWSW302460P	600	30	24	60
		CWSW302466P	659	30	24	66
		CWSW302472P	722	30	24	72
	Straight Wedge Worksurface - Right	CWSW182448P	385	18	24	48
		CWSW182454P	434	18	24	54
		CWSW182460P	478	18	24	60
		CWSW182466P	529	18	24	66
		CWSW182472P	576	18	24	72
		CWSW243048P	478	24	30	48
		CWSW243054P	540	24	30	54
		CWSW243060P	600	24	30	60
		CWSW243066P	659	24	30	66
		CWSW243072P	722	24	30	72

CWOR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- · Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	SIONS/INCHES W
Quarter Round Panel Worksurface - Left	CWQRL2424 CWQRL3030	229 303	24 30	24 30
Quarter Round Panel Worksurface - Right	CWQRR2424 CWQRR3030	229 303	24 30	24 30

CWORC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W
Quarter Round Panel Corner Worksurface	CWQRC2424 CWQRC3030	275 339	24 30	24 30

CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INCHES
				D	W
	Straight Transaction Worksurface	CWT1512	69	15	12
W /		CWT1518	91	15	18
		CWT1524	109	15	24
		CWT1530	130	15	30
		CWT1536	148	15	36
		CWT1542	165	15	42
D 🐃		CWT1548	188	15	48
		CWT1554	205	15	54
		CWT1560	227	15	60
		CWT1566	243	15	66
		CWT1572	265	15	72
		CWT1578	283	15	78
		CWT1584	302	15	84

CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN	SIONS/INCHES
				D	W
W	End Transaction Surface	CWTE1512 CWTE1518 CWTE1524 CWTE1530 CWTE1536 CWTE1542 CWTE1542	91 109 130 148 165 188 205	15 15 15 15 15 15 15	14 20 26 32 38 44 50
		CWTE1554 CWTE1560 CWTE1566 CWTE1572	227 243 265 283	15 15 15 15	56 62 68 74

CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	SIONS/INCHES W
W W D	"L" Corner Transaction Surface	CWTCL90	193	15	21

CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

• Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIN D	TENSIONS/INCHES W
Corner Transaction Surface for 90° Post	CW9T1524	263	15	32.861
	CW9T1530	313	15	38.861
	CW9T1536 CW9T1542	362 410	15 15	44.861 50.861
	CW9T1548	465	15	56.861

CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- · Priced and shipped in pairs.
- Available in standard paint colors.

- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W	
Corner Bracket	CHCB2	24	2.5	

CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
Mid Span Support Bracket	CHWB1	15		

CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.

- Priced individually
- · Specify handedness of each cantilever
- · Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	SIONS/INCHES W
Cantilever - 15"	CHC15L CHC15R	54 54	15 15	6 6
Cantilever - 22"	CHC22L CHC22R	83 83	22 22	6 6

CMHC - WORKSURFACE SUPPORT CHANNEL

- · Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- · Screws are included.

- · Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN L	NSIONS/INCHES D
Worksurface Support Channel	CMHC40 - for 54" wide table CMHC46 - for 60" wide table CMHC52 - for 66" wide table CMHC58 - for 72" wide table CMHC64 - for 78" wide table CMHC70 - for 84" wide table	90 98 109 122 133 148	40 46 52 58 64 70	5 5 5 5 5

CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
Flat Bracket	CHFB1	23	3	4

CHTB2 - TRANSACTION TOP BRACKETS

- · Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.

- Priced and shipped in pairs.
- · Available in Anodized Aluminum only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W
Flat Bracket	CHTB2	24	2.5

9

CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.

- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
End Panel - 28"High	CHEP2924 CHEP2930	283 333	28 28	24 30

CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
$\overline{\diamondsuit}$	Mid Support Leg - Round	CHMSL1	98	28
	Mid Support Leg - Square	CHMSL2	98	28

CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter

- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
Corner Leg Round Corner Leg Square	CMHCL1 CMHCL2	136 136	28 28

CHWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
- $\bullet~$ Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
		5" Surface to Storage Support Leg - Round	CHWSRL01	64	4.5
		5" Surface to Storage Support Leg - Square	CHWSSL01	64	4.5
Round	Square				

CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/IN D	ICHES W
Metal End Gable - Right	CHMEG18R CHMEG24R CHMEG30R	286 305 321	28 28 28	17 23 29	4 4 4

CHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.

· Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	NSIONS/IN W	CHES D
Metal End Gable - Left	CHMEG18L CHMEG24L CHMEG30L	286 305 321	28 28 28	17 23 29	4 4 4

CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/ING W	CHES D
Metal Support Leg	CHMSL12	256	28	11	4

PEDESTAL FILLER BRACKET

· Screws to back of pedestal

• Fills the gap between the pedestal and panel when wing pnael is not used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	ISIONS/INCHES W
Pedestal Filler Bracket-	CHPBF	65	26.875	1.375

CHPEDB - FLUSH PEDESTAL BRACKET

- Attaches metal or laminate storage or desking, to Compile panels for additional panel support
- Use CHPBF Pedestal Filler Bracket with CS19xx Pedestals and standard depth worksurfaces

• Used in flush mount applications only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS	SIONS/INC	HES
			Н	W	D
Flush Pedestal Bracket	CHPEDB	32	8	1	1

storage

LATERAL FILE FEATURES

DRAWERS/SHELVES

- · Drawer interlocking system
- Three-stage, anti-bounceback suspension
- · Pre-installed, side-to-side file bars for letter, legal and A4
- Front-to-back file bars optional
- Full-height dividers optional
- · Angled full pull

CONSTRUCTION

- · Top stiffener bar
- · Corner gussets
- Four (4) ganging drill points are marked to ensure correct positioning
- · Cam lock included
- · Leveling glides
- · Counterweights are included in 2, 3 and 4 drawer cabinets. BIFMA does not require counterweight in 5 drawer cabinets.

PEDESTAL FEATURES

DRAWERS/SHELVES

- All drawer fronts feature a recessed, angled full pull.
- Drawers feature ball bearing suspension.

CONSTRUCTION

- Central Core removable cam locks.
- · Pedestals are 15" wide.
- · Counterweight is standard on all Freestanding models.
- · Worksurfaces supporting models have holes drilled in top to attach underneath a worksurface.

STANDARD PAINT COLORS

BLACK BLK
DESIGNER WHITE DWT
NEVADA NEV
STEEL STL

TEXTURED PAINT COLORS

Only available on Compile Storage.

BLIZZARD BZD STONE DUST SDT

GENERAL WARRANTY INFORMATION

· Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.

STORAGE CONFIGURATION


This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

Components

A. CSOF13XX KD Overhead

B. CSSL13XX Low-Profile Shelf

C. CM19XXBBF Worksurface Supporting Box, Box, File Pedestal



CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- · Worksurface supporting, with predrilled holes in the top.
- · Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.

- · Pedestal height shown includes glide.
- · Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Worksurface Supporting Box/Box/File 15" Pedestal	CS1919BBF CS1923BBF CS1929BBF	588 605 686	27 5/8 27 5/8 27 5/8	18 5/8 22 5/8 29 5/8	15 15 15

CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
- · Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.

- Pedestal height shown includes glide.
- · Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		ENSIONS/INC	
				Н	D	W
\wedge	Worksurface Supporting	CS1919FF	588	27 5/8	18 5⁄8	15
	File/File 15" Pedestal	CS1923FF	605	27 5⁄8	22 5⁄8	15
		CS1929FF	686	27 5⁄8	29 5⁄8	15

CS19FXXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.

- · Counterweight, Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Freestanding Box/Box/File 15" Pedestal	CS19F19BBF CS19F23BBF CS19F29BBF	605 623 701	27 5⁄8 27 5⁄8 27 5⁄8	18 5/8 22 5/8 29 5/8	15 15 15

CS19FXXFF - FREESTANDING FILE/FILE 15" PEDESTAL

- · All drawer fronts feature a recessed, angled full pull.
- · Pedestal height shown includes glide.
- Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Freestanding File/File 15" Pedestal	CS19F19FF CS19F23FF CS19F29FF	605 623 701	27 5/8 27 5/8 27 5/8	18 5/8 22 5/8 29 5/8	15 15 15

CS19MPXXBBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- · Finished top.

- · Counterweight, Pencil tray, and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
Mobile Box/Box/File Pedestal	CS19MP19BBF CS19MP23BBF	801 843	27 7/8 27 7/8	18 5⁄8 22 5⁄8	15 15

CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- · Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

97

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
Mobile File/File Pedestal	CS19MP19FF CS19MP23FF	801 843	27 7/8 27 7/8	18 5/8 22 5/8	15 15

CSMCPXXBFNC - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS

- Mobile pedestal that includes one pencil tray.
- Includes factory installed counterweight.
- Lock is standard.

- 60mm high castors.
- For use with pedestal seat cushion. See model below.
- Casters do not lock.


DESCRIPTION	PRODUCT CODE	LIST PRICE	LIST PRICE DIN	MENSIONS/INCHES		
			Н	D	W	
Mobile Box/File Pedestal with 60mm Castors	CSMCP19BFNC CSMCP23BFNC	870 888	23.7/8 23.7/8	18.5⁄8 22.5⁄8	15 15	

5

CSCUSH15 - PEDESTAL SEAT CUSHIONS

- · Cushions will have single stitching at the seams.
- · Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.

- 2" Cushion will have waterfall edges Front and Back,
- Cushions are for use on CSMCPXXBFNC Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles on pages 94-96



CSSL13 - LOW PROFILE SHELF

- 13" deep panel-mounted storage shelf with backlip.
- · Mounting brackets are included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INCHES	
			Н	D	W
Low Profile Shelf - 13"	CSSL1324	146	5	13	24
	CSSL1330	161	5	13	30
	CSSL1336	175	5	13	36
	CSSL1342	188	5	13	42
	CSSL1348	197	5	13	48
	CSSL1354	206	5	13	54
	CSSL1360	212	5	13	60
		Low Profile Shelf - 13" CSSL1324 CSSL1330 CSSL1336 CSSL1342 CSSL1348 CSSL1354	Low Profile Shelf - 13" CSSL1324 146 CSSL1330 161 CSSL1336 175 CSSL1342 188 CSSL1348 197 CSSL1354 206	Low Profile Shelf - 13" CSSL1324 CSSL1330 161 5 CSSL1336 175 5 CSSL1342 188 5 CSSL1342 197 5 CSSL1348 197 5 CSSL1354 206 5	Low Profile Shelf - 13" CSSL1324 146 5 13 CSSL1330 161 5 13 CSSL1336 175 5 13 CSSL1336 175 5 13 CSSL1342 188 5 13 CSSL1342 188 5 13 CSSL1348 197 5 13 CSSL1354 206 5 13

CSOF13 - KD OVERHEAD

- · Mounting brackets are included.
- Door retracts up and over the cabinet
- · Ready for quick assembly on site.
- Quality steel construction.

- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" h x 12.75" d

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	NSIONS/IN	CHES
				Н	D	W
	KD Overhead - 13"	CSOF1324	382	14.5	13	24
		CSOF1330	420	14.5	13	30
		CSOF1336	463	14.5	13	36
		CSOF1342	489	14.5	13	42
/		CSOF1348	517	14.5	13	48
	CSOF1354	586	14.5	13	54	
		CSOF1360	633	14.5	13	60

CMSLK13 - LOCK FOR KD OVERHEAD

· Must be specified separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
Lock for KD Overhead	CMSLK13	48			



CSLOCKKEY - CORE AND KEY

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
LOCKKEY - Core and Key	CSLOCKKEY	45			

CMEK93 - EXTRA KEY

· Must be specified at time of order.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
Extra Key	CMEK93	21			

CMDAOHXX - CENTER MOUNT OVERHEAD

- Inside dimensions 13" high x 13" deep.
- · Laminate Overhead. No doors.
- Available in standard Compile laminate finishes.


- · Top mount on panels.
- · Overhead Support Brackets are included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	DIMENSIONS/INCHES		
			Н	D	W	
Center Mount Overhead - 13"	CMDAOH36	1200	15	13	36	
	CMDA0H42	1302	15	13	42	
	CMDA0H48	1363	15	13	48	
	CMDA0H54	1465	15	13	54	
	CMDA0H60	1523	15	13	60	

CMADAXXPM - ADA COMPLIANT OVERHEAD STORAGE UNIT

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- · All shelves are reinforced for proper weight distribution.

- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- · Shipped partially assembled.
- Available in standard Compile paint colors only. Door made of opaque plastic.
 **add 10% upcharge for Fog.



CWMA - VERTICAL CHANNEL

- · Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- · Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- · Compile vertical channels cannot be shared.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHI W	ES D
Vertical Channel Sold in pairs	CWMA60	42	60	0.6	0.7

CS19XX-1X1FH - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.

- Lateral File Top is required when not installed under a worksurface.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/INCHES		
			Н	D	W	
One 1/2 Height Fixed Front &	CS1930P-1X1FH	1328	21.1875	19.25	30	
One 12" Fixed Front Lateral File	CS1936P-1X1FH	1418	21.1875	19.25	36	
	CS1942P-1X1FH	1506	21.1875	19.25	42	

CS19XX-1XSND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET

- 1/2 Height Open Shelf.
- Bottom Open Shelf.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INC	HES W
One 1/2 Height Open Shelf &	CS1930-1XSND	666	21.1875	19.25	30
One 12" Open Shelf Lateral Cabinet	CS1936-1XSND	757	21.1875	19.25	36
	CS1942-1XSND	843	21.1875	19.25	42

CSCUSH19 - LATERAL SEAT CUSHIONS

- · Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.

- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES					DIM./INCH		YRDS													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	Н	D	W	
Lateral Seat Cushions - 1" Thick	CSCUSH19-25X30X1 CSCUSH19-25X36X1 CSCUSH19-25X42X1	416	461	496	547	620	653	720	824	904		1178	1372	1529	1720	1962	2317	2661 2675 2613	1 1 1	19	30 36 42	1 1 1
Lateral Seat Cushions - 2" Thick	CSCUSH19-25X30X2 CSCUSH19-25X36X2 CSCUSH19-25X42X2	456	501	536	585	659	693	758	861	942	1033	1216	1412	1489	1678	1924	2277	2626 2634 2645	2 2 2		30 36 42	2 2 2

CWFT - LATERAL FILE TOPS

Available in standard Compile finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	IENSIONS/INC	HES
		LP	Н	D	W
Lateral File Tops	CWFT1930	175	1	19.25	30
	CWFT1936	179	1	19.25	36
	CWFT1942	229	1	19.25	42
2 Lateral Files SBS Top	CWFT1960	363	1	19.25	60
	CWFT1972	393	1	19.25	72
	CWFT1984	639	1	19.25	84
4 Lateral File BTB Top	CWFT3860	721	1	38.75	60
	CWFT3872	819	1	38.75	72
	CWFT3884	971	1	38.75	84

CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Two fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	HES	
			Н	D	W	
Lateral Files - 2 Drawers	CS1930P-2F12	1054	27.14	19.25	30	
with Counterweight	CS1936P-2F12 CS1942P-2F12	1136 1181	27.14 27.14	19.25 19.25	36 42	

CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- · Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE		ENSIONS/INC	
			Н	D	W
 Lateral Files - 3 Drawers	CS1930P-3F12	1312	39.52	19.25	30
with Counterweight	CS1936P-3F12	1383	39.52	19.25	36
	CS1942P-3F12	1444	39.52	19.25	42

CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- · Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	CHES
			Н	D	W
Lateral Files - 4 Drawers	CS1930P-4F12	1675	51.89	19.25	30
with Counterweight	CS1936P-4F12	1754	51.89	19.25	36
-	CS1942P-4F12	1888	51.89	19.25	42

CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- Four fixed front drawers plus top drawer with receding door and roll-out shelf.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- · Lock included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	HES
			Н	D	W
Lateral Files - 5 Drawers	CS1930P-5F12 CS1936P-5F12 CS1942P-5F12	1994 2082 2196	66.39 66.39 66.39	19.25 19.25 19.25	30 36 42

CSPT - STORAGE TOWERS

- Model CSPT3-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT3-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

· Locking.



CSPT - STORAGE TOWERS

- Model CSPT3-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT3-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/ING D	CHES W
Storage Tower - 2 File Drawers	CSPT3-2FL CSPT3-2FR	2969 2969	39.52 39.52	24 24	24 24

CSPT - STORAGE TOWERS

- Model CSPT4-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT4-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
Storage Tower - 2 Box/1 File Drawer	CSPT4-2BFL CSPT4-2BFR	2985 2985	51.89 51.89	24 24	24 24

7

CSPT - STORAGE TOWERS

- Model CSPT4-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT4-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	NSIONS/IN	CHES	
			Н	D	W	
Storage Tower - 2 File Drawers	CSPT4-2FL CSPT4-2FR	2985 2985	51.89 51.89	24 24	24 24	

CSPT - STORAGE TOWERS

- Model CSPT5-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT5-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

· Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE D	ES W
Storage Tower - 2 Box/1 File Drawe	CSPT5-2BFL CSPT5-2BFR	3063 3063	66.39 66.39	24 24	24 24

CSPT - STORAGE TOWERS

- Model CSPT5-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT5-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

· Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	D	W	
Storage Tower - 2 File Drawers	CSPT5-2FL	3063	66.39	24	24	
	CSPT5-2FR	3063	66.39	24	24	



SO#	PO#	TAG#	Date

KEY#	SETS REQ'D								
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401-430 =	431-460 =	461-490 =	491-520 =	521-550 =

Total:

NOTE: If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.

NOTES

accessories

CATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.

- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

	DESCRIPTION	PRODUCT CODE		LIST PRICE DIMENSIONS/INCHES			
			Gr1	Gr2	Н	W	D
1	Tack Board - 10" High	CATB1024	197	209	10	24	
		CATB1030	210	225	10	30	
		CATB1036	232	247	10	36	
		CATB1042	255	275	10	42	
		CATB1048	280	300	10	48	
		CATB1054	309	333	10	54	
		CATB1060	329	355	10	60	
	Tack Board - 21" High	CATB2124	285	297	21	24	
		CATB2130	310	325	21	30	
		CATB2136	351	363	21	36	
		CATB2142	403	423	21	42	
		CATB2148	450	468	21	48	
		CATB2154	492	516	21	54	
		CATB2160	540	566	21	60	
	Tack Board - 24" High	CATB2424	285	297	21	24	
	Ŭ	CATB2430	310	325	24	30	
		CATB2436	351	363	24	36	
		CATB2442	403	423	24	42	
		CATB2448	450	468	24	48	
		CATB2454	492	516	24	54	
		CATB2460	540	566	24	60	

CAWB - WHITE MARKER BOARD

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 10" to be installed on 42"h panels.

- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
White Marker Board - 10" High	CAWB1030	191	10	30		
	CAWB1036	214	10	36		
	CAWB1042	238	10	42		
	CAWB1048	273	10	48		
White Marker Board - 21" High	CAWB2130	330	21	30		
	CAWB2136	372	21	36		
	CAWB2142	419	21	42		
	CAWB2148	487	21	48		
White Marker Board - 24" High	CAWB2430	330	24	30		
William Board 21 Tingin	CAWB2436	372	24	36		
	CAWB2442	419	24	42		
	CAWB2448	487	24	48		

CALB - LOAD BAR

- Frame availabel in Steel (STL), Black (BLK), and Nevada (NEV) only.
- Mounting brackets and clear end caps are included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES
				Н	W	D
<i>∕</i> a	Load Bar	CALB24	161	2.25	24	1
		CALB30	177	2.25	30	1
		CALB36	193	2.25	36	1
		CALB42	224	2.25	42	1
		CALB48	258	2.25	48	1
		CALB54	275	2.25	54	1
\bigvee		CALB60	295	2.25	60	1

CSABB01 - BINDER BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INCH W	HES D
Binder Bin	CSABB01	87	9	4	10.25

CSALT01 - LETTER TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INO W	CHES D
Letter Tray	CSALT01	74	2	13.5	9.25

CSASS01 - SLANT SORTER

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
			Н	W	D
Slant Sorter	CSASS01L CSASS01R	55 55	9.5 9.5	5 5	10.25 10.25

EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	ES D
Media Bin	CSAMB01	68	3	5.75	5.25

CSAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN:	SIONS/INCH W	ES D
Utility Tray	CSAUT01	47	1	8.5	3.75

CSAFS01 - FLIP SORTER

• Must be ordered in conjunction with a load bar option.

in Introduction for complete list of offerings and conditions.

- · Comes with nickel plated wire.
- Available in standard and premium paint selections. See "Textile & Finish Listings"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/INO W	CHES D
Flip Sorter	CSAFS01	64	9.25	2.75	9.25

CSAPP01 - MAIL BOX

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCI W	HES D
Mail Box	CSAPP01	109	9	12	2.75

CSATH01 - TELEPHONE HOLDER

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH W	ES D
Telephone Holder	CSATH01	103	2	9	10

CPNP01 - NAME PLATE

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- · Available in black only.
- Free template for additional slide-in name cards are available at http://www.evolvefurnituregroup.com/Product_Sheets.html

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	HES D
Name Plate	CPNP01	158	3.30	5.3	1.25

CMCH01 - COAT HOOK

- Coat hook for Compile panels.
- Available in standard Compile paint finishes: DWT, BLK, STL, NEV.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI H	ENSIONS/INC W	HES D	
Coat Hook	CMCH01	68	5.5	0.65	1	

CATP91 - TOUCH-UP PAINT KIT

- Available in standard paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).

· Specify color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
Ω	Touch-Up Paint Kit	CATP91	54				



NOTES

textiles and finishes

Care and Cleaning

The following guide encompasses the Compile System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED & HIGH PRESSURE

Absolute Acajou*	
Asian Night*	ASN
Avant Cherry*	AWC
Avant Honey*	AWH
Black	
Blizzard Matrix	BMX
Brushed Cobalt*	
Clear Maple*	
Custom Grey	
Dark Espresso*	
Designer White	
Fashionista	FAS
First Class	FCL
Noce Biondo	NBL
Noce Grigio	NGL)
Noce Leggero	NEL
Noce Medio	NML
Quartered Mahogany*	QTM
Sheer Beauty	SBY
Stone Dust	SDT
Storm Grey	SOG
Walnut Heights*	
Winter Cherry	
White Chocolate*	

Additional paint and laminates may be available. Contact Evolve Customer Care for details.

PVC EDGE TRIM

Absolute Acajou	
Asian Night	
Avant Cherry	ACE
Avant Honey	AHE
Black	BLK
Blizzard	
Brushed Cobalt	BRC
Charcoal	CHR
Clear Maple	CMB
Dark Espresso*	DES
Designer White	
Fashionista	
First Class	FCL
Nevada	
Noce Biondo	NBL
Noce Grigio	NGL)
Noce Leggero	
Noce Medio	
Quartered Mahogany	
Sheer Beauty	
Silver	
Taupe	TPE
Tungsten	
Walnut Heights	
White Chocolate*	
Winter Cherry	
,	

^{*1-7/16&}quot; HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES).

(for application to trim, steel
components, PVC, vertical and horizontal
members)
BlackBLK
Designer White DWT
Fog
Nevada NFV

PAINT & FRAME COLORS

WOOD VENEER WORKSURFACES*

Almond Cherry	AMW
Amber Cherry	ACW
Biscotti	BTW
Cocoa Walnut	CAW
Coral	CRW
Dark Cherry	DCW
Dark Walnut	DWW
Espresso Walnut	EWW
Evening Oak	EVW
Grey on Oak	GRW
Hazelnut	HAW
Java	JAW
Latte Walnut	LTW
Mahogany on Walnut	MHW
Milestone	MTW
Natural Maple	MPW
Natural Walnut	NLW
Red Cherry	RCW
Umber Walnut	ULW
Vintage Cherry	VNW
Walnut	WLW
Warm Cherry	
White Maple	WMW

All wood veneer worksurfaces are 1.38" thick.

^{*} Matching Wood Grain PVC edge available.

^{*}Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Care for details.

PANEL FABRICS – GRADE 1 Anchorage - 35% Post - consumer Recycled Polyester and 65% Pre -consumer Recycled Polyester .AN40 Birch Green AppleAN41 Straw......AN43 Wolf......AN44 Angora......AN46 CuminAN47 Asteroid.....AN48 Geranium.....AN49 Thistle.....AN50 Graphite......AN51 Quarry Blue.....AN53 Onyx......AN54

Red DeliciousAN56 Sunshine.....AN57 WaterfallAN59 VanillaAN61

VanillaAN61 CobaltAN62

Aurora - 100% Polyester, 80% minimum Post-Consumer Recycled	
Polyester	
Cloud	AU20
Seal	AU21
Fog	AU22
Pewter	AU23
Granite	AU24
Oat	AU25
Coconut	AU26
Latte	AU27
Lake	AU28
Frost	Δ1129

Chance - 63% Virgin Polyester, 37%
Post-Consumer Recycled Polyester
MistCN51
Dill
IslandCN53
Plaza CN54
TranquilCN55
MaltCN56
NavajoCN57
Prairie CN58
Cinder
Oasis

Linea - 100% Post Consumer Rec	ycled
Polyester	
Polyester Queue	LN41
Cord	LN42
Twine	LN43
Thread	LN44
Contour	LN45
Silhouette	LN46
Cable	LN47
Route	LN48

Consumer Recycled Polyester Gesso LS11 Dusk LS12 Grey LS13 Ivory LS14 Henna LS15 Nocturnal LS16 Moss LS17
Dusk LS12 Grey LS13 Ivory LS14 Henna LS15 Nocturnal LS16
Grey LS13 Ivory LS14 Henna LS15 Nocturnal LS16
Ivory LS14 Henna LS15 Nocturnal LS16
Ivory LS14 Henna LS15 Nocturnal LS16
NocturnalLS16
Moss LS17
NavyLS18
BuffLS19
Spa

Uyster	LP6U
Putty	LP61
Marble	LP62
Hazelnut	LP63
Latte	LP64
Bay	LP65
Wild Rice	LP66
Harbor	LP67
Melody - 100% Recycled Polyeste Spray	

Loopy - 100% Recycled Polyester

Melody - 100% Recycled Polyeste	er
Spray	ME40
Pond	ME41
Sand Bar	ME42
Silt	ME43
Pebble	ME4
Lake	ME4
Gravel	ME46
Boulder	ME47

Merge - 100% Polyester, 75%	
minimum Post-Consumer Recycl	ed
Polyester	
Fawn	MG20
Marshmallow	MG21
Driftwood	MG22
Dove	MG23
Graphite	MG24
Slate	MG25
Eucalyptus	MG26
Fire Engine	MG27
Mediterranean	MG28
Midnight	MG29

Pinpoint - 100% Post-Consumer Recycled Polyester	
Bliss	.PN11
Delight	PN12
Dune	.PN13
Infusion	.PN14
Ebony	.PN15
Fresh	PN16
Carrot	.PN17
Splash	PN18
Vibe	
Gala	.PN20

Streak - 100% Recycled Polyester	
Beach	3R81
Shade	3R86
Stretch	3R88
Sprint	SR89
Roll	
Dart	SR92
Zoom	SR93
Splash	SR94
Whiz	
Flash	SR96
Tek - 100% Recycled Polyester	

Finesse	TYEN
Grain	TX61
Essence	TX62
Warp	TX64
Mesh	TX67
Form	TX69
Spice	TX71
Glacier	TX72
Spring	TX73
Harmony	TX74
Smoke	TX75
Pebble	TX76

Terrace - 100% Post-Consumer Recycled Polyeste	
Lotus	TC60
Tigerlily	
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Flirt	TC73
Echo	TC74
Glacier	TC75

PANEL FABRICS- GRADE 2

Cyclone - 56% post-consumer recycled polyester and 44% polyester. Stove Pipe **IM37** Stainless.....IM40 Polished Pewter IM41 Welded Steel IM43 Etched Bronze.....IM44 Fired Titanium.....IM46 Chrome IM49 Dark Annealed.....IM50 Karat......IM54 Red Metal.....IM55 Oxidized Bronze.....IM56 Bright Ray..... **IM57** Bismuth Crystal IM58 Gallium Blue......IM59

Dashing -100% Post-Consumer

Recycled Polyester	
Classic Silver	DS21
Refined Marble	DS22
Antique Sage	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan	DS26
Dapper Grey	DS27

Quadrille - 52.5% Polyester / 47.5%

Recycled Polyester

*Maximum panel width is 48'

Escapade	QU30
Shenanigan	QU31
Revelry	QU32
Spring	
Regalia	QU34
Soiree	
Zest	QU36
Gambol	QU37
Fair	QU39
Fiesta	QU40
Carnival	QU41
Opus	QU43
Jubilee	QU44
Masquerade	QU45
Cabarets	QU46

PET PANEL FABRICS

Amethyst	GPH
Apricot	
Black	BLK
Blue Smoke	BSK
Brick	BRI
Carnation	CNN
Denim	DEN
Emerald	EMD
Graphite	GPH
Harvest	HVT
Lapis	LAP
Mist	
Navy	NVY
Pewter	
Ruby	RBY
Shamrock	
Sunflower	SFR
White	WHT

ODADE O (EADDIO)

GRADE 1

Dobby - 96% Recycled Polyeste	er / 4%
Virgin Polyester	
Snowcap	DB3
Bonsai	
Cloud	DB3
Sand	DB3
Pewter	
Sante Fe	
Corfu	
Medium Taupe	
Charcoal	
Berry	
Royal	
Titanium	
Black	DB4
Fusion - 90% Virgin Polyester/	10%
Post-Consumer Recycled Polyest	er
Tangerine	FU7
Fresh	
Moss	
TomatoF	
Aqua	
Sandstone	EII:
Granite	
Poppy	
Cadet	
Oasis	
Graphite	
Viola	
Cobalt	FU8
Flax	FU8
Carbon	
Illusion - 100% Virgin Polyeste	r
Cappuccino	
Paprika	
Tropic	
Wicker	
Hemp	
Hellip	IIV
Covenne	111
Cayenne	
Cayenne Maui	II0
Cayenne	II0
Cayenne	110 110
Cayenne	110 110 117
Cayenne	110 110 117
Cayenne	116 116 117
Cayenne	116 116 117
Cayenne	116 116 117
Cayenne	110 110 111 111
Cayenne	110 110 111 111 111
Cayenne	110 110 111 111 111
Cayenne	110 111 111 111 111
Cayenne	110 111 111 111 JN0 JN0
Cayenne	110 111 111 111 JN0 JN0 JN0
Cayenne	
Cayenne	
Cayenne	
Cayenne	JNC.
Cayenne	JNC.
Cayenne	
Cayenne	

Quilt - 100% Polyester Black	OL11 OL16 OL19 OL20 OL21 OL22 OL23 OL24 OL25 OL26 OL27
Terrace - 100% Post-Consumer Recycled Polyester Lotus	
Shadow	TC63
Bluebell	TC65
HazeCerise	TC67
TwilightWintergreen	TC69

Ironwork**TC71** Pine Cone**TC72**

Flirt**TC73**

Taupe	
Mustard	
Latte	
Cement	
Silver	
Copper	
Teal	
Apple	
Steel	
Merlot	
Midnight Sky	
Mocha	
Urban - 62% Recycled Polyest Polyester Ocean Blue	UR UR UR UR UR
Gravel Road	UK:

..TK44 ..TK45 ..TK46 ..TK47 ...TK48 ..TK49 ..TK50 ...TK51 ...TK52 / 32% . UR11 . UR12 **UR13** UR18 . UR19 . UR20 . UR21 . UR22 /40% Trance......WA40 Victoria......WA43 Rainforest......WA46 Tranquility.......WA49 MajesticWA52 Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester Lime......**WV01** Stone WV03 Mesa WV07

GRADE 2 (FABRIC)			
Imprint - Polyester	100%	Post-Consumer	
Almond		IM70	
Cork		IM71	
Sand		IM72	
		IM73	
Candy Apple		IM74	
		IM75	
		IM76	
		IM77	
		IM78	
		IM79	
		IM80	
		IM81	
		IM82	
		IM83	
		IM84	

GRADE 2 (VINYL)

For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante FRee - 100% Vinyl Face /

100% Polyester Backing	
Illusion	A01F
Bright White	A02F
White Crush	
lvory	A04F
lce	
Bleached Sand	A06F
Taupe Fawn	A07F
Warm Smoke	A08F
Autumn Rain	A09F
Cookie	A10F
Sierra Brick	A11F
Gibraltar	A12F
Chateau Grey	A13F
Golden Green	A14F
Oasis Green	A15F
Ink Black	A16F
Purple impulse	A17F
Italian Rose	A18F
Mountain Sky	A19F
Old Navy	A20F
Galaxy	A21F
Red Truffle	A22F
Chocolate Sundae	A23F
Province Blue	A24F
Eclipse	A25F

GRADE 3 (RECYCLED)

Couture - 100% Post-Consumer Polyester	
Mocha	
Sapphire	CE74
Neptune	
Lake	CE76
Willow	CE77
Sassy	CE78
Persimmon	CE80
Carbon	CE81
Sterling	CF82

PANEL COM REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Compile Customer Service 565 Petrolia Road, Doors 6-13 Toronto, Ontario M3J2X8 Phone: 416.739.5000 Attn: Eric Sam

Requested By:'		
Phone #:		Fax #:
Project Name		Dealer/Specifier
Dealer Contact:		Evolve CSR:
 Phone #:		Fax #:
Thore w.		1 (1) 11 .
FABRIC INFORMATION		
Fabric Manufacturer:		
Color Name:		Color #:
Pattern Name:		Pattern #:
Content:		
Weight:		Width:
Repeat Horizontal:		Repeat Vertical:
Other Comments:		
DECUISOR FOR ADDITIONATION TEST	THE PERMITS OVER DO OF FARRY	0)
REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRI	ы
Compile Panel	Compile Tackboard	
Total Number of yards for testing:		
Please Note:		
Compile is not responsible for the duty	and brokerage fees for C.O.M. Fabric to	clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:				
Compile Customer Service 565 Petrolia Road, Doors 6-13 Toronto, Ontario M3J2X8 Phone: 416.739.5000 Attn: Eric Sam				
SUPPLIER	REMARKS:			
PATTERN				
WIDTH				
CONTENT				
LIGHT FASTNESS	REMARKS:			
FLAMMABILITY				
TUNNER TEST				
CUT PRICE	REMARKS:			
1 - 3 ROLLS				
4 ROLLS				
DIRECTIONAL	REMARKS:	EASY HARD X-HARD		
PANELS CORNERS				
RACEWAY COVER				
RACEWAY CORNERS				
STRETCH				
APPROVED	NOT APPROVED	CONDITIONAL APPROVAL		
REMARKS:				
* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product				
APPROVAL SIGNATURE: DATE:				

C.O.M AUTHORIZATION FORM FOR COMPILE PEDESTAL CUSHIONS

CUSTOMER INFORMATION

To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

A D (D 1 / 0 A)	0	2 .		
A+D/Dealer/Company Name:	Contact:	Date:		
Billing Address:	Phone:			
City: State: Zip:	Fax:			
End-User/Project Name:	End-User/Project Registered?	YES NO If YES, The Evolve Quote#:		
TEXTI	LE APPLICATION INFORMATION			
MODEL NUMBER	QUANTITY	SPECIAL INSTRUCTIONS		
Textile Name (Series/Style #):				
Textile Color Name and Description:				
Country of Origin:				
Mill or Manufacturer's Name:				
Textile Content (% Cotton, % Poly, % Wool, etc.):	VEDTICAL	5 115 115 115 115		
Textile Width: Pattern Re	peat: VERTICAL HORIZONTAL NEW TEXTILE	Rail Roaded? YES NO		
TEXTILE DIRECTION	Attached textile sample	PREVIOUSLY APPROVED TEXTILE		
	(Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE.	Fax completed form to: 856.596.5684		
_	MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road			
		J 08053 856.596.3390		
	Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.			
	Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials,			
	content and Country of Origin, additional fees may apply and will be billed separately. Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible			
	for any material shipped without the authorization number.			
STAPLE FABRIC TO THIS FORM IN THE DIRECTION	Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isononyl phthalate) (collectively the "Listed Chemiclas").			
IN WHICH THE FABRIC IS TO BE UPHOLSTERED WITH THE LEFT SIDE OF THIS PAGE BEING THE SAME LEFT AS THE CUSHION.	The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.			
EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)				
CAN#: TEXTILE	#: TEXTILE YARDAGE (REQUIRED FOR THE ORDER): GU CODE:			
SIGNATURE:	PRINT NAME:	DATE:		

TOP

STAPLE MINIMUM 6" X 6" **FABRIC SAMPLE HERE** IN THE DIRECTION IT IS TO BE **APPLIED TO THE PRODUCT**

BOTTOM

APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2019 Compile Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com 5503 Mile Road NW Grand Rapids, MI 49544 Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com 4001 S 700 East, Suite 450 Salt Lake City, UT 84107 Phone: 801-747-0373

KISP

www.kisp.com Customer Support: 416-499-2457 Cad Services Team: 416-499-2457 x3 Customer Service e-mail: tellmemore@kisp.com CAD Services requests CadServices@kisptech.com

Project Matrix

www.projectmatrix.com 11655 Lebanon Rd. Cincinnati, OH 45241 Tech Support Instant Messenger: projectmatrixtech@yahoo.com Phone: 513.554.1665 Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com 10469 Kinnard Avenue Los Angeles, CA 90024 voice: 800-350-7434 (US Only) international: 310-478-5140 fax: 310-478-4572 e-mail: jimsr@q-si.com

TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of: Global Industries, Inc. 17 West Stow Road P.O. Box 562 Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Free freight applies to orders dock delivered to one commercial business location in the contiguous United States during normal business hours. Residential deliveries will incur additional delivery charges.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. These LTL shipments are not subject to specific delivery days or times. Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that all orders be submitted in writing to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct. Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. Shipping dates are assigned to orders based on the item having the longest manufacturing lead time. Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to: **Evolve Furniture Group Customer Support** 17 West Stow Road Marlton, New Jersey USA 08053

856-552-4000 888-827-2500 Attention: Evolve Operations Manager

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- · Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- · Moving parts such as glides, slides, casters, useradjustable worksurface mechanisms, which are warranted for five years from date of delivery.

 Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- · Failures due to wear and tear
- · Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Evolve
- · Damage caused by a carrier in transit, or delivery/ installation contractors
- · The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- · Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/ edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

showrooms and distribution centers throughout the united states

SHOWROOMS

Atlanta 10 10th Street Suite 150 Atlanta, GA 30309 T 404.879.0998

Boston

One Harbor Street, Suite 104 Boston, MA 02210 T 617.406.5435

Chicago The Merchandise Mart 10th Floor, Suite 1035 Chicago, IL 60654 T 312.755.0843

18400 Von Karman Ave. Suite 100 Irvine, CA 92618

Miami

112 NE 41st Street 6th floor Miami, FL 33137

New Jersey (Southern)

119 Greentree Road Marlton, NJ 08053 T 856.596.3390

New York City 386 Park Avenue South, 7th floor New York, NY 10016 T 212.545.9900

Philadelphia

1735 Market Street 38th Floor Philadelphia PA, 19103 215.861.0963

Phoenix 4675 East Cotton Center Boulevard, Suite 165 Phoenix, AZ 85040 T 602.426.0666

Washington, DC

1130 Connecticut Avenue Washington, DC 20036 T 202.659.0230

SHOWROOMS + DISTRIBUTION CENTERS

Atlanta Area

6715 Maple Ave. Suite 100 Buford, GA 30518 T 678.602.4130

Baltimore Area

Troy Hill Corporate Center

7030 Troy Hill Drive Elkridge, MD 21075

Cincinnati Area 8712 LeSaint Drive Fairfield, OH 45014 T 513.777.0009

2025 W. Beltline Rd..

Carrollton, TX 75006

T 972.236.1366

Dallas Area

#100

Houston 7865 Northcourt Road, Building D, Suite 200 Houston, TX 77040 T 713.695.5777

Ft. Lauderdale Area

560 Sawgrass Corporate Parkway

Sunrise, FL 33325 T 954.846.8888

Los Angeles Area

12320 Bloomfield Avenue, Unit A Santa Fe Springs, CA 90670 T 562.484.9686

Seattle Area

Oakesdale Commerce Center 820 Southwest 34th St. Building W7, Suite A Renton, WA 98057 T 425.291.9282

Tampa Area 10351 Windhorst Road Tampa, FL 33619 T 813.621.6272

Chicago Area

T 410.379.8021

27W501 North Avenue West Chicago, IL 60185 T 630.681.2818

Denver Area

19080 E 38th Ave., #30 Aurora, CO 80011 T 303 340 1617

Kansas Area

11617 West 81st Street Lenexa, KS 66214 T 913.310.9963







17 West Stow Road P.O. Box 562 Marlton, New Jersey U.S.A. 08053 Tel (856) 596-3390 (800) 220-1900 Fax (856) 596-5684 www.globalfurnituregroup.com

Global - Canada Headquarters







